

## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

September 11, 2013

Project: Mayflower, AR Pipeline Incident

Submittal Date: 09/04/2013

Group Number: 1416141

SDG: PEL21

PO Number: B0086003.1301

State of Sample Origin: AR

<u>Client Sample Description</u>	<u>Lancaster Labs (LL) #</u>
WS-014(1.5-2.0)090213 Grab Surface Water	7184530
WS-014(5.5-6.0)090213 Grab Surface Water	7184531
WS-012(1.5-2.0)090213 Grab Surface Water	7184532
WS-012(5.0-5.5)090213 Grab Surface Water	7184533
WS-010(1.5-2.0)090213 Grab Surface Water	7184534
WS-010(3.5-4.0)090213 Grab Surface Water	7184535
WS-006(0.5-1.0)090213 Grab Surface Water	7184536
WS-005(Surface)090213 Grab Surface Water	7184537
WS-002(Surface)090213 Grab Surface Water	7184538
WS-011(1.5-2.0)090213 Grab Surface Water	7184539
WS-011(5.0-5.5)090213 Grab Surface Water	7184540
WS-018(Surface)090213 Grab Surface Water	7184541
WS-003(Surface)090213 Grab Surface Water	7184542
WS-007(0.5-1.0)090213 Grab Surface Water	7184543
WS-001(0.5-1.0)090213 Grab Surface Water	7184544
WS-EB-049-090213 Grab Water	7184545
DUP-WS-81-090213 Grab Surface Water	7184546

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	ARCADIS	Attn: Stephen Barrick
ELECTRONIC COPY TO	ARCADIS	Attn: Lyndi Mott
ELECTRONIC COPY TO	ExxonMobil	Attn: Michael J. Firth
ELECTRONIC COPY TO	ARCADIS	Attn: Emily Leamer

COPY TO		
ELECTRONIC	ARCADIS	Attn: Rhiannon Parmalee
COPY TO		
ELECTRONIC	ARCADIS	Attn: Jamie Pritchard
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Michael L Sixsmith
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Julie Foster
COPY TO		

Respectfully Submitted,



Katherine A. Klinefelter  
Principal Specialist

(717) 556-7256

---

Project Name: Mayflower, AR Pipeline Incident  
LLI Group #: 1416141

**General Comments:**

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

**Analysis Specific Comments:****SW-846 8270C SIM, GC/MS Semivolatiles**

Batch #: 13247WAG026 (Sample number(s): 7184530-7184546)

The recovery(ies) for one or more surrogates were outside of the QC window for sample(s) 7184530, 7184531, 7184532, 7184533, 7184534, 7184535, 7184536, 7184537, 7184538, 7184539, 7184540, 7184542, 7184543, 7184544, 7184546

Sample #s: 7184541, 7184545

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

Sample #s: 7184530, 7184531, 7184532, 7184533, 7184534, 7184535, 7184536, 7184537, 7184538, 7184539, 7184540, 7184542, 7184543, 7184544, 7184546

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

**SW-846 7470A, Metals**

Batch #: 132475713004 (Sample number(s): 7184530-7184546 UNSPK: 7184537 BKG: 7184537)

The duplicate RPD for the following analyte(s) exceeded the acceptance window:  
Mercury

**EPA 1664A, Wet Chemistry**

Batch #: 13253807902A (Sample number(s): 7184530-7184544, 7184546 UNSPK: 7184530)

The recovery(ies) for the following analyte(s) in the MS was outside the acceptance window: HEM (oil & grease)

Sample Description: **WS-014(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184530**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 08:25 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02141 SDG#: PEL21-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	Acetone	67-64-1	3.2 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-014(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184530**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 08:25 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02141 SDG#: PEL21-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.055	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.055	1
08357	Anthracene	120-12-7	N.D.	0.011	0.055	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.055	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.055	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.055	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.055	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.055	1
08357	Chrysene	218-01-9	N.D.	0.011	0.055	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.055	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.055	1
08357	Fluorene	86-73-7	N.D.	0.011	0.055	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.055	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.055	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.055	1
08357	Naphthalene	91-20-3	N.D.	0.033	0.055	1
08357	Phenanthrene	85-01-8	N.D.	0.033	0.055	1
08357	Pyrene	129-00-0	N.D.	0.011	0.055	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	28.6	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-014(1.5-2.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184530  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 08:25 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02141 SDG#: PEL21-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0229	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.52	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.98	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 12:35	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 12:35	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	1324718480026	09/06/2013 13:18	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 13:48	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 08:34	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-014(1.5-2.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184530  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 08:25 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02141 SDG#: PEL21-01

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-014(5.5-6.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184531  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 08:35 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02142 SDG#: PEL21-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	5.3	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	0.2 J	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-014(5.5-6.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184531**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 08:35 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02142 SDG#: PEL21-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.055	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.055	1
08357	Anthracene	120-12-7	N.D.	0.011	0.055	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.055	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.055	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.055	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.055	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.055	1
08357	Chrysene	218-01-9	N.D.	0.011	0.055	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.055	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.055	1
08357	Fluorene	86-73-7	N.D.	0.011	0.055	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.055	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.055	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.055	1
08357	Naphthalene	91-20-3	N.D.	0.033	0.055	1
08357	Phenanthrene	85-01-8	N.D.	0.033	0.055	1
08357	Pyrene	129-00-0	N.D.	0.011	0.055	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	29.0	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-014(5.5-6.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184531  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 08:35 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02142 SDG#: PEL21-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0220	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.61	0.0334	0.200	1
07051	Chromium	7440-47-3	0.0023 J	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.03	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 15:32	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 15:32	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13247WAG026	09/06/2013 13:45	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:12	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 08:37	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-014(5.5-6.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184531  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 08:35 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02142 SDG#: PEL21-02

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184532**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:00 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02121 SDG#: PEL21-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184532**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:00 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02121 SDG#: PEL21-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.054	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.054	1
08357	Anthracene	120-12-7	N.D.	0.011	0.054	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.054	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.054	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.054	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.054	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.054	1
08357	Chrysene	218-01-9	N.D.	0.011	0.054	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.054	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.054	1
08357	Fluorene	86-73-7	N.D.	0.011	0.054	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.054	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.054	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.054	1
08357	Naphthalene	91-20-3	N.D.	0.033	0.054	1
08357	Phenanthrene	85-01-8	N.D.	0.033	0.054	1
08357	Pyrene	129-00-0	N.D.	0.011	0.054	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	29.4	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184532**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:00 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02121 SDG#: PEL21-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0478	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.74	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.06	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 15:53	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 15:53	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	132471848026	09/06/2013 14:12	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:16	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 08:39	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-012(1.5-2.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184532  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:00 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02121 SDG#: PEL21-03

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(5.0-5.5)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184533**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:10 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02122 SDG#: PEL21-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-012(5.0-5.5)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184533**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:10 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02122 SDG#: PEL21-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.052	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.052	1
08357	Anthracene	120-12-7	N.D.	0.010	0.052	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.052	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.052	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.052	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.052	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.052	1
08357	Chrysene	218-01-9	N.D.	0.010	0.052	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.052	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.052	1
08357	Fluorene	86-73-7	N.D.	0.010	0.052	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.052	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.052	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.052	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.052	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.052	1
08357	Pyrene	129-00-0	N.D.	0.010	0.052	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	29.2	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-012(5.0-5.5)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184533  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:10 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02122 SDG#: PEL21-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0084 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0481	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.69	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.04	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 16:14	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 16:14	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13247WAG026	09/06/2013 14:39	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:28	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 08:41	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-012(5.0-5.5)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184533  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:10 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02122 SDG#: PEL21-04

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-010(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184534**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:25 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02101 SDG#: PEL21-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-010(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184534**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:25 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02101 SDG#: PEL21-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.052	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.052	1
08357	Anthracene	120-12-7	N.D.	0.010	0.052	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.052	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.052	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.052	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.052	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.052	1
08357	Chrysene	218-01-9	N.D.	0.010	0.052	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.052	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.052	1
08357	Fluorene	86-73-7	N.D.	0.010	0.052	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.052	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.052	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.052	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.052	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.052	1
08357	Pyrene	129-00-0	N.D.	0.010	0.052	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	30.4	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-010(1.5-2.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184534  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:25 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02101 SDG#: PEL21-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0072 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.481	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	7.04	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.12	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 17:49	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 17:49	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13247WAG026	09/06/2013 15:06	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:32	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 08:43	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-010(1.5-2.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184534  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:25 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02101 SDG#: PEL21-05

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-010(3.5-4.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184535**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:35 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02102 SDG#: PEL21-06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	Acetone	67-64-1	4.2 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-010(3.5-4.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184535**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:35 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02102 SDG#: PEL21-06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	30.5	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-010(3.5-4.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184535  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:35 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02102 SDG#: PEL21-06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0088 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.638	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	7.07	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.13	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 18:10	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 18:10	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13247WAG026	09/06/2013 15:33	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:36	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 08:49	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-010(3.5-4.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184535  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:35 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02102 SDG#: PEL21-06

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-006(0.5-1.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184536**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:50 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02006 SDG#: PEL21-07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	3.2 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-006(0.5-1.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184536**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 09:50 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02006 SDG#: PEL21-07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	30.2	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-006(0.5-1.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184536  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:50 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02006 SDG#: PEL21-07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0720	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.88	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.15	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 18:31	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 18:31	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	132471848026	09/06/2013 16:00	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:40	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 08:51	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-006(0.5-1.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184536  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 09:50 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02006 SDG#: PEL21-07

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-005 (Surface) 090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184537**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 10:30 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02005 SDG#: PEL21-08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	3.2 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-005 (Surface) 090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184537**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 10:30 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02005 SDG#: PEL21-08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	0.1 J	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.052	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.052	1
08357	Anthracene	120-12-7	N.D.	0.010	0.052	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.052	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.052	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.052	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.052	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.052	1
08357	Chrysene	218-01-9	N.D.	0.010	0.052	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.052	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.052	1
08357	Fluorene	86-73-7	N.D.	0.010	0.052	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.052	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.052	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.052	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.052	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.052	1
08357	Pyrene	129-00-0	N.D.	0.010	0.052	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	31.1	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-005 (Surface) 090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184537  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 10:30 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02005 SDG#: PEL21-08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0081 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0817	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	7.39	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.07	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	1.5 J	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 18:52	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 18:52	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	1324718480026	09/06/2013 16:27	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:44	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 08:53	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-005 (Surface) 090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184537  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 10:30 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02005 SDG#: PEL21-08

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-002 (Surface) 090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184538**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 10:55 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02002 SDG#: PEL21-09

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	Acetone	67-64-1	3.8 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-002 (Surface) 090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184538**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 10:55 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02002 SDG#: PEL21-09

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	28.7	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-002 (Surface) 090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184538  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 10:55 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02002 SDG#: PEL21-09

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0312	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.56	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.00	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	1.6 J	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 19:13	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 19:13	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	132471848026	09/06/2013 16:54	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:48	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 09:01	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-002 (Surface) 090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184538  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 10:55 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02002 SDG#: PEL21-09

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-011(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184539**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 11:20 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02111 SDG#: PEL21-10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-011(1.5-2.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184539**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 11:20 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

021111 SDG#: PEL21-10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	29.6	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-011(1.5-2.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184539  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 11:20 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02111 SDG#: PEL21-10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0094 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0263	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.70	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.12	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 19:34	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 19:34	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13247WAG026	09/06/2013 17:21	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:52	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 09:03	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-011(1.5-2.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184539  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 11:20 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02111 SDG#: PEL21-10

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-011(5.0-5.5)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184540  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 11:30 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02112 SDG#: PEL21-11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	3.5 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-011(5.0-5.5)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184540**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 11:30 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02112 SDG#: PEL21-11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.055	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.055	1
08357	Anthracene	120-12-7	N.D.	0.011	0.055	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.055	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.055	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.055	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.055	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.055	1
08357	Chrysene	218-01-9	N.D.	0.011	0.055	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.055	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.055	1
08357	Fluorene	86-73-7	N.D.	0.011	0.055	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.055	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.055	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.055	1
08357	Naphthalene	91-20-3	N.D.	0.033	0.055	1
08357	Phenanthrene	85-01-8	N.D.	0.033	0.055	1
08357	Pyrene	129-00-0	N.D.	0.011	0.055	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	30.5	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-011(5.0-5.5)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184540  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 11:30 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02112 SDG#: PEL21-11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0075 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0476	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.94	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.21	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	1.9 J	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 19:55	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 19:55	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13247WAG026	09/06/2013 17:48	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 14:56	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 09:05	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-011(5.0-5.5)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184540  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 11:30 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02112 SDG#: PEL21-11

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-018 (Surface) 090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184541  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:00 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02018 SDG#: PEL21-12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-018 (Surface) 090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184541**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 12:00 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02018 SDG#: PEL21-12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	30.3	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	0.010 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.286	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-018 (Surface) 090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184541  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:00 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02018 SDG#: PEL21-12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.88	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.19	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132481AA	09/05/2013 20:15	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132481AA	09/05/2013 20:15	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13247WAG026	09/06/2013 18:15	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 15:00	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 09:07	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-003 (Surface) 090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184542**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 12:10 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02003 SDG#: PEL21-13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	5.4	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-003 (Surface) 090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184542**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 12:10 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02003 SDG#: PEL21-13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.056	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.056	1
08357	Anthracene	120-12-7	N.D.	0.011	0.056	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.056	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.056	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.056	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.056	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.056	1
08357	Chrysene	218-01-9	N.D.	0.011	0.056	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.056	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.056	1
08357	Fluorene	86-73-7	N.D.	0.011	0.056	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.056	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.056	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.056	1
08357	Naphthalene	91-20-3	N.D.	0.033	0.056	1
08357	Phenanthrene	85-01-8	N.D.	0.033	0.056	1
08357	Pyrene	129-00-0	N.D.	0.011	0.056	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	29.9	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-003 (Surface) 090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184542  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:10 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02003 SDG#: PEL21-13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0092 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0571	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.82	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.12	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	1.4 J	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132491AA	09/06/2013 13:02	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132491AA	09/06/2013 13:02	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	1324718480026	09/06/2013 18:42	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 15:04	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 09:59	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-003 (Surface) 090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184542  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:10 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02003 SDG#: PEL21-13

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-007(0.5-1.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184543  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:20 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02007 SDG#: PEL21-14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	12	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	1.2 J	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-007(0.5-1.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184543**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 12:20 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02007 SDG#: PEL21-14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	0.4 J	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.052	1
08357	Acenaphthylene	208-96-8	0.015 J	0.010	0.052	1
08357	Anthracene	120-12-7	0.017 J	0.010	0.052	1
08357	Benzo(a)anthracene	56-55-3	0.043 J	0.010	0.052	1
08357	Benzo(a)pyrene	50-32-8	0.048 J	0.010	0.052	1
08357	Benzo(b)fluoranthene	205-99-2	0.15	0.010	0.052	1
08357	Benzo(g,h,i)perylene	191-24-2	0.046 J	0.010	0.052	1
08357	Benzo(k)fluoranthene	207-08-9	0.052 J	0.010	0.052	1
08357	Chrysene	218-01-9	0.080	0.010	0.052	1
08357	Dibenz(a,h)anthracene	53-70-3	0.012 J	0.010	0.052	1
08357	Fluoranthene	206-44-0	0.20	0.010	0.052	1
08357	Fluorene	86-73-7	0.015 J	0.010	0.052	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	0.060	0.010	0.052	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.052	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.052	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.052	1
08357	Phenanthrene	85-01-8	0.048 J	0.031	0.052	1
08357	Pyrene	129-00-0	0.15	0.010	0.052	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	43.3	0.033	0.20	1

\*=This limit was used in the evaluation of the final result



Sample Description: WS-007(0.5-1.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184543  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:20 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02007 SDG#: PEL21-14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0165 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.296	0.00033	0.0050	1
07049	Cadmium	7440-43-9	0.0018 J	0.00076	0.0050	1
01750	Calcium	7440-70-2	7.54	0.0334	0.200	1
07051	Chromium	7440-47-3	0.0350	0.0016	0.0150	1
07055	Lead	7439-92-1	0.105	0.0047	0.0150	1
01757	Magnesium	7439-95-4	5.94	0.0167	0.100	1
07061	Nickel	7440-02-0	0.0361	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	0.0463	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	0.00015 J	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132491AA	09/06/2013 13:24	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132491AA	09/06/2013 13:24	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	132471848002	09/06/2013 19:09	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 15:16	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 10:07	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-007(0.5-1.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184543  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:20 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02007 SDG#: PEL21-14

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-001(0.5-1.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184544  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:30 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02001 SDG#: PEL21-15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	3.0 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-001(0.5-1.0)090213 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184544**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 12:30 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02001 SDG#: PEL21-15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	0.1 J	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	29.7	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-001(0.5-1.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184544  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:30 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02001 SDG#: PEL21-15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0070 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.272	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.81	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.07	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132491AA	09/06/2013 13:46	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132491AA	09/06/2013 13:46	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	132471848026	09/06/2013 19:36	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 15:19	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 10:09	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-001(0.5-1.0)090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184544  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 12:30 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02001 SDG#: PEL21-15

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-EB-049-090213 Grab Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184545**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 13:00 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02E49 SDG#: PEL21-16EB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	19	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	1.9 J	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-EB-049-090213 Grab Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184545**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 13:00 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02E49 SDG#: PEL21-16EB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	0.5	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	0.11	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	1.8	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0013 J	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-EB-049-090213 Grab Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7184545**  
 LL Group # **1416141**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 09/02/2013 13:00 by HVA

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02E49 SDG#: PEL21-16EB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	0.518	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	0.121	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132491AA	09/06/2013 14:08	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132491AA	09/06/2013 14:08	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13247WAG026	09/06/2013 20:04	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 15:23	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 10:11	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1

\*=This limit was used in the evaluation of the final result

Sample Description: DUP-WS-81-090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184546  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02D81 SDG#: PEL21-17FD\*

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	4.1 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: DUP-WS-81-090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184546  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02D81 SDG#: PEL21-17FD\*

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	29.3	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: DUP-WS-81-090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184546  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02D81 SDG#: PEL21-17FD\*

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	0.0069 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0665	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.70	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	3.06	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132491AA	09/06/2013 14:30	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132491AA	09/06/2013 14:30	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	132471848002	09/06/2013 20:31	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13247WAG026	09/05/2013 12:00	Anna E Stager	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132496256001	09/06/2013 07:21	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
07046	Barium	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
07049	Cadmium	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
01750	Calcium	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
07051	Chromium	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
07055	Lead	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
01757	Magnesium	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
07061	Nickel	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
07036	Selenium	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
07066	Silver	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
07071	Vanadium	SW-846 6010B	1	132471848002	09/05/2013 15:27	Katlin N Cataldi	1
00259	Mercury	SW-846 7470A	1	132475713004	09/06/2013 10:13	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: DUP-WS-81-090213 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7184546  
LL Group # 1416141  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 09/02/2013 by HVA

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 09/04/2013 09:15

Reported: 09/11/2013 11:09

02D81 SDG#: PEL21-17FD\*

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132471848002	09/04/2013 23:30	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132475713004	09/05/2013 14:45	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13253807902A	09/10/2013 06:29	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/11/13 at 11:09 AM

Group Number: 1416141

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: C132491AA	Sample number(s): 7184542-7184546								
Acetone	N.D.	3.0	5.0	ug/l	119		60-139		
Allyl Chloride	N.D.	0.1	0.5	ug/l	76		61-130		
Benzene	N.D.	0.1	0.5	ug/l	101		80-120		
Bromobenzene	N.D.	0.1	0.5	ug/l	104		80-120		
Bromochloromethane	N.D.	0.1	0.5	ug/l	113		80-125		
Bromodichloromethane	N.D.	0.1	0.5	ug/l	110		80-120		
Bromoform	N.D.	0.1	0.5	ug/l	124		73-128		
Bromomethane	N.D.	0.1	0.5	ug/l	95		62-126		
2-Butanone	N.D.	1.0	5.0	ug/l	112		70-130		
n-Butylbenzene	N.D.	0.1	0.5	ug/l	97		80-120		
sec-Butylbenzene	N.D.	0.1	0.5	ug/l	95		80-120		
tert-Butylbenzene	N.D.	0.1	0.5	ug/l	98		80-120		
Carbon Tetrachloride	N.D.	0.1	0.5	ug/l	117		80-129		
Chlorobenzene	N.D.	0.1	0.5	ug/l	108		80-120		
Chloroethane	N.D.	0.1	0.5	ug/l	88		68-120		
Chloroform	N.D.	0.1	0.5	ug/l	110		80-120		
Chloromethane	N.D.	0.2	0.5	ug/l	76		55-120		
2-Chlorotoluene	N.D.	0.1	0.5	ug/l	98		80-120		
4-Chlorotoluene	N.D.	0.1	0.5	ug/l	100		80-120		
1,2-Dibromo-3-chloropropane	N.D.	0.2	0.5	ug/l	115		64-141		
Dibromochloromethane	N.D.	0.1	0.5	ug/l	115		80-126		
1,2-Dibromoethane	N.D.	0.1	0.5	ug/l	108		80-120		
Dibromomethane	N.D.	0.1	0.5	ug/l	113		80-120		
1,2-Dichlorobenzene	N.D.	0.1	0.5	ug/l	106		80-120		
1,3-Dichlorobenzene	N.D.	0.1	0.5	ug/l	105		80-120		
1,4-Dichlorobenzene	N.D.	0.1	0.5	ug/l	106		80-120		
Dichlorodifluoromethane	N.D.	0.1	0.5	ug/l	74		39-120		
1,1-Dichloroethane	N.D.	0.1	0.5	ug/l	97		80-120		
1,2-Dichloroethane	N.D.	0.1	0.5	ug/l	117		80-127		
1,1-Dichloroethene	N.D.	0.1	0.5	ug/l	100		80-123		
cis-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	102		80-120		
trans-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	107		80-120		
Dichlorofluoromethane	N.D.	0.2	0.5	ug/l	102		75-145		
1,2-Dichloropropane	N.D.	0.1	0.5	ug/l	102		80-120		
1,3-Dichloropropane	N.D.	0.1	0.5	ug/l	102		80-120		
2,2-Dichloropropane	N.D.	0.1	0.5	ug/l	98		75-122		
1,1-Dichloropropene	N.D.	0.1	0.5	ug/l	103		80-121		
cis-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	94		80-123		
trans-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	96		80-120		
Ethyl ether	N.D.	0.1	0.5	ug/l	101		59-130		
Ethylbenzene	N.D.	0.1	0.5	ug/l	100		80-120		
Freon 113	N.D.	0.2	0.5	ug/l	106		78-132		
Hexachlorobutadiene	N.D.	0.1	0.5	ug/l	97		73-120		

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/11/13 at 11:09 AM

Group Number: 1416141

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Isopropylbenzene	N.D.	0.1	0.5	ug/l	101		80-120		
p-Isopropyltoluene	N.D.	0.1	0.5	ug/l	96		80-120		
Methyl Tertiary Butyl Ether	N.D.	0.1	0.5	ug/l	91		80-120		
4-Methyl-2-Pentanone	N.D.	1.0	5.0	ug/l	90		69-135		
Methylene Chloride	N.D.	0.2	0.5	ug/l	106		80-120		
n-Propylbenzene	N.D.	0.1	0.5	ug/l	96		80-120		
Styrene	N.D.	0.1	0.5	ug/l	106		80-120		
1,1,1,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	112		80-120		
1,1,2,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	97		80-125		
Tetrachloroethene	N.D.	0.1	0.5	ug/l	107		80-120		
Tetrahydrofuran	N.D.	2.0	5.0	ug/l	120		65-131		
Toluene	N.D.	0.1	0.5	ug/l	101		80-120		
1,2,3-Trichlorobenzene	N.D.	0.1	0.5	ug/l	82		63-120		
1,2,4-Trichlorobenzene	N.D.	0.1	0.5	ug/l	86		70-120		
1,1,1-Trichloroethane	N.D.	0.1	0.5	ug/l	109		80-120		
1,1,2-Trichloroethane	N.D.	0.1	0.5	ug/l	109		80-120		
Trichloroethene	N.D.	0.1	0.5	ug/l	108		80-120		
Trichlorofluoromethane	N.D.	0.1	0.5	ug/l	109		77-132		
1,2,3-Trichloropropane	N.D.	0.3	1.0	ug/l	111		80-120		
1,2,4-Trimethylbenzene	N.D.	0.1	0.5	ug/l	99		80-120		
1,3,5-Trimethylbenzene	N.D.	0.1	0.5	ug/l	98		80-120		
Vinyl Chloride	N.D.	0.1	0.5	ug/l	83		65-127		
Xylene (Total)	N.D.	0.1	0.5	ug/l	102		80-120		

Batch number: H132481AA

Sample number(s): 7184530-7184541

Acetone	N.D.	3.0	5.0	ug/l	126		60-139		
Allyl Chloride	N.D.	0.1	0.5	ug/l	105		61-130		
Benzene	N.D.	0.1	0.5	ug/l	106		80-120		
Bromobenzene	N.D.	0.1	0.5	ug/l	106		80-120		
Bromochloromethane	N.D.	0.1	0.5	ug/l	106		80-125		
Bromodichloromethane	N.D.	0.1	0.5	ug/l	112		80-120		
Bromoform	N.D.	0.1	0.5	ug/l	108		73-128		
Bromomethane	N.D.	0.1	0.5	ug/l	95		62-126		
2-Butanone	N.D.	1.0	5.0	ug/l	129		70-130		
n-Butylbenzene	N.D.	0.1	0.5	ug/l	109		80-120		
sec-Butylbenzene	N.D.	0.1	0.5	ug/l	105		80-120		
tert-Butylbenzene	N.D.	0.1	0.5	ug/l	103		80-120		
Carbon Tetrachloride	N.D.	0.1	0.5	ug/l	121		80-129		
Chlorobenzene	N.D.	0.1	0.5	ug/l	107		80-120		
Chloroethane	N.D.	0.1	0.5	ug/l	101		68-120		
Chloroform	N.D.	0.1	0.5	ug/l	117		80-120		
Chloromethane	N.D.	0.2	0.5	ug/l	100		55-120		
2-Chlorotoluene	N.D.	0.1	0.5	ug/l	106		80-120		
4-Chlorotoluene	N.D.	0.1	0.5	ug/l	108		80-120		
1,2-Dibromo-3-chloropropane	N.D.	0.2	0.5	ug/l	112		64-141		
Dibromochloromethane	N.D.	0.1	0.5	ug/l	110		80-126		
1,2-Dibromoethane	N.D.	0.1	0.5	ug/l	109		80-120		
Dibromomethane	N.D.	0.1	0.5	ug/l	105		80-120		
1,2-Dichlorobenzene	N.D.	0.1	0.5	ug/l	106		80-120		
1,3-Dichlorobenzene	N.D.	0.1	0.5	ug/l	107		80-120		
1,4-Dichlorobenzene	N.D.	0.1	0.5	ug/l	107		80-120		
Dichlorodifluoromethane	N.D.	0.1	0.5	ug/l	88		39-120		
1,1-Dichloroethane	N.D.	0.1	0.5	ug/l	113		80-120		
1,2-Dichloroethane	N.D.	0.1	0.5	ug/l	123		80-127		
1,1-Dichloroethene	N.D.	0.1	0.5	ug/l	108		80-123		
cis-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	105		80-120		

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/11/13 at 11:09 AM

Group Number: 1416141

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCS %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
trans-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	110		80-120		
Dichlorofluoromethane	N.D.	0.2	0.5	ug/l	108		75-145		
1,2-Dichloropropane	N.D.	0.1	0.5	ug/l	111		80-120		
1,3-Dichloropropane	N.D.	0.1	0.5	ug/l	108		80-120		
2,2-Dichloropropane	N.D.	0.1	0.5	ug/l	115		75-122		
1,1-Dichloropropene	N.D.	0.1	0.5	ug/l	114		80-121		
cis-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	105		80-123		
trans-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	111		80-120		
Ethyl ether	N.D.	0.1	0.5	ug/l	86		59-130		
Ethylbenzene	N.D.	0.1	0.5	ug/l	105		80-120		
Freon 113	N.D.	0.2	0.5	ug/l	108		78-132		
Hexachlorobutadiene	N.D.	0.1	0.5	ug/l	91		73-120		
Isopropylbenzene	N.D.	0.1	0.5	ug/l	104		80-120		
p-Isopropyltoluene	N.D.	0.1	0.5	ug/l	102		80-120		
Methyl Tertiary Butyl Ether	N.D.	0.1	0.5	ug/l	104		80-120		
4-Methyl-2-Pentanone	N.D.	1.0	5.0	ug/l	110		69-135		
Methylene Chloride	N.D.	0.2	0.5	ug/l	109		80-120		
n-Propylbenzene	N.D.	0.1	0.5	ug/l	109		80-120		
Styrene	N.D.	0.1	0.5	ug/l	110		80-120		
1,1,1,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	110		80-120		
1,1,2,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	108		80-125		
Tetrachloroethene	N.D.	0.1	0.5	ug/l	105		80-120		
Tetrahydrofuran	N.D.	2.0	5.0	ug/l	119		65-131		
Toluene	N.D.	0.1	0.5	ug/l	109		80-120		
1,2,3-Trichlorobenzene	N.D.	0.1	0.5	ug/l	84		63-120		
1,2,4-Trichlorobenzene	N.D.	0.1	0.5	ug/l	90		70-120		
1,1,1-Trichloroethane	N.D.	0.1	0.5	ug/l	117		80-120		
1,1,2-Trichloroethane	N.D.	0.1	0.5	ug/l	109		80-120		
Trichloroethene	N.D.	0.1	0.5	ug/l	108		80-120		
Trichlorofluoromethane	N.D.	0.1	0.5	ug/l	109		77-132		
1,2,3-Trichloropropane	N.D.	0.3	1.0	ug/l	107		80-120		
1,2,4-Trimethylbenzene	N.D.	0.1	0.5	ug/l	109		80-120		
1,3,5-Trimethylbenzene	N.D.	0.1	0.5	ug/l	108		80-120		
Vinyl Chloride	N.D.	0.1	0.5	ug/l	98		65-127		
Xylene (Total)	N.D.	0.1	0.5	ug/l	107		80-120		

Batch number: 13247WAG026

Sample number(s): 7184530-7184546

Acenaphthene	N.D.	0.010	0.050	ug/l	97	97	77-118	0	30
Acenaphthylene	N.D.	0.010	0.050	ug/l	102	102	80-123	0	30
Anthracene	N.D.	0.010	0.050	ug/l	100	100	78-123	0	30
Benzo(a)anthracene	N.D.	0.010	0.050	ug/l	92	90	73-127	2	30
Benzo(a)pyrene	N.D.	0.010	0.050	ug/l	82	90	72-120	10	30
Benzo(b)fluoranthene	N.D.	0.010	0.050	ug/l	93	101	79-136	8	30
Benzo(g,h,i)perylene	N.D.	0.010	0.050	ug/l	77	97	64-130	24	30
Benzo(k)fluoranthene	N.D.	0.010	0.050	ug/l	84	95	73-131	13	30
Chrysene	N.D.	0.010	0.050	ug/l	87	94	76-125	8	30
Dibenz(a,h)anthracene	N.D.	0.010	0.050	ug/l	74	94	58-131	23	30
Fluoranthene	N.D.	0.010	0.050	ug/l	104	105	79-124	1	30
Fluorene	N.D.	0.010	0.050	ug/l	101	100	74-115	1	30
Indeno(1,2,3-cd)pyrene	N.D.	0.010	0.050	ug/l	105	128	62-130	20	30
1-Methylnaphthalene	N.D.	0.010	0.050	ug/l	108	106	80-126	1	30
2-Methylnaphthalene	N.D.	0.010	0.050	ug/l	105	104	81-124	1	30
Naphthalene	N.D.	0.030	0.050	ug/l	99	99	75-120	0	30
Phenanthrene	N.D.	0.030	0.050	ug/l	97	99	75-120	2	30
Pyrene	N.D.	0.010	0.050	ug/l	91	90	71-130	1	30

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.



## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/11/13 at 11:09 AM

Group Number: 1416141

Analysis Name	Blank Result	Blank MDL**	Blank LOQ	Report Units	LCS %REC	LCS D %REC	LCS/LCS D Limits	RPD	RPD Max
Batch number: 132471848002	Sample number(s): 7184530-7184546								
Arsenic	N.D.	0.0068	0.0200	mg/l	105		90-113		
Barium	0.0024 J	0.00033	0.0050	mg/l	105		90-110		
Cadmium	N.D.	0.00076	0.0050	mg/l	108		90-112		
Calcium	0.0719 J	0.0334	0.200	mg/l	101		90-110		
Chromium	N.D.	0.0016	0.0150	mg/l	103		90-110		
Lead	N.D.	0.0047	0.0150	mg/l	109		88-110		
Magnesium	N.D.	0.0167	0.100	mg/l	102		90-110		
Nickel	N.D.	0.0015	0.0100	mg/l	109		90-111		
Selenium	N.D.	0.0084	0.0200	mg/l	107		80-120		
Silver	N.D.	0.0021	0.0050	mg/l	96		80-120		
Vanadium	N.D.	0.0020	0.0050	mg/l	100		90-110		
Batch number: 132475713004	Sample number(s): 7184530-7184546								
Mercury	N.D.	0.00006	0.00020	mg/l	99		80-120		
Batch number: 13253807902A	Sample number(s): 7184530-7184544,7184546								
HEM (oil & grease)	N.D.	1.4	5.0	mg/l	91	86	78-114	5	16

## Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: C132491AA	Sample number(s): 7184542-7184546 UNSPK: 7184544								
Acetone	121	119	57-163	2	30				
Allyl Chloride	77	84	56-160	9	30				
Benzene	99	106	87-126	7	30				
Bromobenzene	101	113	80-123	11	30				
Bromochloromethane	114	120	82-125	5	30				
Bromodichloromethane	107	117	82-133	9	30				
Bromoform	119	130	60-138	9	30				
Bromomethane	93	94	66-130	1	30				
2-Butanone	114	112	56-160	2	30				
n-Butylbenzene	98	107	83-131	9	30				
sec-Butylbenzene	97	108	84-128	11	30				
tert-Butylbenzene	97	110	84-135	12	30				
Carbon Tetrachloride	122	127	81-148	4	30				
Chlorobenzene	108	118	78-133	9	30				
Chloroethane	89	91	70-139	3	30				
Chloroform	110	118	86-136	7	30				
Chloromethane	73	75	49-135	2	30				
2-Chlorotoluene	98	110	75-134	11	30				
4-Chlorotoluene	101	111	76-134	10	30				
1,2-Dibromo-3-chloropropane	121	115	43-143	5	30				
Dibromochloromethane	113	122	79-125	8	30				
1,2-Dibromoethane	105	115	84-127	9	30				
Dibromomethane	108	115	83-126	6	30				
1,2-Dichlorobenzene	105	114	83-117	9	30				
1,3-Dichlorobenzene	104	113	79-132	9	30				

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/11/13 at 11:09 AM

Group Number: 1416141

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
1,4-Dichlorobenzene	103	115	79-120	10	30				
Dichlorodifluoromethane	69	66	28-136	4	30				
1,1-Dichloroethane	94	102	88-136	8	30				
1,2-Dichloroethane	110	120	82-135	8	30				
1,1-Dichloroethene	102	109	83-150	7	30				
cis-1,2-Dichloroethene	100	107	82-129	7	30				
trans-1,2-Dichloroethene	106	111	88-127	5	30				
Dichlorofluoromethane	105	105	81-161	0	30				
1,2-Dichloropropane	98	108	91-126	9	30				
1,3-Dichloropropane	98	108	80-127	10	30				
2,2-Dichloropropane	99	103	80-134	4	30				
1,1-Dichloropropene	105	113	86-139	7	30				
cis-1,3-Dichloropropene	90	102	74-132	12	30				
trans-1,3-Dichloropropene	93	105	71-128	12	30				
Ethyl ether	95	99	57-139	4	30				
Ethylbenzene	101	112	80-140	10	30				
Freon 113	111	113	77-147	2	30				
Hexachlorobutadiene	101	110	65-128	8	30				
Isopropylbenzene	102	113	81-133	10	30				
p-Isopropyltoluene	97	107	84-124	10	30				
Methyl Tertiary Butyl Ether	84	93	82-132	11	30				
4-Methyl-2-Pentanone	86	98	69-149	14	30				
Methylene Chloride	101	107	77-135	7	30				
n-Propylbenzene	97	107	79-131	11	30				
Styrene	105	116	63-151	10	30				
1,1,1,2-Tetrachloroethane	113	122	87-126	7	30				
1,1,2,2-Tetrachloroethane	96	105	75-131	9	30				
Tetrachloroethene	110	119	75-129	8	30				
Tetrahydrofuran	118	115	56-154	3	30				
Toluene	101	111	83-127	8	30				
1,2,3-Trichlorobenzene	81	91	73-125	12	30				
1,2,4-Trichlorobenzene	85	94	77-120	11	30				
1,1,1-Trichloroethane	111	116	85-140	4	30				
1,1,2-Trichloroethane	106	115	85-129	9	30				
Trichloroethene	108	118	85-131	8	30				
Trichlorofluoromethane	114	108	73-139	6	30				
1,2,3-Trichloropropane	108	117	76-120	8	30				
1,2,4-Trimethylbenzene	99	109	87-126	10	30				
1,3,5-Trimethylbenzene	98	108	89-129	10	30				
Vinyl Chloride	85	87	62-135	3	30				
Xylene (Total)	103	114	81-137	9	30				
Batch number: H132481AA	Sample number(s): 7184530-7184541 UNSPK: 7184530								
Acetone	113	107	57-163	5	30				
Allyl Chloride	92	101	56-160	9	30				
Benzene	100	105	87-126	4	30				
Bromobenzene	101	107	80-123	6	30				
Bromochloromethane	94	101	82-125	7	30				
Bromodichloromethane	108	111	82-133	3	30				
Bromoform	107	108	60-138	1	30				
Bromomethane	89	92	66-130	3	30				
2-Butanone	110	109	56-160	1	30				

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/11/13 at 11:09 AM

Group Number: 1416141

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
n-Butylbenzene	104	110	83-131	6	30				
sec-Butylbenzene	100	106	84-128	6	30				
tert-Butylbenzene	100	107	84-135	7	30				
Carbon Tetrachloride	117	120	81-148	3	30				
Chlorobenzene	104	107	78-133	4	30				
Chloroethane	94	98	70-139	5	30				
Chloroform	109	113	86-136	3	30				
Chloromethane	92	95	49-135	4	30				
2-Chlorotoluene	100	106	75-134	5	30				
4-Chlorotoluene	100	107	76-134	7	30				
1,2-Dibromo-3-chloropropane	100	95	43-143	5	30				
Dibromochloromethane	107	109	79-125	2	30				
1,2-Dibromoethane	109	110	84-127	1	30				
Dibromomethane	104	102	83-126	1	30				
1,2-Dichlorobenzene	103	107	83-117	4	30				
1,3-Dichlorobenzene	102	107	79-132	4	30				
1,4-Dichlorobenzene	104	108	79-120	4	30				
Dichlorodifluoromethane	78	78	28-136	0	30				
1,1-Dichloroethane	106	109	88-136	2	30				
1,2-Dichloroethane	117	120	82-135	3	30				
1,1-Dichloroethene	101	109	83-150	8	30				
cis-1,2-Dichloroethene	98	101	82-129	3	30				
trans-1,2-Dichloroethene	103	110	88-127	6	30				
Dichlorofluoromethane	101	105	81-161	4	30				
1,2-Dichloropropane	106	109	91-126	4	30				
1,3-Dichloropropane	106	108	80-127	2	30				
2,2-Dichloropropane	112	115	80-134	3	30				
1,1-Dichloropropene	106	114	86-139	7	30				
cis-1,3-Dichloropropene	99	104	74-132	5	30				
trans-1,3-Dichloropropene	107	111	71-128	4	30				
Ethyl ether	106	112	57-139	5	30				
Ethylbenzene	102	107	80-140	5	30				
Freon 113	105	107	77-147	2	30				
Hexachlorobutadiene	91	96	65-128	5	30				
Isopropylbenzene	101	106	81-133	4	30				
p-Isopropyltoluene	99	104	84-124	5	30				
Methyl Tertiary Butyl Ether	102	104	82-132	2	30				
4-Methyl-2-Pentanone	118	116	69-149	1	30				
Methylene Chloride	99	106	77-135	6	30				
n-Propylbenzene	103	110	79-131	7	30				
Styrene	106	110	63-151	3	30				
1,1,1,2-Tetrachloroethane	112	113	87-126	1	30				
1,1,2,2-Tetrachloroethane	109	112	75-131	3	30				
Tetrachloroethene	102	107	75-129	5	30				
Tetrahydrofuran	99	98	56-154	2	30				
Toluene	105	107	83-127	2	30				
1,2,3-Trichlorobenzene	82	84	73-125	2	30				
1,2,4-Trichlorobenzene	87	89	77-120	2	30				
1,1,1-Trichloroethane	111	116	85-140	4	30				
1,1,2-Trichloroethane	110	108	85-129	2	30				
Trichloroethene	103	107	85-131	4	30				
Trichlorofluoromethane	103	105	73-139	3	30				

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/11/13 at 11:09 AM

Group Number: 1416141

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
1,2,3-Trichloropropane	110	111	76-120	1	30				
1,2,4-Trimethylbenzene	103	109	87-126	6	30				
1,3,5-Trimethylbenzene	102	109	89-129	6	30				
Vinyl Chloride	92	96	62-135	4	30				
Xylene (Total)	103	107	81-137	4	30				

Batch number: 132471848002	Sample number(s): 7184530-7184546 UNSPK: 7184530 BKG: 7184530								
Arsenic	109	110	81-123	1	20	N.D.	N.D.	0 (1)	20
Barium	108	107	78-118	1	20	0.0229	0.0226	1 (1)	20
Cadmium	109	109	83-116	0	20	N.D.	N.D.	0 (1)	20
Calcium	104	101	81-118	1	20	6.52	6.59	1	20
Chromium	106	106	81-120	0	20	N.D.	N.D.	0 (1)	20
Lead	107	108	75-125	0	20	N.D.	N.D.	0 (1)	20
Magnesium	103	101	75-125	1	20	2.98	3.02	1	20
Nickel	111	110	86-115	0	20	N.D.	N.D.	0 (1)	20
Selenium	108	105	75-125	3	20	N.D.	N.D.	0 (1)	20
Silver	98	99	75-125	1	20	N.D.	N.D.	0 (1)	20
Vanadium	103	102	90-111	0	20	N.D.	N.D.	0 (1)	20

Batch number: 132475713004	Sample number(s): 7184530-7184546 UNSPK: 7184537 BKG: 7184537								
Mercury	102	99	80-120	3	20	N.D.	0.000064	J 200* (1)	20

Batch number: 13253807902A	Sample number(s): 7184530-7184544,7184546 UNSPK: 7184530								
HEM (oil & grease)	74*		78-114						

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX 25-ml purge  
Batch number: C132491AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7184542	110	105	96	94
7184543	110	107	94	94
7184544	111	106	96	94
7184545	111	106	96	97
7184546	110	105	96	94
Blank	109	106	96	95
LCS	106	103	98	101
MS	107	103	99	101
MSD	105	102	99	101
Limits:	77-114	74-113	77-110	78-110

Analysis Name: BTEX 25-ml purge  
Batch number: H132481AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/11/13 at 11:09 AM

Group Number: 1416141

### Surrogate Quality Control

7184530	109	103	103	100
7184531	110	107	102	99
7184532	110	106	103	99
7184533	110	106	102	98
7184534	111	108	103	101
7184535	109	105	102	100
7184536	110	103	102	100
7184537	111	105	102	99
7184538	110	110	102	99
7184539	110	105	103	97
7184540	111	108	103	101
7184541	110	102	102	98
Blank	111	106	102	99
LCS	107	103	104	104
MS	107	105	104	105
MSD	106	103	104	104

Limits: 77-114                      74-113                      77-110                      78-110

Analysis Name: PAHs in waters by SIM

Batch number: 13247WAG026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10
7184530	96	48*	105
7184531	88	34*	103
7184532	99	56*	105
7184533	96	57*	104
7184534	88	40*	96
7184535	97	52*	106
7184536	97	53*	106
7184537	89	47*	100
7184538	98	56*	107
7184539	97	57*	107
7184540	99	54*	107
7184541	98	62	107
7184542	95	49*	103
7184543	82	58*	103
7184544	100	54*	111
7184545	93	89	95
7184546	95	53*	105
Blank	97	94	105
LCS	98	80	107
LCSD	98	93	107

Limits: 44-137                      62-141                      51-136

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.



# ExxonMobil Analysis Request/Chain of Custody



Lancaster Laboratories  
Environmental

Acct. # 14739 Group # 1416141 Sample # 7184530-46  
Instructions on reverse side correspond with circled numbers.

2 of 3

1 Client Information				4 Matrix				5 Analyses Requested										6 Remarks																														
Facility #/SID <u>MAYFLOWER PIPELINE INCIDENT</u>				<input type="checkbox"/> Sediment <input type="checkbox"/> Potable <input type="checkbox"/> Ground <input checked="" type="checkbox"/> Surface <input type="checkbox"/> NPDES <input type="checkbox"/> Air				Preservation Code										SCR#: _____  Preservation Codes H = HCl      T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other																														
Site Address <u>MAYFLOWER, AR</u>								<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">H</td> <td style="width: 20%;">N</td> <td style="width: 20%;">N</td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> <td style="width: 20%;"></td> </tr> <tr> <td style="text-align: center;">VOCs 8260B</td> <td style="text-align: center;">PAH 8270 SIM</td> <td style="text-align: center;">RCEA Metals+NI, V, Cr, Mg <i>background</i></td> <td style="text-align: center;">Dis Metals</td> <td style="text-align: center;">HEM Oil &amp; Pave</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>												H	N	N															VOCs 8260B	PAH 8270 SIM	RCEA Metals+NI, V, Cr, Mg <i>background</i>	Dis Metals	HEM Oil & Pave							
H	N	N																																														
VOCs 8260B	PAH 8270 SIM	RCEA Metals+NI, V, Cr, Mg <i>background</i>	Dis Metals	HEM Oil & Pave																																												
ExxonMobil PM <u>SCOTT BUSHROE</u>				Cost Center/AFE 				Total # of Containers VOCs 8260B PAH 8270 SIM RCEA Metals+NI, V, Cr, Mg Dis Metals HEM Oil & Pave										6																														
Consultant/Office <u>ARCADIS</u>				Consultant Phone # <u>919-302-6799</u>																																												
Sampler <u>HANS VAN ALBE / DATE 2011</u>				Grab <input type="checkbox"/> Composite <input type="checkbox"/>																																												
2 Sample Identification				Collected		3																																										
		Date	Time	Grab	Soil	Water	Oil																																									
WS-003 (Surface) 090213		9.2.13	1210	X		X		9	X	X	X	X	X																																			
WS-007 (0.5-1.0) 090213			1220	X		X		9	X	X	X	X	X																																			
WS-001 (0.5-1.0) 090213			1230	X		X		9	X	X	X	X	X																																			
WS-EB-049-090213			1300	X		X		7	X	X	X	X																																				
Dup-WS-81-090213			—	X		X		9	X	X	X	X	X																																			
WS-014 (1.5-2.0) 090313		9.3.13	0825	X		X		9	X	X	X	X	X																																			
WS-014 (5.5-6.0) 090313			0835	X		X		9	X	X	X	X	X																																			
WS-012 (1.5-2.0) 090313			0850	X		X		9	X	X	X	X	X																																			
WS-012 (5.0-5.5) 090313			0900	X		X		9	X	X	X	X	X																																			
WS-010 (1.5-2.0) 090313			0915	X		X		9	X	X	X	X	X																																			
WS-010 (3.5-4.0) 090313			0925	X		X		9	X	X	X	X	X																																			
WS-006 (0.5-1.0) 090313			0935	X		X		9	X	X	X	X	X																																			

7 Turnaround Time Requested (TAT) (please circle)			Relinquished by <u>A. Doty</u>		Date <u>9.3.13</u>	Time <u>1600</u>	Received by	Date	Time
Standard	<u>5 day</u>	4 day	Relinquished by		Date	Time	Received by	Date	Time
72 hour	48 hour	24 hour	Relinquished by		Date	Time	Received by	Date	Time
8 Data Package (circle if required)			Relinquished by Commercial Carrier		Received by		Date	Time	
Type I - Full	EDD (circle if required)		UPS <input checked="" type="checkbox"/> FedEx _____ Other _____		<u>C. Esler</u>		<u>9/4/13</u>	<u>0915</u>	
Type VI (Raw Data)	Locus EIM (default)		Temperature Upon Receipt <u>0.6-1.7</u> °C		Custody Seals Intact?		<u>Yes</u>	No	
NJ Reduced	Other _____								
Other _____									

Environmental Sample Administration 1416141  
 Receipt Documentation Log

Client/Project: Mayflower Waters  
 Date of Receipt: 9/4/13  
 Time of Receipt: 0915  
 Source Code: 60-1

Shipping Container Sealed: YES NO  
 Custody Seal Present \* : YES NO  
 \* Custody seal was intact unless otherwise noted in the discrepancy section  
 Package: Chilled Not Chilled

Temperature of Shipping Containers

Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	DT146	1.4	TB	WI	Y	B	
2	↓	0.9	↓	↓	↓	↓	
3	↓	0.7	↓	↓	↓	↓	
4	↓	0.6	↓	↓	↓	↓	
5	↓	0.7	↓	↓	↓	↓	
6	↓	0.9	↓	↓	↓	↓	

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:  
9/2 0925 WS-010 (1.5-2.0) 1 broken O+G jar

Unpacker Signature/Emp#: [Signature] 3647 Date/Time: 9/4/13 1050



Environmental Sample Administration  
Receipt Documentation Log

1416141 2/2

Client/Project: Mayflower Waters  
 Date of Receipt: 9/4/13  
 Time of Receipt: 0915  
 Source Code: 60-1

Shipping Container Sealed: YES NO

Custody Seal Present \* : YES NO

\* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	DT146	1.3	TB	WI	Y	B	
2	↓	1.3	↓	↓	↓	↓	
3		0.9					
4		1.0					
5		0.8					
6		1.7					

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

---



---



---



---

Unpacker Signature/Emp#: CC [Signature] 3647 Date/Time: 9/4/13 1050

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m<sup>3</sup></b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

**ppm** parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

**ppb** parts per billion

**Dry weight basis** Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

*Data Qualifiers:*

**C** – result confirmed by reanalysis.

**J** - estimated value – The result is  $\geq$  the Method Detection Limit (MDL) and  $<$  the Limit of Quantitation (LOQ).

*U.S. EPA CLP Data Qualifiers:*

**Organic Qualifiers**

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns  $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

**Inorganic Qualifiers**

- B** Value is  $<$ CRDL, but  $\geq$ IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- \*** Duplicate analysis not within control limits
- +** Correlation coefficient for MSA  $<0.995$

**Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.