

## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

ExxonMobil  
PO Box 4592  
Houston TX 77210-4592

April 14, 2014

Project: Mayflower, AR Pipeline Incident

Submittal Date: 04/03/2014  
Group Number: 1464360  
SDG: PEM93  
PO Number: 4410181435  
Release Number: SIXSMITH  
State of Sample Origin: AR

### Client Sample Description

WS-007(0.5-1.0)040214 Grab Surface Water  
WS-009(Surface)040214 Grab Surface Water  
WS-001(0.5-1.0)040214 Grab Surface Water  
WS-021(Surface)040214 Grab Surface Water  
WS-004(0.5-1.0)040214 Grab Surface Water

### Lancaster Labs (LL) #

7418417  
7418418  
7418419  
7418420  
7418421

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO	ARCADIS	Attn: Stephen Barrick
ELECTRONIC COPY TO	ARCADIS	Attn: Lyndi Mott
ELECTRONIC COPY TO	ExxonMobil	Attn: Michael J. Firth
ELECTRONIC COPY TO	ARCADIS	Attn: Emily Leamer
ELECTRONIC COPY TO	ARCADIS	Attn: Rhiannon Parmalee
ELECTRONIC COPY TO	ExxonMobil	Attn: Michael L Sixsmith
ELECTRONIC COPY TO	ExxonMobil	Attn: Julie Foster

Respectfully Submitted,



Katherine A. Klinefelter  
Principal Specialist

(717) 556-7256

---

Project Name: Mayflower, AR Pipeline Incident  
LLI Group #: 1464360

**General Comments:**

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

**Analysis Specific Comments:****SW-846 8270C SIM, GC/MS Semivolatiles****Sample #s: 7418417, 7418420, 7418421**

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

**Sample #s: 7418418, 7418419**

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis. The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

**Batch #: 14094WAJ026 (Sample number(s): 7418417-7418421)**

The recovery(ies) for one or more surrogates were outside of the QC window for sample(s) 7418418, 7418419

Sample Description: WS-007(0.5-1.0)040214 Grab Surface Water  
S20135565 Mayflower, AR  
Pipeline Incident

LL Sample # WW 7418417  
LL Group # 1464360  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 04/02/2014 13:30 by MH ExxonMobil  
PO Box 4592  
Houston TX 77210-4592  
Submitted: 04/03/2014 09:25  
Reported: 04/14/2014 10:27

P9301 SDG#: PEM93-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	0.021 J	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	0.024 J	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	0.071	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	0.022 J	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	0.023 J	0.010	0.051	1
08357	Chrysene	218-01-9	0.048 J	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	0.087	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	0.020 J	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	0.036 J	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	0.061	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14094WAJ026	04/07/2014 02:07	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14094WAJ026	04/06/2014 17:00	Elaine F Stoltzfus	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-009 (Surface) 040214 Grab Surface Water  
S20135565 Mayflower, AR  
Pipeline Incident

LL Sample # WW 7418418  
LL Group # 1464360  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 04/02/2014 13:40 by MH ExxonMobil  
PO Box 4592  
Houston TX 77210-4592  
Submitted: 04/03/2014 09:25  
Reported: 04/14/2014 10:27

P9302 SDG#: PEM93-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.050	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.050	1
08357	Anthracene	120-12-7	N.D.	0.010	0.050	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.050	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.050	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.050	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.050	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.050	1
08357	Chrysene	218-01-9	N.D.	0.010	0.050	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.050	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.050	1
08357	Fluorene	86-73-7	N.D.	0.010	0.050	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.050	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.050	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.050	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.050	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.050	1
08357	Pyrene	129-00-0	0.011 J	0.010	0.050	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14094WAJ026	04/07/2014 02:36	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14094WAJ026	04/06/2014 17:00	Elaine F Stoltzfus	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-001(0.5-1.0)040214 Grab Surface Water  
S20135565 Mayflower, AR  
Pipeline Incident

LL Sample # WW 7418419  
LL Group # 1464360  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 04/02/2014 13:50 by MH ExxonMobil  
PO Box 4592  
Houston TX 77210-4592  
Submitted: 04/03/2014 09:25  
Reported: 04/14/2014 10:27

P9303 SDG#: PEM93-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14094WAJ026	04/07/2014 03:05	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14094WAJ026	04/06/2014 17:00	Elaine F Stoltzfus	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-021(Surface)040214 Grab Surface Water  
S20135565 Mayflower, AR  
Pipeline Incident

LL Sample # WW 7418420  
LL Group # 1464360  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 04/02/2014 14:00 by MH ExxonMobil  
PO Box 4592  
Houston TX 77210-4592  
Submitted: 04/03/2014 09:25  
Reported: 04/14/2014 10:27

P9304 SDG#: PEM93-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.050	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.050	1
08357	Anthracene	120-12-7	N.D.	0.010	0.050	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.050	1
08357	Benzo(a)pyrene	50-32-8	0.019 J	0.010	0.050	1
08357	Benzo(b)fluoranthene	205-99-2	0.017 J	0.010	0.050	1
08357	Benzo(g,h,i)perylene	191-24-2	0.30	0.010	0.050	1
08357	Benzo(k)fluoranthene	207-08-9	0.013 J	0.010	0.050	1
08357	Chrysene	218-01-9	N.D.	0.010	0.050	1
08357	Dibenz(a,h)anthracene	53-70-3	0.30	0.010	0.050	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.050	1
08357	Fluorene	86-73-7	N.D.	0.010	0.050	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	0.28	0.010	0.050	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.050	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.050	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.050	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.050	1
08357	Pyrene	129-00-0	N.D.	0.010	0.050	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14094WAJ026	04/07/2014 03:34	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14094WAJ026	04/06/2014 17:00	Elaine F Stoltzfus	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-004(0.5-1.0)040214 Grab Surface Water  
S20135565 Mayflower, AR  
Pipeline Incident

LL Sample # WW 7418421  
LL Group # 1464360  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 04/02/2014 14:10 by MH ExxonMobil  
PO Box 4592  
Houston TX 77210-4592  
Submitted: 04/03/2014 09:25  
Reported: 04/14/2014 10:27

P9305 SDG#: PEM93-05\*

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14094WAJ026	04/07/2014 04:03	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14094WAJ026	04/06/2014 17:00	Elaine F Stoltzfus	1

\*=This limit was used in the evaluation of the final result



## Quality Control Summary

Client Name: ExxonMobil  
Reported: 04/14/14 at 10:27 AM

Group Number: 1464360

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 14094WAJ026      Sample number(s): 7418417-7418421									
Acenaphthene	N.D.	0.010	0.050	ug/l	104	107	83-119	3	30
Acenaphthylene	N.D.	0.010	0.050	ug/l	89	92	81-130	4	30
Anthracene	N.D.	0.010	0.050	ug/l	103	106	83-125	2	30
Benzo(a)anthracene	N.D.	0.010	0.050	ug/l	106	110	79-122	4	30
Benzo(a)pyrene	N.D.	0.010	0.050	ug/l	101	103	80-121	2	30
Benzo(b)fluoranthene	N.D.	0.010	0.050	ug/l	118	117	79-136	1	30
Benzo(g,h,i)perylene	N.D.	0.010	0.050	ug/l	94	99	72-132	6	30
Benzo(k)fluoranthene	N.D.	0.010	0.050	ug/l	97	104	81-131	6	30
Chrysene	N.D.	0.010	0.050	ug/l	98	102	84-118	3	30
Dibenz(a,h)anthracene	N.D.	0.010	0.050	ug/l	89	97	66-133	9	30
Fluoranthene	N.D.	0.010	0.050	ug/l	101	105	84-124	3	30
Fluorene	N.D.	0.010	0.050	ug/l	102	106	82-119	4	30
Indeno(1,2,3-cd)pyrene	N.D.	0.010	0.050	ug/l	93	99	68-132	7	30
1-Methylnaphthalene	N.D.	0.010	0.050	ug/l	96	98	86-130	2	30
2-Methylnaphthalene	N.D.	0.010	0.050	ug/l	92	94	81-131	2	30
Naphthalene	N.D.	0.030	0.050	ug/l	96	98	82-122	2	30
Phenanthrene	N.D.	0.030	0.050	ug/l	94	98	83-116	4	30
Pyrene	N.D.	0.010	0.050	ug/l	96	99	78-125	3	30

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: PAHs in waters by SIM

Batch number: 14094WAJ026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10
7418417	91	68	91
7418418	82	38*	86
7418419	65	25*	71
7418420	92	78	87
7418421	96	81	91
Blank	99	115	94
LCS	95	107	96
LCSD	97	110	97

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil  
Reported: 04/14/14 at 10:27 AM

Group Number: 1464360

### Surrogate Quality Control

---

Limits: 59-128                      62-141                      70-134

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

# ExxonMobil Analysis Request/Chain of Custody



Lancaster Laboratories Environmental

Acct. # 14739

For Eurofins Lancaster Laboratories Environmental use only  
 Group # 1464360 Sample # 7418417-21

Instructions on reverse side correspond with circled numbers.

1 of 1

<b>1 Client Information</b>			<b>4 Matrix</b>			<b>5 Analyses Requested</b>												<b>6 Preservation Code</b>	
Facility #/SID <u>Mayflower Pipeline Incident</u>			Sediment <input type="checkbox"/> Ground <input type="checkbox"/> Surface <input checked="" type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/> Soil <input type="checkbox"/> Water <input checked="" type="checkbox"/> Oil <input type="checkbox"/>			Preservation Code Total # of Containers <u>PAH 8270 SIM</u>												SCR#: _____	
Site Address <u>Mayflower AR</u>																		Preservation Codes H = HCl      T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other	
ExxonMobil/PM <u>Mike Sixsmith</u>		Cost Center/AFE																6 <b>Remarks</b>	
Consultant/Office <u>Arcadis</u>		Consultant PM <u>Steve Barrick</u>																	
Consultant Phone # <u>919-302-6799</u>																			
Sampler <u>MH</u>			3 Composite																
<b>2 Sample Identification</b>																			
		<b>Collected</b>		Grab <input type="checkbox"/> Composite <input type="checkbox"/>															
		Date	Time																
<u>WS-007 (0.5-1.0) 040214</u>		<u>4-2-14</u>	<u>1330</u>	Total # of Containers <u>XXXXXX</u>															
<u>WS-009 (surface) 040214</u>		<u>4-2-14</u>	<u>1340</u>																
<u>WS-001 (0.5-1.0) 040214</u>		<u>4-2-14</u>	<u>1350</u>																
<u>WS-021 (surface) 040214</u>		<u>4-2-14</u>	<u>1400</u>																
<u>WS-004 (0.5-1.0) 040214</u>		<u>4-2-14</u>	<u>1410</u>																
<b>7 Turnaround Time Requested (TAT) (please circle)</b>			Relinquished by <u>[Signature]</u>			Date <u>4-2-14</u> Time <u>1630</u>		Received by _____		Date _____ Time _____		<b>9</b>							
Standard <input checked="" type="checkbox"/> 5 day      4 day 72 hour      48 hour      24 hour			Relinquished by _____			Date _____ Time _____		Received by _____		Date _____ Time _____									
Relinquished by _____			Date _____ Time _____			Received by _____		Date _____ Time _____											
<b>8 Data Package (circle if required)</b>			Relinquished by Commercial Carrier			Date _____ Time _____		Received by <u>[Signature]</u>		Date <u>4/3/14</u> Time <u>0925</u>									
Type I - Full Type VI (Raw Data) NJ Reduced Other _____			EDD (circle if required) Locus EIM (default) Other _____			UPS <input checked="" type="checkbox"/> FedEx _____ Other _____		Temperature Upon Receipt <u>0.5</u> °C		Custody Seals Intact? <input checked="" type="checkbox"/> Yes      No									

Client: Mayflower

**Delivery and Receipt Information**

Delivery Method: UPS Arrival Timestamp: 04/03/2014 9:25  
 Number of Packages: 1 Number of Projects: 1

**Arrival Condition Summary**

Shipping Container Sealed:	<u>Yes</u>	Total Trip Blank Qty:	<u>0</u>
Custody Seal Present:	<u>Yes</u>	Trip Blank Type:	<u>N/A</u>
Custody Seal Intact:	<u>Yes</u>	Air Quality Samples Present:	<u>No</u>
Samples Chilled:	<u>Yes</u>	Air Quality Flow Controllers Present:	<u>N/A</u>
Paperwork Enclosed:	<u>Yes</u>	Flow Controller Quantity:	<u>0</u>
Samples Intact:	<u>Yes</u>	Air Quality Returns:	<u>N/A</u>
Missing Samples:	<u>No</u>		
Extra Samples:	<u>No</u>		
Discrepancy in Container Qty on COC:	<u>No</u>		
Sample IDs on COC match Containers:	<u>Yes</u>		
Sample Date/Times match COC:	<u>Yes</u>		
VOA Vial Headspace $\geq$ 6mm:	<u>N/A</u>		
VOA IDs ( $\geq$ 6mm):	<u>N/A</u>		

Unpacked by Corey Eshleman (3647) at 10:43 on 04/03/2014

**Samples Chilled Details**

Thermometer Types: *DT = Digital IR = Infrared*

Cooler #	Thermometer ID	Raw Temp (°C)	Corrected Temp (°C)	Thermometer Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT121	0.5	0.5	DT	Wet	Y	Bagged	N

General Comments:

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m3</b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

**ppm** parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

**ppb** parts per billion

**Dry weight basis** Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

*Data Qualifiers:*

**C** – result confirmed by reanalysis.

**J** - estimated value – The result is  $\geq$  the Method Detection Limit (MDL) and  $<$  the Limit of Quantitation (LOQ).

*U.S. EPA CLP Data Qualifiers:*

**Organic Qualifiers**

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns  $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

**Inorganic Qualifiers**

- B** Value is  $<$ CRDL, but  $\geq$ IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- \*** Duplicate analysis not within control limits
- +** Correlation coefficient for MSA  $<0.995$

**Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.