



5301 Northshore Drive
North Little Rock, AR 72118
Telephone: 501-682-0744

Client Report For: Exxon Oil Spill 2013 1486-1495
Attention:
Client Address:

,

Report Date: May 24, 2013
LAB ID: AR13MAY06-05
Comment:

Approved By: _____

Date: May 24, 2013

Client: Special Samples

Client Sample ID: WS-001

Lab ID: 2013-1486

Collection Date: 5/6/2013 1:24:00 PM

Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
<i>Dibromofluoromethane (% Recovery)</i>	100	70-130			%
<i>1,2-Dichloroethane-d4 (% Recovery)</i>	91.7	70-130			%
<i>Toluene-d8 (% Recovery)</i>	95.1	70-130			%
<i>4-Bromofluorobenzene (% Recovery)</i>	101	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	<0.27	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L

Methyl isobutyl ketone	<8.1	8.1	8.10	ug/L
Toluene	<0.57	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	<0.51	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	<1.2	1.2	1.2	ug/L
o-Xylene	<0.5	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 5:35 PM			

Client: Special Samples

Client Sample ID: WS-002

Lab ID: 2013-1487

Collection Date: 5/6/2013 10:29:00 AM

Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Dibromofluoromethane (% Recovery)	98.3	70-130			%
1,2-Dichloroethane-d4 (% Recovery)	91.1	70-130			%
Toluene-d8 (% Recovery)	97.4	70-130			%
4-Bromofluorobenzene (% Recovery)	103	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	<0.27	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L
Methyl isobutyl ketone	<8.1	8.1	8.10		ug/L

Toluene	<0.57	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	<0.51	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	<1.2	1.2	1.2	ug/L
o-Xylene	<0.5	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 6:01 PM			

Client: Special Samples

Client Sample ID: WS-003

Lab ID: 2013-1488

Collection Date: 5/6/2013 8:44:00 AM

Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
<i>Dibromofluoromethane (% Recovery)</i>	102	70-130			%
<i>1,2-Dichloroethane-d4 (% Recovery)</i>	95.3	70-130			%
<i>Toluene-d8 (% Recovery)</i>	96.3	70-130			%
<i>4-Bromofluorobenzene (% Recovery)</i>	104	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	<0.27	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L
Methyl isobutyl ketone	<8.1	8.1	8.10		ug/L

Toluene	<0.57	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	<0.51	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	<1.2	1.2	1.2	ug/L
o-Xylene	<0.5	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 8:33 PM			

Client: Special Samples

Client Sample ID: WS-004

Lab ID: 2013-1489

Collection Date: 5/6/2013 1:54:00 PM

Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Dibromofluoromethane (% Recovery)	104	70-130			%
1,2-Dichloroethane-d4 (% Recovery)	93.4	70-130			%
Toluene-d8 (% Recovery)	97.0	70-130			%
4-Bromofluorobenzene (% Recovery)	102	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	<0.27	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L
Methyl isobutyl ketone	<8.1	8.1	8.10		ug/L

Toluene	<0.57	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	<0.51	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	<1.2	1.2	1.2	ug/L
o-Xylene	0.527	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 6:26 PM			

Client: Special Samples

Client Sample ID: WS-006

Lab ID: 2013-1490

Collection Date: 5/6/2013 3:00:00 PM

Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Dibromofluoromethane (% Recovery)	102	70-130			%
1,2-Dichloroethane-d4 (% Recovery)	96.7	70-130			%
Toluene-d8 (% Recovery)	99.1	70-130			%
4-Bromofluorobenzene (% Recovery)	109	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	<0.27	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L
Methyl isobutyl ketone	<8.1	8.1	8.10		ug/L

Toluene	<0.57	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	<0.51	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	<1.2	1.2	1.2	ug/L
o-Xylene	<0.5	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 6:51 PM			

Client: Special Samples

Client Sample ID: WS-007

Lab ID: 2013-1491

Collection Date: 5/6/2013 2:19:00 PM

Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Dibromofluoromethane (% Recovery)	104	70-130			%
1,2-Dichloroethane-d4 (% Recovery)	96.4	70-130			%
Toluene-d8 (% Recovery)	96.0	70-130			%
4-Bromofluorobenzene (% Recovery)	99.3	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	<0.27	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L
Methyl isobutyl ketone	<8.1	8.1	8.10		ug/L

Toluene	<0.57	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	<0.51	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	<1.2	1.2	1.2	ug/L
o-Xylene	<0.5	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 7:17 PM			

Client: Special Samples

Client Sample ID: WS-008

Lab ID: 2013-1492

Collection Date: 5/6/2013 11:00:00 AM

Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Dibromofluoromethane (% Recovery)	101	70-130			%
1,2-Dichloroethane-d4 (% Recovery)	95.7	70-130			%
Toluene-d8 (% Recovery)	97.8	70-130			%
4-Bromofluorobenzene (% Recovery)	103	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	6.46	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L
Methyl isobutyl ketone	<8.1	8.1	8.10		ug/L

Toluene	1.08	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	0.574	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	1.39	1.2	1.2	ug/L
o-Xylene	0.584	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 7:42 PM			

Client: Special Samples

Client Sample ID: WS-019

Lab ID: 2013-1493

Collection Date: 5/6/2013 9:44:00 AM

Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
<i>Dibromofluoromethane (% Recovery)</i>	107	70-130			%
<i>1,2-Dichloroethane-d4 (% Recovery)</i>	98.1	70-130			%
<i>Toluene-d8 (% Recovery)</i>	95.7	70-130			%
<i>4-Bromofluorobenzene (% Recovery)</i>	104	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	<0.27	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L
Methyl isobutyl ketone	<8.1	8.1	8.10		ug/L

Toluene	<0.57	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	<0.51	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	<1.2	1.2	1.2	ug/L
o-Xylene	<0.5	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 8:08 PM			

Client: Special Samples **Client Sample ID:** Volatiles Trip Blank
Lab ID: 2013-1495 **Collection Date:** 5/3/2013 6:00:00 AM
Matrix: Water

Analyses

Volatile Organics by GCMS

EPA 8260C

Batch: 13051001 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Dibromofluoromethane (% Recovery)	100	70-130			%
1,2-Dichloroethane-d4 (% Recovery)	92.4	70-130			%
Toluene-d8 (% Recovery)	96.8	70-130			%
4-Bromofluorobenzene (% Recovery)	102	70-130			%
Dichlorodifluoromethane	<1.12	1.12	1.12		ug/L
Chloromethane	<0.58	0.58	0.58		ug/L
Vinyl chloride	<0.82	0.82	0.82		ug/L
Bromomethane	<3.9	3.9	3.90		ug/L
Chloroethane	<2.68	2.68	2.68		ug/L
Trichlorofluoromethane	<0.51	0.51	0.51		ug/L
1,1-Dichloroethene	<0.43	0.43	0.43		ug/L
Acetone	<10.5	10.5	10.5		ug/L
Methylene chloride	<2.5	2.5	2.5		ug/L
Methyl tert-butyl ether	<0.83	0.83	0.83		ug/L
trans-1,2-Dichloroethene	<0.59	0.59	0.59		ug/L
1,1-Dichloroethane	<0.42	0.42	0.42		ug/L
Methyl ethyl ketone	<12.8	12.8	12.8		ug/L
cis-1,2-Dichloroethene	<1.15	1.15	1.15		ug/L
2,2-Dichloropropane	<0.81	0.81	0.81		ug/L
Bromochloromethane	<0.66	0.66	0.66		ug/L
Chloroform	<0.27	0.27	0.27		ug/L
1,1,1-Trichloroethane	<0.46	0.46	0.46		ug/L
1,1-Dichloropropene	<0.59	0.59	0.59		ug/L
Carbon tetrachloride	<0.6	0.6	0.6		ug/L
Benzene	<0.66	0.66	0.66		ug/L
1,2-Dichloroethane	<1.15	1.15	1.15		ug/L
Trichloroethene	<0.6	0.6	0.60		ug/L
1,2-Dichloropropane	<0.98	0.98	0.98		ug/L
Dibromomethane	<1.78	1.78	1.78		ug/L
Bromodichloromethane	<0.65	0.65	0.65		ug/L
cis-1,3-Dichloropropene	<0.86	0.86	0.86		ug/L
Methyl isobutyl ketone	<8.1	8.1	8.10		ug/L

Toluene	<0.57	0.57	0.57	ug/L
trans-1,3-Dichloropropene	<0.84	0.84	0.84	ug/L
1,1,2-Trichloroethane	<0.78	0.78	0.78	ug/L
2-Hexanone	<9.5	9.5	9.5	ug/L
Tetrachloroethene	<0.96	0.96	0.96	ug/L
1,3-Dichloropropane	<0.94	0.94	0.94	ug/L
Dibromochloromethane	<1.25	1.25	1.25	ug/L
1,2-Dibromoethane (EDB)	<0.68	0.68	0.68	ug/L
Chlorobenzene	<0.62	0.62	0.62	ug/L
Ethylbenzene	<0.51	0.51	0.51	ug/L
1,1,1,2-Tetrachloroethane	<0.57	0.57	0.57	ug/L
m,p-Xylene	<1.2	1.2	1.2	ug/L
o-Xylene	<0.5	0.5	0.5	ug/L
Styrene	<0.53	0.53	0.53	ug/L
Bromoform	<1.56	1.56	1.56	ug/L
Isopropylbenzene	<0.59	0.59	0.59	ug/L
1,1,1,2,2-Tetrachloroethane	<0.39	0.39	0.39	ug/L
1,2,3-Trichloropropane	<1.83	1.83	1.83	ug/L
n-Propylbenzene	<0.49	0.49	0.49	ug/L
Bromobenzene	<0.5	0.5	0.5	ug/L
1,3,5-Trimethylbenzene	<0.3	0.3	0.30	ug/L
2-Chlorotoluene	<0.66	0.66	0.66	ug/L
4-Chlorotoluene	<0.8	0.8	0.80	ug/L
tert-Butylbenzene	<0.85	0.85	0.85	ug/L
1,2,4-Trimethylbenzene	<0.46	0.46	0.46	ug/L
sec-Butylbenzene	<0.63	0.63	0.63	ug/L
p-Isopropyltoluene	<0.59	0.59	0.59	ug/L
1,3-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,4-Dichlorobenzene	<0.53	0.53	0.53	ug/L
n-Butylbenzene	<0.72	0.72	0.72	ug/L
1,2-Dichlorobenzene	<0.7	0.7	0.70	ug/L
1,2-Dibromo-3-chloropropane	<0.86	0.86	0.86	ug/L
1,2,4-Trichlorobenzene	<1.14	1.14	1.14	ug/L
Naphthalene	<1.53	1.53	1.53	ug/L
1,2,3-Trichlorobenzene	<1.3	1.3	1.3	ug/L
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 5:10 PM			

Client: Special Samples

Client Sample ID: WS-001

Lab ID: 2013-1486

Collection Date: 5/6/2013 1:24:00 PM

Matrix: Water

Analyses

Oil and Grease

EPA1664

Batch: 13050901 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Oil and Grease	<2.5	2.5	2.5		mg/L
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Semi-Volatiles by GC/MS

EPA 3510C/EPA 8270D

Batch: 13050907 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
2-Fluorophenol (% Recovery)	32.7	40-110			%
Nitrobenzene-d5 (% Recovery)	73.4	50-110			%
2-Fluorobiphenyl (% Recovery)	67.3	50-110			%
2,4,6-Tribromophenol (% Recovery)	58.3	40-110			%
Terphenyl-d14 (% Recovery)	65.6	50-110			%
Methyl Methanesulfonate	<0.2	0.2	100		ug/L
Ethyl methanesulfonate	<0.2	0.2	100		ug/L
Phenol	<0.2	0.2	100		ug/L
Aniline	<0.2	0.2	100		ug/L
Bis(2-chloroethyl)ether	<0.2	0.2	100		ug/L
2-Chlorophenol	<0.2	0.2	100		ug/L
1,3-Dichlorobenzene	<0.12	0.12	60		ug/L
1,4-Dichlorobenzene	<0.12	0.12	60		ug/L
Benzyl alcohol	0.688	0.16	80		ug/L
1,2-Dichlorobenzene	<0.12	0.12	60		ug/L
2-Methylphenol	<0.1	0.1	50		ug/L
Acetophenone	<0.1	0.1	50		ug/L
4-Methylphenol	<0.1	0.1	50		ug/L
N-Nitrosodi-n-propylamine	<0.2	0.2	100		ug/L
Hexachloroethane	<0.2	0.2	100		ug/L
Nitrobenzene	<0.2	0.2	100		ug/L
N-Nitrosopiperidine	<0.2	0.2	100		ug/L
Isophorone	<0.1	0.1	50		ug/L

2-Nitrophenol	<0.3	0.3	150	ug/L
2,4-Dimethylphenol	<0.1	0.1	50	ug/L
Bis(2-chloroethoxy)methane	<0.2	0.2	100	ug/L
2,4-Dichlorophenol	<0.2	0.2	100	ug/L
1,2,4-Trichlorobenzene	<0.12	0.12	60	ug/L
Naphthalene	<0.08	0.08	40	ug/L
4-Chloroaniline	<0.1	0.1	50	ug/L
2,6-Dichlorophenol	<0.2	0.2	100	ug/L
Hexachlorobutadiene	<0.2	0.2	100	ug/L
N-Nitrosodibutylamine	<0.2	0.2	100	ug/L
4-Chloro-3-methylphenol	<0.16	0.16	80	ug/L
2-Methylnaphthalene	<0.1	0.1	50	ug/L
1,2,4,5-Tetrachlorobenzene	<0.1	0.1	50	ug/L
Hexachlorocyclopentadiene	<0.16	0.16	80	ug/L
2,4,6-Trichlorophenol	<0.2	0.2	100	ug/L
2,4,5-Trichlorophenol	<0.2	0.2	100	ug/L
2-Chloronaphthalene	<0.1	0.1	50	ug/L
1-Chloronaphthalene	<0.1	0.1	50	ug/L
2-Nitroaniline	<0.2	0.2	100	ug/L
Dimethyl phthalate	<0.2	0.2	100	ug/L
2,6-Dinitrotoluene	<0.2	0.2	100	ug/L
Acenaphthylene	<0.08	0.08	40	ug/L
3-Nitroaniline	<0.2	0.2	100	ug/L
Acenaphthene	<0.1	0.1	50	ug/L
2,4-Dinitrophenol	<4	4	2000	ug/L
Pentachlorobenzene	<0.12	0.12	60	ug/L
4-Nitrophenol	<2	2	1000	ug/L
Dibenzofuran	<0.1	0.1	50	ug/L
2,4-Dinitrotoluene	<0.2	0.2	100	ug/L
2,3,4,6-Tetrachlorophenol	<0.6	0.6	300	ug/L
Diethyl phthalate	<0.2	0.2	100	ug/L
Fluorene	<0.1	0.1	50	ug/L
4-Chlorophenyl phenyl ether	<0.1	0.1	50	ug/L
4-Nitroaniline	<0.2	0.2	100	ug/L
4,6-Dinitro-2-methylphenol	<6	6	3000	ug/L
Diphenylamine	<0.1	0.1	50	ug/L
Azobenzene	<0.08	0.08	40	ug/L
4-Bromophenyl phenyl ether	<0.2	0.2	100	ug/L
Hexachlorobenzene	<0.16	0.16	80	ug/L
Pentachlorophenol	<1	1	500	ug/L

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

Pentachloronitrobenzene	<0.2	0.2	100	ug/L
Pronamide	<0.2	0.2	100	ug/L
Phenanthrene	<0.08	0.08	40	ug/L
Anthracene	<0.08	0.08	40	ug/L
Carbazole	<0.1	0.1	50	ug/L
Di-n-butyl phthalate	<0.2	0.2	100	ug/L
Fluoranthene	<0.08	0.08	40	ug/L
Pyrene	<0.08	0.08	40	ug/L
Dimethylaminoazobenzene	<0.2	0.2	100	ug/L
Butyl benzyl phthalate	<0.3	0.3	150	ug/L
Benzo (a) anthracene	<0.1	0.1	50	ug/L
Chrysene	<0.1	0.1	50	ug/L
Bis(2-ethylhexyl)phthalate	<0.3	0.3	150	ug/L
Di-n-octyl phthalate	<0.3	0.3	150	ug/L
Benzo (b) fluoranthene	<0.16	0.16	80	ug/L
7,12-Dimethylbenz (a) anthracene	<0.2	0.2	100	ug/L
Benzo (k) fluoranthene	<0.16	0.16	80	ug/L
Benzo (a) pyrene	<0.16	0.16	80	ug/L
3-Methylcholanthrene	<0.2	0.2	100	ug/L
Indeno (1,2,3-cd) pyrene	<0.2	0.2	100	ug/L
Dibenzo (a,h) anthracene	<0.16	0.16	80	ug/L
Benzo (g,h,i) perylene	<0.16	0.16	80	ug/L
Initial Volume	500			mL
Final Volume	1			mL
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 12:18 AM			
Prep By	Ed Harris			
Prep Date/Time	5/7/2013 08:00			

Client: Special Samples

Client Sample ID: WS-002

Lab ID: 2013-1487

Collection Date: 5/6/2013 10:29:00 AM

Matrix: Water

Analyses

Oil and Grease

EPA1664

Batch: 13050901 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Oil and Grease	<2.5	2.5	2.5		mg/L
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Semi-Volatiles by GC/MS

EPA 3510C/EPA 8270D

Batch: 13050907 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
2-Fluorophenol (% Recovery)	32.5	40-110			%
Nitrobenzene-d5 (% Recovery)	71.6	50-110			%
2-Fluorobiphenyl (% Recovery)	64.2	50-110			%
2,4,6-Tribromophenol (% Recovery)	69.0	40-110			%
Terphenyl-d14 (% Recovery)	73.2	50-110			%
Methyl Methanesulfonate	<0.2	0.2	100		ug/L
Ethyl methanesulfonate	<0.2	0.2	100		ug/L
Phenol	<0.2	0.2	100		ug/L
Aniline	<0.2	0.2	100		ug/L
Bis(2-chloroethyl)ether	<0.2	0.2	100		ug/L
2-Chlorophenol	<0.2	0.2	100		ug/L
1,3-Dichlorobenzene	<0.12	0.12	60		ug/L
1,4-Dichlorobenzene	<0.12	0.12	60		ug/L
Benzyl alcohol	0.627	0.16	80		ug/L
1,2-Dichlorobenzene	<0.12	0.12	60		ug/L
2-Methylphenol	<0.1	0.1	50		ug/L
Acetophenone	<0.1	0.1	50		ug/L
4-Methylphenol	<0.1	0.1	50		ug/L
N-Nitrosodi-n-propylamine	<0.2	0.2	100		ug/L
Hexachloroethane	<0.2	0.2	100		ug/L
Nitrobenzene	<0.2	0.2	100		ug/L
N-Nitrosopiperidine	<0.2	0.2	100		ug/L
Isophorone	<0.1	0.1	50		ug/L

2-Nitrophenol	<0.3	0.3	150	ug/L
2,4-Dimethylphenol	<0.1	0.1	50	ug/L
Bis(2-chloroethoxy)methane	<0.2	0.2	100	ug/L
2,4-Dichlorophenol	<0.2	0.2	100	ug/L
1,2,4-Trichlorobenzene	<0.12	0.12	60	ug/L
Naphthalene	<0.08	0.08	40	ug/L
4-Chloroaniline	<0.1	0.1	50	ug/L
2,6-Dichlorophenol	<0.2	0.2	100	ug/L
Hexachlorobutadiene	<0.2	0.2	100	ug/L
N-Nitrosodibutylamine	<0.2	0.2	100	ug/L
4-Chloro-3-methylphenol	<0.16	0.16	80	ug/L
2-Methylnaphthalene	<0.1	0.1	50	ug/L
1,2,4,5-Tetrachlorobenzene	<0.1	0.1	50	ug/L
Hexachlorocyclopentadiene	<0.16	0.16	80	ug/L
2,4,6-Trichlorophenol	<0.2	0.2	100	ug/L
2,4,5-Trichlorophenol	<0.2	0.2	100	ug/L
2-Chloronaphthalene	<0.1	0.1	50	ug/L
1-Chloronaphthalene	<0.1	0.1	50	ug/L
2-Nitroaniline	<0.2	0.2	100	ug/L
Dimethyl phthalate	<0.2	0.2	100	ug/L
2,6-Dinitrotoluene	<0.2	0.2	100	ug/L
Acenaphthylene	<0.08	0.08	40	ug/L
3-Nitroaniline	<0.2	0.2	100	ug/L
Acenaphthene	<0.1	0.1	50	ug/L
2,4-Dinitrophenol	<4	4	2000	ug/L
Pentachlorobenzene	<0.12	0.12	60	ug/L
4-Nitrophenol	<2	2	1000	ug/L
Dibenzofuran	<0.1	0.1	50	ug/L
2,4-Dinitrotoluene	<0.2	0.2	100	ug/L
2,3,4,6-Tetrachlorophenol	<0.6	0.6	300	ug/L
Diethyl phthalate	<0.2	0.2	100	ug/L
Fluorene	<0.1	0.1	50	ug/L
4-Chlorophenyl phenyl ether	<0.1	0.1	50	ug/L
4-Nitroaniline	<0.2	0.2	100	ug/L
4,6-Dinitro-2-methylphenol	<6	6	3000	ug/L
Diphenylamine	<0.1	0.1	50	ug/L
Azobenzene	<0.08	0.08	40	ug/L
4-Bromophenyl phenyl ether	<0.2	0.2	100	ug/L
Hexachlorobenzene	<0.16	0.16	80	ug/L
Pentachlorophenol	<1	1	500	ug/L

Pentachloronitrobenzene	<0.2	0.2	100	ug/L
Pronamide	<0.2	0.2	100	ug/L
Phenanthrene	<0.08	0.08	40	ug/L
Anthracene	<0.08	0.08	40	ug/L
Carbazole	<0.1	0.1	50	ug/L
Di-n-butyl phthalate	<0.2	0.2	100	ug/L
Fluoranthene	<0.08	0.08	40	ug/L
Pyrene	<0.08	0.08	40	ug/L
Dimethylaminoazobenzene	<0.2	0.2	100	ug/L
Butyl benzyl phthalate	<0.3	0.3	150	ug/L
Benzo (a) anthracene	<0.1	0.1	50	ug/L
Chrysene	<0.1	0.1	50	ug/L
Bis(2-ethylhexyl)phthalate	<0.3	0.3	150	ug/L
Di-n-octyl phthalate	<0.3	0.3	150	ug/L
Benzo (b) fluoranthene	<0.16	0.16	80	ug/L
7,12-Dimethylbenz (a) anthracene	<0.2	0.2	100	ug/L
Benzo (k) fluoranthene	<0.16	0.16	80	ug/L
Benzo (a) pyrene	<0.16	0.16	80	ug/L
3-Methylcholanthrene	<0.2	0.2	100	ug/L
Indeno (1,2,3-cd) pyrene	<0.2	0.2	100	ug/L
Dibenzo (a,h) anthracene	<0.16	0.16	80	ug/L
Benzo (g,h,i) perylene	<0.16	0.16	80	ug/L
Initial Volume	500			mL
Final Volume	1			mL
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 12:48 AM			
Prep By	Ed Harris			
Prep Date/Time	5/7/2013 08:00			

Client: Special Samples

Client Sample ID: WS-003

Lab ID: 2013-1488

Collection Date: 5/6/2013 8:44:00 AM

Matrix: Water

Analyses

Oil and Grease

EPA1664

Batch: 13050901 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Oil and Grease	<2.5	2.5	2.5		mg/L
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Semi-Volatiles by GC/MS

EPA 3510C/EPA 8270D

Batch: 13050907 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
2-Fluorophenol (% Recovery)	25.5	40-110			%
Nitrobenzene-d5 (% Recovery)	58.2	50-110			%
2-Fluorobiphenyl (% Recovery)	56.4	50-110			%
2,4,6-Tribromophenol (% Recovery)	73.9	40-110			%
Terphenyl-d14 (% Recovery)	102	50-110			%
Methyl Methanesulfonate	<0.2	0.2	100		ug/L
Ethyl methanesulfonate	<0.2	0.2	100		ug/L
Phenol	<0.2	0.2	100		ug/L
Aniline	<0.2	0.2	100		ug/L
Bis(2-chloroethyl)ether	<0.2	0.2	100		ug/L
2-Chlorophenol	<0.2	0.2	100		ug/L
1,3-Dichlorobenzene	<0.12	0.12	60		ug/L
1,4-Dichlorobenzene	<0.12	0.12	60		ug/L
Benzyl alcohol	<0.16	0.16	80		ug/L
1,2-Dichlorobenzene	<0.12	0.12	60		ug/L
2-Methylphenol	<0.1	0.1	50		ug/L
Acetophenone	<0.1	0.1	50		ug/L
4-Methylphenol	<0.1	0.1	50		ug/L
N-Nitrosodi-n-propylamine	<0.2	0.2	100		ug/L
Hexachloroethane	<0.2	0.2	100		ug/L
Nitrobenzene	<0.2	0.2	100		ug/L
N-Nitrosopiperidine	<0.2	0.2	100		ug/L
Isophorone	<0.1	0.1	50		ug/L

2-Nitrophenol	<0.3	0.3	150	ug/L
2,4-Dimethylphenol	<0.1	0.1	50	ug/L
Bis(2-chloroethoxy)methane	<0.2	0.2	100	ug/L
2,4-Dichlorophenol	<0.2	0.2	100	ug/L
1,2,4-Trichlorobenzene	<0.12	0.12	60	ug/L
Naphthalene	<0.08	0.08	40	ug/L
4-Chloroaniline	<0.1	0.1	50	ug/L
2,6-Dichlorophenol	<0.2	0.2	100	ug/L
Hexachlorobutadiene	<0.2	0.2	100	ug/L
N-Nitrosodibutylamine	<0.2	0.2	100	ug/L
4-Chloro-3-methylphenol	<0.16	0.16	80	ug/L
2-Methylnaphthalene	<0.1	0.1	50	ug/L
1,2,4,5-Tetrachlorobenzene	<0.1	0.1	50	ug/L
Hexachlorocyclopentadiene	<0.16	0.16	80	ug/L
2,4,6-Trichlorophenol	<0.2	0.2	100	ug/L
2,4,5-Trichlorophenol	<0.2	0.2	100	ug/L
2-Chloronaphthalene	<0.1	0.1	50	ug/L
1-Chloronaphthalene	<0.1	0.1	50	ug/L
2-Nitroaniline	<0.2	0.2	100	ug/L
Dimethyl phthalate	<0.2	0.2	100	ug/L
2,6-Dinitrotoluene	<0.2	0.2	100	ug/L
Acenaphthylene	<0.08	0.08	40	ug/L
3-Nitroaniline	<0.2	0.2	100	ug/L
Acenaphthene	<0.1	0.1	50	ug/L
2,4-Dinitrophenol	<4	4	2000	ug/L
Pentachlorobenzene	<0.12	0.12	60	ug/L
4-Nitrophenol	<2	2	1000	ug/L
Dibenzofuran	<0.1	0.1	50	ug/L
2,4-Dinitrotoluene	<0.2	0.2	100	ug/L
2,3,4,6-Tetrachlorophenol	<0.6	0.6	300	ug/L
Diethyl phthalate	<0.2	0.2	100	ug/L
Fluorene	<0.1	0.1	50	ug/L
4-Chlorophenyl phenyl ether	<0.1	0.1	50	ug/L
4-Nitroaniline	<0.2	0.2	100	ug/L
4,6-Dinitro-2-methylphenol	<6	6	3000	ug/L
Diphenylamine	<0.1	0.1	50	ug/L
Azobenzene	<0.08	0.08	40	ug/L
4-Bromophenyl phenyl ether	<0.2	0.2	100	ug/L
Hexachlorobenzene	<0.16	0.16	80	ug/L
Pentachlorophenol	<1	1	500	ug/L

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

Pentachloronitrobenzene	<0.2	0.2	100	ug/L
Pronamide	<0.2	0.2	100	ug/L
Phenanthrene	<0.08	0.08	40	ug/L
Anthracene	<0.08	0.08	40	ug/L
Carbazole	<0.1	0.1	50	ug/L
Di-n-butyl phthalate	<0.2	0.2	100	ug/L
Fluoranthene	<0.08	0.08	40	ug/L
Pyrene	<0.08	0.08	40	ug/L
Dimethylaminoazobenzene	<0.2	0.2	100	ug/L
Butyl benzyl phthalate	<0.3	0.3	150	ug/L
Benzo (a) anthracene	<0.1	0.1	50	ug/L
Chrysene	<0.1	0.1	50	ug/L
Bis(2-ethylhexyl)phthalate	0.648	0.3	150	ug/L
Di-n-octyl phthalate	<0.3	0.3	150	ug/L
Benzo (b) fluoranthene	<0.16	0.16	80	ug/L
7,12-Dimethylbenz (a) anthracene	<0.2	0.2	100	ug/L
Benzo (k) fluoranthene	<0.16	0.16	80	ug/L
Benzo (a) pyrene	<0.16	0.16	80	ug/L
3-Methylcholanthrene	<0.2	0.2	100	ug/L
Indeno (1,2,3-cd) pyrene	<0.2	0.2	100	ug/L
Dibenzo (a,h) anthracene	<0.16	0.16	80	ug/L
Benzo (g,h,i) perylene	<0.16	0.16	80	ug/L
Initial Volume	500			mL
Final Volume	1			mL
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 10:57 AM			
Prep By	Ed Harris			
Prep Date/Time	5/7/2013 13:00			

Client: Special Samples

Client Sample ID: WS-004

Lab ID: 2013-1489

Collection Date: 5/6/2013 1:54:00 PM

Matrix: Water

Analyses

Oil and Grease

EPA1664

Batch: 13050901 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Oil and Grease	<2.5	2.5	2.5		mg/L
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Semi-Volatiles by GC/MS

EPA 3510C/EPA 8270D

Batch: 13050907 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
2-Fluorophenol (% Recovery)	15.8	40-110			%
Nitrobenzene-d5 (% Recovery)	65.5	50-110			%
2-Fluorobiphenyl (% Recovery)	56.4	50-110			%
2,4,6-Tribromophenol (% Recovery)	15.4	40-110			%
Terphenyl-d14 (% Recovery)	36.4	50-110			%
Methyl Methanesulfonate	<0.2	0.2	100		ug/L
Ethyl methanesulfonate	<0.2	0.2	100		ug/L
Phenol	<0.2	0.2	100		ug/L
Aniline	<0.2	0.2	100		ug/L
Bis(2-chloroethyl)ether	<0.2	0.2	100		ug/L
2-Chlorophenol	<0.2	0.2	100		ug/L
1,3-Dichlorobenzene	<0.12	0.12	60		ug/L
1,4-Dichlorobenzene	<0.12	0.12	60		ug/L
Benzyl alcohol	0.565	0.16	80		ug/L
1,2-Dichlorobenzene	<0.12	0.12	60		ug/L
2-Methylphenol	<0.1	0.1	50		ug/L
Acetophenone	0.145	0.1	50		ug/L
4-Methylphenol	<0.1	0.1	50		ug/L
N-Nitrosodi-n-propylamine	<0.2	0.2	100		ug/L
Hexachloroethane	<0.2	0.2	100		ug/L
Nitrobenzene	<0.2	0.2	100		ug/L
N-Nitrosopiperidine	<0.2	0.2	100		ug/L
Isophorone	<0.1	0.1	50		ug/L

2-Nitrophenol	<0.3	0.3	150	ug/L
2,4-Dimethylphenol	<0.1	0.1	50	ug/L
Bis(2-chloroethoxy)methane	<0.2	0.2	100	ug/L
2,4-Dichlorophenol	<0.2	0.2	100	ug/L
1,2,4-Trichlorobenzene	<0.12	0.12	60	ug/L
Naphthalene	<0.08	0.08	40	ug/L
4-Chloroaniline	<0.1	0.1	50	ug/L
2,6-Dichlorophenol	<0.2	0.2	100	ug/L
Hexachlorobutadiene	<0.2	0.2	100	ug/L
N-Nitrosodibutylamine	<0.2	0.2	100	ug/L
4-Chloro-3-methylphenol	<0.16	0.16	80	ug/L
2-Methylnaphthalene	<0.1	0.1	50	ug/L
1,2,4,5-Tetrachlorobenzene	<0.1	0.1	50	ug/L
Hexachlorocyclopentadiene	<0.16	0.16	80	ug/L
2,4,6-Trichlorophenol	<0.2	0.2	100	ug/L
2,4,5-Trichlorophenol	<0.2	0.2	100	ug/L
2-Chloronaphthalene	<0.1	0.1	50	ug/L
1-Chloronaphthalene	<0.1	0.1	50	ug/L
2-Nitroaniline	<0.2	0.2	100	ug/L
Dimethyl phthalate	<0.2	0.2	100	ug/L
2,6-Dinitrotoluene	<0.2	0.2	100	ug/L
Acenaphthylene	<0.08	0.08	40	ug/L
3-Nitroaniline	<0.2	0.2	100	ug/L
Acenaphthene	<0.1	0.1	50	ug/L
2,4-Dinitrophenol	<4	4	2000	ug/L
Pentachlorobenzene	<0.12	0.12	60	ug/L
4-Nitrophenol	<2	2	1000	ug/L
Dibenzofuran	<0.1	0.1	50	ug/L
2,4-Dinitrotoluene	<0.2	0.2	100	ug/L
2,3,4,6-Tetrachlorophenol	<0.6	0.6	300	ug/L
Diethyl phthalate	<0.2	0.2	100	ug/L
Fluorene	<0.1	0.1	50	ug/L
4-Chlorophenyl phenyl ether	<0.1	0.1	50	ug/L
4-Nitroaniline	<0.2	0.2	100	ug/L
4,6-Dinitro-2-methylphenol	<6	6	3000	ug/L
Diphenylamine	<0.1	0.1	50	ug/L
Azobenzene	<0.08	0.08	40	ug/L
4-Bromophenyl phenyl ether	<0.2	0.2	100	ug/L
Hexachlorobenzene	<0.16	0.16	80	ug/L
Pentachlorophenol	<1	1	500	ug/L

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

Pentachloronitrobenzene	<0.2	0.2	100	ug/L
Pronamide	<0.2	0.2	100	ug/L
Phenanthrene	<0.08	0.08	40	ug/L
Anthracene	<0.08	0.08	40	ug/L
Carbazole	<0.1	0.1	50	ug/L
Di-n-butyl phthalate	<0.2	0.2	100	ug/L
Fluoranthene	<0.08	0.08	40	ug/L
Pyrene	<0.08	0.08	40	ug/L
Dimethylaminoazobenzene	<0.2	0.2	100	ug/L
Butyl benzyl phthalate	<0.3	0.3	150	ug/L
Benzo (a) anthracene	<0.1	0.1	50	ug/L
Chrysene	<0.1	0.1	50	ug/L
Bis(2-ethylhexyl)phthalate	<0.3	0.3	150	ug/L
Di-n-octyl phthalate	<0.3	0.3	150	ug/L
Benzo (b) fluoranthene	<0.16	0.16	80	ug/L
7,12-Dimethylbenz (a) anthracene	<0.2	0.2	100	ug/L
Benzo (k) fluoranthene	<0.16	0.16	80	ug/L
Benzo (a) pyrene	<0.16	0.16	80	ug/L
3-Methylcholanthrene	<0.2	0.2	100	ug/L
Indeno (1,2,3-cd) pyrene	<0.2	0.2	100	ug/L
Dibenzo (a,h) anthracene	<0.16	0.16	80	ug/L
Benzo (g,h,i) perylene	<0.16	0.16	80	ug/L
Initial Volume	500			mL
Final Volume	1			mL
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 1:17 AM			
Prep By	Ed Harris			
Prep Date/Time	5/7/2013 08:00			

Client: Special Samples

Client Sample ID: WS-006

Lab ID: 2013-1490

Collection Date: 5/6/2013 3:00:00 PM

Matrix: Water

Analyses

Oil and Grease

EPA1664

Batch: 13050901 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Oil and Grease	<2.5	2.5	2.5		mg/L
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Semi-Volatiles by GC/MS

EPA 3510C/EPA 8270D

Batch: 13050907 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
2-Fluorophenol (% Recovery)	27.6	40-110			%
Nitrobenzene-d5 (% Recovery)	60.8	50-110			%
2-Fluorobiphenyl (% Recovery)	60.4	50-110			%
2,4,6-Tribromophenol (% Recovery)	58.4	40-110			%
Terphenyl-d14 (% Recovery)	71.6	50-110			%
Methyl Methanesulfonate	<0.2	0.2	100		ug/L
Ethyl methanesulfonate	<0.2	0.2	100		ug/L
Phenol	<0.2	0.2	100		ug/L
Aniline	<0.2	0.2	100		ug/L
Bis(2-chloroethyl)ether	<0.2	0.2	100		ug/L
2-Chlorophenol	<0.2	0.2	100		ug/L
1,3-Dichlorobenzene	<0.12	0.12	60		ug/L
1,4-Dichlorobenzene	<0.12	0.12	60		ug/L
Benzyl alcohol	0.511	0.16	80		ug/L
1,2-Dichlorobenzene	<0.12	0.12	60		ug/L
2-Methylphenol	<0.1	0.1	50		ug/L
Acetophenone	<0.1	0.1	50		ug/L
4-Methylphenol	<0.1	0.1	50		ug/L
N-Nitrosodi-n-propylamine	<0.2	0.2	100		ug/L
Hexachloroethane	<0.2	0.2	100		ug/L
Nitrobenzene	<0.2	0.2	100		ug/L
N-Nitrosopiperidine	<0.2	0.2	100		ug/L
Isophorone	<0.1	0.1	50		ug/L

2-Nitrophenol	<0.3	0.3	150	ug/L
2,4-Dimethylphenol	<0.1	0.1	50	ug/L
Bis(2-chloroethoxy)methane	<0.2	0.2	100	ug/L
2,4-Dichlorophenol	<0.2	0.2	100	ug/L
1,2,4-Trichlorobenzene	<0.12	0.12	60	ug/L
Naphthalene	<0.08	0.08	40	ug/L
4-Chloroaniline	<0.1	0.1	50	ug/L
2,6-Dichlorophenol	<0.2	0.2	100	ug/L
Hexachlorobutadiene	<0.2	0.2	100	ug/L
N-Nitrosodibutylamine	<0.2	0.2	100	ug/L
4-Chloro-3-methylphenol	<0.16	0.16	80	ug/L
2-Methylnaphthalene	<0.1	0.1	50	ug/L
1,2,4,5-Tetrachlorobenzene	<0.1	0.1	50	ug/L
Hexachlorocyclopentadiene	<0.16	0.16	80	ug/L
2,4,6-Trichlorophenol	<0.2	0.2	100	ug/L
2,4,5-Trichlorophenol	<0.2	0.2	100	ug/L
2-Chloronaphthalene	<0.1	0.1	50	ug/L
1-Chloronaphthalene	<0.1	0.1	50	ug/L
2-Nitroaniline	<0.2	0.2	100	ug/L
Dimethyl phthalate	<0.2	0.2	100	ug/L
2,6-Dinitrotoluene	<0.2	0.2	100	ug/L
Acenaphthylene	<0.08	0.08	40	ug/L
3-Nitroaniline	<0.2	0.2	100	ug/L
Acenaphthene	<0.1	0.1	50	ug/L
2,4-Dinitrophenol	<4	4	2000	ug/L
Pentachlorobenzene	<0.12	0.12	60	ug/L
4-Nitrophenol	<2	2	1000	ug/L
Dibenzofuran	<0.1	0.1	50	ug/L
2,4-Dinitrotoluene	<0.2	0.2	100	ug/L
2,3,4,6-Tetrachlorophenol	<0.6	0.6	300	ug/L
Diethyl phthalate	<0.2	0.2	100	ug/L
Fluorene	<0.1	0.1	50	ug/L
4-Chlorophenyl phenyl ether	<0.1	0.1	50	ug/L
4-Nitroaniline	<0.2	0.2	100	ug/L
4,6-Dinitro-2-methylphenol	<6	6	3000	ug/L
Diphenylamine	<0.1	0.1	50	ug/L
Azobenzene	<0.08	0.08	40	ug/L
4-Bromophenyl phenyl ether	<0.2	0.2	100	ug/L
Hexachlorobenzene	<0.16	0.16	80	ug/L
Pentachlorophenol	<1	1	500	ug/L

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

Pentachloronitrobenzene	<0.2	0.2	100	ug/L
Pronamide	<0.2	0.2	100	ug/L
Phenanthrene	<0.08	0.08	40	ug/L
Anthracene	<0.08	0.08	40	ug/L
Carbazole	<0.1	0.1	50	ug/L
Di-n-butyl phthalate	<0.2	0.2	100	ug/L
Fluoranthene	<0.08	0.08	40	ug/L
Pyrene	<0.08	0.08	40	ug/L
Dimethylaminoazobenzene	<0.2	0.2	100	ug/L
Butyl benzyl phthalate	<0.3	0.3	150	ug/L
Benzo (a) anthracene	<0.1	0.1	50	ug/L
Chrysene	<0.1	0.1	50	ug/L
Bis(2-ethylhexyl)phthalate	<0.3	0.3	150	ug/L
Di-n-octyl phthalate	<0.3	0.3	150	ug/L
Benzo (b) fluoranthene	<0.16	0.16	80	ug/L
7,12-Dimethylbenz (a) anthracene	<0.2	0.2	100	ug/L
Benzo (k) fluoranthene	<0.16	0.16	80	ug/L
Benzo (a) pyrene	<0.16	0.16	80	ug/L
3-Methylcholanthrene	<0.2	0.2	100	ug/L
Indeno (1,2,3-cd) pyrene	<0.2	0.2	100	ug/L
Dibenzo (a,h) anthracene	<0.16	0.16	80	ug/L
Benzo (g,h,i) perylene	<0.16	0.16	80	ug/L
Initial Volume	500			mL
Final Volume	1			mL
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 9:00 AM			
Prep By	Ed Harris			
Prep Date/Time	5/7/2013 08:00			

Client: Special Samples

Client Sample ID: WS-007

Lab ID: 2013-1491

Collection Date: 5/6/2013 2:19:00 PM

Matrix: Water

Analyses

Oil and Grease

EPA1664

Batch: 13050901 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Oil and Grease	<2.5	2.5	2.5		mg/L
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Semi-Volatiles by GC/MS

EPA 3510C/EPA 8270D

Batch: 13050907 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
2-Fluorophenol (% Recovery)	19.7	40-110			%
Nitrobenzene-d5 (% Recovery)	68.6	50-110			%
2-Fluorobiphenyl (% Recovery)	64.9	50-110			%
2,4,6-Tribromophenol (% Recovery)	13.2	40-110			%
Terphenyl-d14 (% Recovery)	41.7	50-110			%
Methyl Methanesulfonate	<0.2	0.2	100		ug/L
Ethyl methanesulfonate	<0.2	0.2	100		ug/L
Phenol	<0.2	0.2	100		ug/L
Aniline	<0.2	0.2	100		ug/L
Bis(2-chloroethyl)ether	<0.2	0.2	100		ug/L
2-Chlorophenol	<0.2	0.2	100		ug/L
1,3-Dichlorobenzene	<0.12	0.12	60		ug/L
1,4-Dichlorobenzene	<0.12	0.12	60		ug/L
Benzyl alcohol	0.648	0.16	80		ug/L
1,2-Dichlorobenzene	<0.12	0.12	60		ug/L
2-Methylphenol	<0.1	0.1	50		ug/L
Acetophenone	0.101	0.1	50		ug/L
4-Methylphenol	<0.1	0.1	50		ug/L
N-Nitrosodi-n-propylamine	<0.2	0.2	100		ug/L
Hexachloroethane	<0.2	0.2	100		ug/L
Nitrobenzene	<0.2	0.2	100		ug/L
N-Nitrosopiperidine	<0.2	0.2	100		ug/L
Isophorone	<0.1	0.1	50		ug/L

2-Nitrophenol	<0.3	0.3	150	ug/L
2,4-Dimethylphenol	<0.1	0.1	50	ug/L
Bis(2-chloroethoxy)methane	<0.2	0.2	100	ug/L
2,4-Dichlorophenol	<0.2	0.2	100	ug/L
1,2,4-Trichlorobenzene	<0.12	0.12	60	ug/L
Naphthalene	<0.08	0.08	40	ug/L
4-Chloroaniline	<0.1	0.1	50	ug/L
2,6-Dichlorophenol	<0.2	0.2	100	ug/L
Hexachlorobutadiene	<0.2	0.2	100	ug/L
N-Nitrosodibutylamine	<0.2	0.2	100	ug/L
4-Chloro-3-methylphenol	<0.16	0.16	80	ug/L
2-Methylnaphthalene	<0.1	0.1	50	ug/L
1,2,4,5-Tetrachlorobenzene	<0.1	0.1	50	ug/L
Hexachlorocyclopentadiene	<0.16	0.16	80	ug/L
2,4,6-Trichlorophenol	<0.2	0.2	100	ug/L
2,4,5-Trichlorophenol	<0.2	0.2	100	ug/L
2-Chloronaphthalene	<0.1	0.1	50	ug/L
1-Chloronaphthalene	<0.1	0.1	50	ug/L
2-Nitroaniline	<0.2	0.2	100	ug/L
Dimethyl phthalate	<0.2	0.2	100	ug/L
2,6-Dinitrotoluene	<0.2	0.2	100	ug/L
Acenaphthylene	<0.08	0.08	40	ug/L
3-Nitroaniline	<0.2	0.2	100	ug/L
Acenaphthene	<0.1	0.1	50	ug/L
2,4-Dinitrophenol	<4	4	2000	ug/L
Pentachlorobenzene	<0.12	0.12	60	ug/L
4-Nitrophenol	<2	2	1000	ug/L
Dibenzofuran	<0.1	0.1	50	ug/L
2,4-Dinitrotoluene	<0.2	0.2	100	ug/L
2,3,4,6-Tetrachlorophenol	<0.6	0.6	300	ug/L
Diethyl phthalate	<0.2	0.2	100	ug/L
Fluorene	<0.1	0.1	50	ug/L
4-Chlorophenyl phenyl ether	<0.1	0.1	50	ug/L
4-Nitroaniline	<0.2	0.2	100	ug/L
4,6-Dinitro-2-methylphenol	<6	6	3000	ug/L
Diphenylamine	<0.1	0.1	50	ug/L
Azobenzene	<0.08	0.08	40	ug/L
4-Bromophenyl phenyl ether	<0.2	0.2	100	ug/L
Hexachlorobenzene	<0.16	0.16	80	ug/L
Pentachlorophenol	<1	1	500	ug/L

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

Pentachloronitrobenzene	<0.2	0.2	100	ug/L
Pronamide	<0.2	0.2	100	ug/L
Phenanthrene	<0.08	0.08	40	ug/L
Anthracene	<0.08	0.08	40	ug/L
Carbazole	<0.1	0.1	50	ug/L
Di-n-butyl phthalate	<0.2	0.2	100	ug/L
Fluoranthene	<0.08	0.08	40	ug/L
Pyrene	<0.08	0.08	40	ug/L
Dimethylaminoazobenzene	<0.2	0.2	100	ug/L
Butyl benzyl phthalate	<0.3	0.3	150	ug/L
Benzo (a) anthracene	<0.1	0.1	50	ug/L
Chrysene	<0.1	0.1	50	ug/L
Bis(2-ethylhexyl)phthalate	<0.3	0.3	150	ug/L
Di-n-octyl phthalate	<0.3	0.3	150	ug/L
Benzo (b) fluoranthene	<0.16	0.16	80	ug/L
7,12-Dimethylbenz (a) anthracene	<0.2	0.2	100	ug/L
Benzo (k) fluoranthene	<0.16	0.16	80	ug/L
Benzo (a) pyrene	<0.16	0.16	80	ug/L
3-Methylcholanthrene	<0.2	0.2	100	ug/L
Indeno (1,2,3-cd) pyrene	<0.2	0.2	100	ug/L
Dibenzo (a,h) anthracene	<0.16	0.16	80	ug/L
Benzo (g,h,i) perylene	<0.16	0.16	80	ug/L
Initial Volume	500			mL
Final Volume	1			mL
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 9:29 AM			
Prep By	Ed Harris			
Prep Date/Time	5/7/2013 08:00			

Client: Special Samples

Client Sample ID: WS-008

Lab ID: 2013-1492

Collection Date: 5/6/2013 11:00:00 AM

Matrix: Water

Analyses

Oil and Grease

EPA1664

Batch: 13050901 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Oil and Grease	<2.5	2.5	2.5		mg/L
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Semi-Volatiles by GC/MS

EPA 3510C/EPA 8270D

Batch: 13050907 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
2-Fluorophenol (% Recovery)	31.5	40-110			%
Nitrobenzene-d5 (% Recovery)	58.6	50-110			%
2-Fluorobiphenyl (% Recovery)	59.6	50-110			%
2,4,6-Tribromophenol (% Recovery)	87.5	40-110			%
Terphenyl-d14 (% Recovery)	102	50-110			%
Methyl Methanesulfonate	<0.2	0.2	100		ug/L
Ethyl methanesulfonate	<0.2	0.2	100		ug/L
Phenol	<0.2	0.2	100		ug/L
Aniline	<0.2	0.2	100		ug/L
Bis(2-chloroethyl)ether	<0.2	0.2	100		ug/L
2-Chlorophenol	<0.2	0.2	100		ug/L
1,3-Dichlorobenzene	<0.12	0.12	60		ug/L
1,4-Dichlorobenzene	<0.12	0.12	60		ug/L
Benzyl alcohol	<0.16	0.16	80		ug/L
1,2-Dichlorobenzene	<0.12	0.12	60		ug/L
2-Methylphenol	<0.1	0.1	50		ug/L
Acetophenone	<0.1	0.1	50		ug/L
4-Methylphenol	0.342	0.1	50		ug/L
N-Nitrosodi-n-propylamine	<0.2	0.2	100		ug/L
Hexachloroethane	<0.2	0.2	100		ug/L
Nitrobenzene	<0.2	0.2	100		ug/L
N-Nitrosopiperidine	<0.2	0.2	100		ug/L
Isophorone	<0.1	0.1	50		ug/L

2-Nitrophenol	<0.3	0.3	150	ug/L
2,4-Dimethylphenol	<0.1	0.1	50	ug/L
Bis(2-chloroethoxy)methane	<0.2	0.2	100	ug/L
2,4-Dichlorophenol	<0.2	0.2	100	ug/L
1,2,4-Trichlorobenzene	<0.12	0.12	60	ug/L
Naphthalene	<0.08	0.08	40	ug/L
4-Chloroaniline	<0.1	0.1	50	ug/L
2,6-Dichlorophenol	<0.2	0.2	100	ug/L
Hexachlorobutadiene	<0.2	0.2	100	ug/L
N-Nitrosodibutylamine	<0.2	0.2	100	ug/L
4-Chloro-3-methylphenol	<0.16	0.16	80	ug/L
2-Methylnaphthalene	<0.1	0.1	50	ug/L
1,2,4,5-Tetrachlorobenzene	<0.1	0.1	50	ug/L
Hexachlorocyclopentadiene	<0.16	0.16	80	ug/L
2,4,6-Trichlorophenol	<0.2	0.2	100	ug/L
2,4,5-Trichlorophenol	<0.2	0.2	100	ug/L
2-Chloronaphthalene	<0.1	0.1	50	ug/L
1-Chloronaphthalene	<0.1	0.1	50	ug/L
2-Nitroaniline	<0.2	0.2	100	ug/L
Dimethyl phthalate	<0.2	0.2	100	ug/L
2,6-Dinitrotoluene	<0.2	0.2	100	ug/L
Acenaphthylene	<0.08	0.08	40	ug/L
3-Nitroaniline	<0.2	0.2	100	ug/L
Acenaphthene	<0.1	0.1	50	ug/L
2,4-Dinitrophenol	<4	4	2000	ug/L
Pentachlorobenzene	<0.12	0.12	60	ug/L
4-Nitrophenol	<2	2	1000	ug/L
Dibenzofuran	<0.1	0.1	50	ug/L
2,4-Dinitrotoluene	<0.2	0.2	100	ug/L
2,3,4,6-Tetrachlorophenol	<0.6	0.6	300	ug/L
Diethyl phthalate	<0.2	0.2	100	ug/L
Fluorene	<0.1	0.1	50	ug/L
4-Chlorophenyl phenyl ether	<0.1	0.1	50	ug/L
4-Nitroaniline	<0.2	0.2	100	ug/L
4,6-Dinitro-2-methylphenol	<6	6	3000	ug/L
Diphenylamine	<0.1	0.1	50	ug/L
Azobenzene	<0.08	0.08	40	ug/L
4-Bromophenyl phenyl ether	<0.2	0.2	100	ug/L
Hexachlorobenzene	<0.16	0.16	80	ug/L
Pentachlorophenol	<1	1	500	ug/L

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

Pentachloronitrobenzene	<0.2	0.2	100	ug/L
Pronamide	<0.2	0.2	100	ug/L
Phenanthrene	<0.08	0.08	40	ug/L
Anthracene	<0.08	0.08	40	ug/L
Carbazole	<0.1	0.1	50	ug/L
Di-n-butyl phthalate	<0.2	0.2	100	ug/L
Fluoranthene	<0.08	0.08	40	ug/L
Pyrene	<0.08	0.08	40	ug/L
Dimethylaminoazobenzene	<0.2	0.2	100	ug/L
Butyl benzyl phthalate	<0.3	0.3	150	ug/L
Benzo (a) anthracene	<0.1	0.1	50	ug/L
Chrysene	<0.1	0.1	50	ug/L
Bis(2-ethylhexyl)phthalate	0.405	0.3	150	ug/L
Di-n-octyl phthalate	<0.3	0.3	150	ug/L
Benzo (b) fluoranthene	<0.16	0.16	80	ug/L
7,12-Dimethylbenz (a) anthracene	<0.2	0.2	100	ug/L
Benzo (k) fluoranthene	<0.16	0.16	80	ug/L
Benzo (a) pyrene	<0.16	0.16	80	ug/L
3-Methylcholanthrene	<0.2	0.2	100	ug/L
Indeno (1,2,3-cd) pyrene	<0.2	0.2	100	ug/L
Dibenzo (a,h) anthracene	<0.16	0.16	80	ug/L
Benzo (g,h,i) perylene	<0.16	0.16	80	ug/L
Initial Volume	500			mL
Final Volume	1			mL
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 12:53 PM			
Prep By	Ed Harris			
Prep Date/Time	5/7/2013 13:00			

Client: Special Samples

Client Sample ID: WS-019

Lab ID: 2013-1493

Collection Date: 5/6/2013 9:44:00 AM

Matrix: Water

Analyses

Oil and Grease

EPA1664

Batch: 13050901 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Oil and Grease	<2.5	2.5	2.5		mg/L
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Semi-Volatiles by GC/MS

EPA 3510C/EPA 8270D

Batch: 13050907 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
2-Fluorophenol (% Recovery)	26.9	40-110			%
Nitrobenzene-d5 (% Recovery)	60.8	50-110			%
2-Fluorobiphenyl (% Recovery)	60.3	50-110			%
2,4,6-Tribromophenol (% Recovery)	38.4	40-110			%
Terphenyl-d14 (% Recovery)	50.1	50-110			%
Methyl Methanesulfonate	<0.2	0.2	100		ug/L
Ethyl methanesulfonate	<0.2	0.2	100		ug/L
Phenol	<0.2	0.2	100		ug/L
Aniline	<0.2	0.2	100		ug/L
Bis(2-chloroethyl)ether	<0.2	0.2	100		ug/L
2-Chlorophenol	<0.2	0.2	100		ug/L
1,3-Dichlorobenzene	<0.12	0.12	60		ug/L
1,4-Dichlorobenzene	<0.12	0.12	60		ug/L
Benzyl alcohol	0.515	0.16	80		ug/L
1,2-Dichlorobenzene	<0.12	0.12	60		ug/L
2-Methylphenol	<0.1	0.1	50		ug/L
Acetophenone	<0.1	0.1	50		ug/L
4-Methylphenol	<0.1	0.1	50		ug/L
N-Nitrosodi-n-propylamine	<0.2	0.2	100		ug/L
Hexachloroethane	<0.2	0.2	100		ug/L
Nitrobenzene	<0.2	0.2	100		ug/L
N-Nitrosopiperidine	<0.2	0.2	100		ug/L
Isophorone	<0.1	0.1	50		ug/L

2-Nitrophenol	<0.3	0.3	150	ug/L
2,4-Dimethylphenol	<0.1	0.1	50	ug/L
Bis(2-chloroethoxy)methane	<0.2	0.2	100	ug/L
2,4-Dichlorophenol	<0.2	0.2	100	ug/L
1,2,4-Trichlorobenzene	<0.12	0.12	60	ug/L
Naphthalene	<0.08	0.08	40	ug/L
4-Chloroaniline	<0.1	0.1	50	ug/L
2,6-Dichlorophenol	<0.2	0.2	100	ug/L
Hexachlorobutadiene	<0.2	0.2	100	ug/L
N-Nitrosodibutylamine	<0.2	0.2	100	ug/L
4-Chloro-3-methylphenol	<0.16	0.16	80	ug/L
2-Methylnaphthalene	<0.1	0.1	50	ug/L
1,2,4,5-Tetrachlorobenzene	<0.1	0.1	50	ug/L
Hexachlorocyclopentadiene	<0.16	0.16	80	ug/L
2,4,6-Trichlorophenol	<0.2	0.2	100	ug/L
2,4,5-Trichlorophenol	<0.2	0.2	100	ug/L
2-Chloronaphthalene	<0.1	0.1	50	ug/L
1-Chloronaphthalene	<0.1	0.1	50	ug/L
2-Nitroaniline	<0.2	0.2	100	ug/L
Dimethyl phthalate	<0.2	0.2	100	ug/L
2,6-Dinitrotoluene	<0.2	0.2	100	ug/L
Acenaphthylene	<0.08	0.08	40	ug/L
3-Nitroaniline	<0.2	0.2	100	ug/L
Acenaphthene	<0.1	0.1	50	ug/L
2,4-Dinitrophenol	<4	4	2000	ug/L
Pentachlorobenzene	<0.12	0.12	60	ug/L
4-Nitrophenol	<2	2	1000	ug/L
Dibenzofuran	<0.1	0.1	50	ug/L
2,4-Dinitrotoluene	<0.2	0.2	100	ug/L
2,3,4,6-Tetrachlorophenol	<0.6	0.6	300	ug/L
Diethyl phthalate	<0.2	0.2	100	ug/L
Fluorene	<0.1	0.1	50	ug/L
4-Chlorophenyl phenyl ether	<0.1	0.1	50	ug/L
4-Nitroaniline	<0.2	0.2	100	ug/L
4,6-Dinitro-2-methylphenol	<6	6	3000	ug/L
Diphenylamine	<0.1	0.1	50	ug/L
Azobenzene	<0.08	0.08	40	ug/L
4-Bromophenyl phenyl ether	<0.2	0.2	100	ug/L
Hexachlorobenzene	<0.16	0.16	80	ug/L
Pentachlorophenol	<1	1	500	ug/L

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

Pentachloronitrobenzene	<0.2	0.2	100	ug/L
Pronamide	<0.2	0.2	100	ug/L
Phenanthrene	<0.08	0.08	40	ug/L
Anthracene	<0.08	0.08	40	ug/L
Carbazole	<0.1	0.1	50	ug/L
Di-n-butyl phthalate	<0.2	0.2	100	ug/L
Fluoranthene	<0.08	0.08	40	ug/L
Pyrene	<0.08	0.08	40	ug/L
Dimethylaminoazobenzene	<0.2	0.2	100	ug/L
Butyl benzyl phthalate	<0.3	0.3	150	ug/L
Benzo (a) anthracene	<0.1	0.1	50	ug/L
Chrysene	<0.1	0.1	50	ug/L
Bis(2-ethylhexyl)phthalate	0.440	0.3	150	ug/L
Di-n-octyl phthalate	<0.3	0.3	150	ug/L
Benzo (b) fluoranthene	<0.16	0.16	80	ug/L
7,12-Dimethylbenz (a) anthracene	<0.2	0.2	100	ug/L
Benzo (k) fluoranthene	<0.16	0.16	80	ug/L
Benzo (a) pyrene	<0.16	0.16	80	ug/L
3-Methylcholanthrene	<0.2	0.2	100	ug/L
Indeno (1,2,3-cd) pyrene	<0.2	0.2	100	ug/L
Dibenzo (a,h) anthracene	<0.16	0.16	80	ug/L
Benzo (g,h,i) perylene	<0.16	0.16	80	ug/L
Initial Volume	500			mL
Final Volume	1			mL
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 1:23 PM			
Prep By	Ed Harris			
Prep Date/Time	5/7/2013 13:00			

Client: Special Samples

Client Sample ID: WS-001

Lab ID: 2013-1486

Collection Date: 5/6/2013 1:24:00 PM

Matrix: Water

Analyses

Dissolved Metals by EPA 200.8

EPA 200.8

Batch: 13051308 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	178	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	0.80	0.5	0.2		ug/L
Barium	12.6	2	0.4		ug/L
Beryllium	<0.1	0.1	0.04		ug/L
Boron	14.8	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	3.22	0.03	0.03		mg/L
Chromium	<0.5	0.5	0.05		ug/L
Cobalt	<0.5	0.5	0.05		ug/L
Copper	0.83	0.5	0.2		ug/L
Iron	296	20	5.0		ug/L
Lead	<0.3	0.3	0.02		ug/L
Magnesium	2.44	0.02	0.01		mg/L
Manganese	205	0.3	0.07		ug/L
Nickel	1.10	0.5	0.15		ug/L
Potassium	1.84	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	2.68	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	7.62	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	<0.5	0.5	0.3		ug/L
Zinc	2.65	1	0.3		ug/L
Hardness	18.1	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 1:37PM				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 1

Result Reporting MDL Qual Unit

		Limit		
Aluminum	1640	20	20	ug/L
Antimony	<10	10	5	ug/L
Arsenic	1.82	1	0.5	ug/L
Barium	38.5	10	2.0	ug/L
Beryllium	<0.5	0.5	0.1	ug/L
Boron	<25	25	5.0	ug/L
Cadmium	<1	1	0.3	ug/L
Calcium	3.55	0.04	0.04	mg/L
Chromium	1.50	1	0.3	ug/L
Cobalt	1.70	1	0.5	ug/L
Copper	2.03	1	0.5	ug/L
Lead	3.08	1	0.1	ug/L
Magnesium	1.85	0.1	0.1	mg/L
Manganese	566	1	0.2	ug/L
Nickel	2.61	2.5	0.5	ug/L
Potassium	2.01	1	0.05	mg/L
Selenium	<2	2	0.5	ug/L
Silver	<5	5	1.0	ug/L
Sodium	8.83	0.04	0.02	mg/L
Thallium	<2.5	2.5	0.05	ug/L
Vanadium	2.55	2.5	1.0	ug/L
Zinc	9.64	3	2.0	ug/L
Dilution Factor	1			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 9 2013 7:47PM			
Prep By				
Prep Date/Time				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 2

	Result	Reporting Limit	MDL	Qual	Unit
Iron	3050	200	10.0		ug/L
Dilution Factor	10				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 13 2013 11:29AM				
Prep By					
Prep Date/Time					

Client: Special Samples

Client Sample ID: WS-002

Lab ID: 2013-1487

Collection Date: 5/6/2013 10:29:00 AM

Matrix: Water

Analyses

Dissolved Metals by EPA 200.8

EPA 200.8

Batch: 13051308 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	118	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	0.58	0.5	0.2		ug/L
Barium	11.4	2	0.4		ug/L
Beryllium	<0.1	0.1	0.04		ug/L
Boron	15.1	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	3.19	0.03	0.03		mg/L
Chromium	<0.5	0.5	0.05		ug/L
Cobalt	<0.5	0.5	0.05		ug/L
Copper	4.42	0.5	0.2		ug/L
Iron	227	20	5.0		ug/L
Lead	<0.3	0.3	0.02		ug/L
Magnesium	2.54	0.02	0.01		mg/L
Manganese	41.3	0.3	0.07		ug/L
Nickel	1.04	0.5	0.15		ug/L
Potassium	1.85	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	1.99	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	7.75	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	<0.5	0.5	0.3		ug/L
Zinc	2.13	1	0.3		ug/L
Hardness	18.4	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 1:43PM				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 1

Result Reporting MDL Qual Unit

		Limit		
Aluminum	215	20	20	ug/L
Antimony	<10	10	5	ug/L
Arsenic	<1	1	0.5	ug/L
Barium	18.9	10	2.0	ug/L
Beryllium	<0.5	0.5	0.1	ug/L
Boron	<25	25	5.0	ug/L
Cadmium	<1	1	0.3	ug/L
Calcium	3.34	0.04	0.04	mg/L
Chromium	<1	1	0.3	ug/L
Cobalt	<1	1	0.5	ug/L
Copper	1.21	1	0.5	ug/L
Iron	829	20	10.0	ug/L
Lead	<1	1	0.1	ug/L
Magnesium	1.68	0.1	0.1	mg/L
Manganese	291	1	0.2	ug/L
Nickel	<2.5	2.5	0.5	ug/L
Potassium	1.92	1	0.05	mg/L
Selenium	<2	2	0.5	ug/L
Silver	<5	5	1.0	ug/L
Sodium	8.87	0.04	0.02	mg/L
Thallium	<2.5	2.5	0.05	ug/L
Vanadium	<2.5	2.5	1.0	ug/L
Zinc	3.56	3	2.0	ug/L
Dilution Factor	1			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 9 2013 7:54PM			
Prep By				
Prep Date/Time				

Client: Special Samples

Client Sample ID: WS-003

Lab ID: 2013-1488

Collection Date: 5/6/2013 8:44:00 AM

Matrix: Water

Analyses

Dissolved Metals by EPA 200.8

EPA 200.8

Batch: 13051308 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	155	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	0.60	0.5	0.2		ug/L
Barium	11.7	2	0.4		ug/L
Beryllium	<0.1	0.1	0.04		ug/L
Boron	15.4	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	3.22	0.03	0.03		mg/L
Chromium	<0.5	0.5	0.05		ug/L
Cobalt	<0.5	0.5	0.05		ug/L
Copper	1.70	0.5	0.2		ug/L
Iron	204	20	5.0		ug/L
Lead	<0.3	0.3	0.02		ug/L
Magnesium	2.54	0.02	0.01		mg/L
Manganese	29.5	0.3	0.07		ug/L
Nickel	0.91	0.5	0.15		ug/L
Potassium	1.83	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	2.01	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	7.73	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	<0.5	0.5	0.3		ug/L
Zinc	1.42	1	0.3		ug/L
Hardness	18.5	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 1:49PM				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 1

Result Reporting MDL Qual Unit

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

		Limit		
Aluminum	276	20	20	ug/L
Antimony	<10	10	5	ug/L
Arsenic	<1	1	0.5	ug/L
Barium	20.9	10	2.0	ug/L
Beryllium	<0.5	0.5	0.1	ug/L
Boron	<25	25	5.0	ug/L
Cadmium	<1	1	0.3	ug/L
Calcium	3.33	0.04	0.04	mg/L
Chromium	<1	1	0.3	ug/L
Cobalt	<1	1	0.5	ug/L
Copper	1.06	1	0.5	ug/L
Iron	821	20	10.0	ug/L
Lead	<1	1	0.1	ug/L
Magnesium	1.72	0.1	0.1	mg/L
Manganese	323	1	0.2	ug/L
Nickel	<2.5	2.5	0.5	ug/L
Potassium	1.92	1	0.05	mg/L
Selenium	<2	2	0.5	ug/L
Silver	<5	5	1.0	ug/L
Sodium	8.88	0.04	0.02	mg/L
Thallium	<2.5	2.5	0.05	ug/L
Vanadium	<2.5	2.5	1.0	ug/L
Zinc	<3	3	2.0	ug/L
Dilution Factor	1			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 9 2013 8:00PM			
Prep By				
Prep Date/Time				

Client: Special Samples

Client Sample ID: WS-004

Lab ID: 2013-1489

Collection Date: 5/6/2013 1:54:00 PM

Matrix: Water

Analyses

Dissolved Metals by EPA 200.8

EPA 200.8

Batch: 13051308 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	426	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	3.31	0.5	0.2		ug/L
Barium	29.4	2	0.4		ug/L
Beryllium	<0.1	0.1	0.04		ug/L
Boron	14.0	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	4.23	0.03	0.03		mg/L
Chromium	0.6	0.5	0.05		ug/L
Cobalt	4.70	0.5	0.05		ug/L
Copper	13.0	0.5	0.2		ug/L
Iron	388	20	5.0		ug/L
Lead	0.40	0.3	0.02		ug/L
Magnesium	2.81	0.02	0.01		mg/L
Manganese	911	0.3	0.07		ug/L
Nickel	2.46	0.5	0.15		ug/L
Potassium	2.44	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	7.21	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	6.41	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	1.02	0.5	0.3		ug/L
Zinc	5.58	1	0.3		ug/L
Hardness	22.1	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 2:15PM				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 2

Result Reporting MDL Qual Unit

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

		<u>Limit</u>		
Aluminum	23000	200	20	ug/L
Iron	25400	200	10.0	ug/L
Manganese	2480	10	0.2	ug/L
Dilution Factor	10			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 13 2013 11:35AM			
Prep By				
Prep Date/Time				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 1

	<u>Result</u>	<u>Reporting Limit</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
Antimony	<10	10	5		ug/L
Arsenic	4.63	1	0.5		ug/L
Barium	219	10	2.0		ug/L
Beryllium	1.74	0.5	0.1		ug/L
Boron	<25	25	5.0		ug/L
Cadmium	<1	1	0.3		ug/L
Calcium	6.67	0.04	0.04		mg/L
Chromium	12.7	1	0.3		ug/L
Cobalt	14.4	1	0.5		ug/L
Copper	8.99	1	0.5		ug/L
Lead	28.4	1	0.1		ug/L
Magnesium	4.08	0.1	0.1		mg/L
Nickel	14.7	2.5	0.5		ug/L
Potassium	3.20	1	0.05		mg/L
Selenium	<2	2	0.5		ug/L
Silver	<5	5	1.0		ug/L
Sodium	7.00	0.04	0.02		mg/L
Thallium	<2.5	2.5	0.05		ug/L
Vanadium	18.5	2.5	1.0		ug/L
Zinc	49.6	3	2.0		ug/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 8:38PM				
Prep By					
Prep Date/Time					

Client: Special Samples

Client Sample ID: WS-006

Lab ID: 2013-1490

Collection Date: 5/6/2013 3:00:00 PM

Matrix: Water

Analyses

Dissolved Metals by EPA 200.8

EPA 200.8

Batch: 13051308 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	140	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	0.73	0.5	0.2		ug/L
Barium	12.0	2	0.4		ug/L
Beryllium	<0.1	0.1	0.04		ug/L
Boron	15.2	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	3.20	0.03	0.03		mg/L
Chromium	<0.5	0.5	0.05		ug/L
Cobalt	<0.5	0.5	0.05		ug/L
Copper	0.82	0.5	0.2		ug/L
Iron	277	20	5.0		ug/L
Lead	<0.3	0.3	0.02		ug/L
Magnesium	2.41	0.02	0.01		mg/L
Manganese	126	0.3	0.07		ug/L
Nickel	1.04	0.5	0.15		ug/L
Potassium	1.84	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	2.44	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	7.66	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	<0.5	0.5	0.3		ug/L
Zinc	2.45	1	0.3		ug/L
Hardness	17.9	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 2:34PM				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 1

Result Reporting MDL Qual Unit

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

		Limit		
Aluminum	1010	20	20	ug/L
Antimony	<10	10	5	ug/L
Arsenic	1.37	1	0.5	ug/L
Barium	25.8	10	2.0	ug/L
Beryllium	<0.5	0.5	0.1	ug/L
Boron	<25	25	5.0	ug/L
Cadmium	<1	1	0.3	ug/L
Calcium	3.38	0.04	0.04	mg/L
Chromium	<1	1	0.3	ug/L
Cobalt	<1	1	0.5	ug/L
Copper	1.54	1	0.5	ug/L
Lead	1.76	1	0.1	ug/L
Magnesium	1.73	0.1	0.1	mg/L
Manganese	370	1	0.2	ug/L
Nickel	<2.5	2.5	0.5	ug/L
Potassium	1.91	1	0.05	mg/L
Selenium	<2	2	0.5	ug/L
Silver	<5	5	1.0	ug/L
Sodium	8.90	0.04	0.02	mg/L
Thallium	<2.5	2.5	0.05	ug/L
Vanadium	<2.5	2.5	1.0	ug/L
Zinc	5.31	3	2.0	ug/L
Dilution Factor	1			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 9 2013 8:45PM			
Prep By				
Prep Date/Time				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 2

	Result	Reporting Limit	MDL	Qual	Unit
Iron	2140	200	10.0		ug/L
Dilution Factor	10				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 13 2013 11:42AM				
Prep By					
Prep Date/Time					

Client: Special Samples

Client Sample ID: WS-007

Lab ID: 2013-1491

Collection Date: 5/6/2013 2:19:00 PM

Matrix: Water

Analyses

Dissolved Metals by EPA 200.8

EPA 200.8

Batch: 13051308 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	277	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	2.47	0.5	0.2		ug/L
Barium	27.7	2	0.4		ug/L
Beryllium	<0.1	0.1	0.04		ug/L
Boron	13.4	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	3.89	0.03	0.03		mg/L
Chromium	<0.5	0.5	0.05		ug/L
Cobalt	4.35	0.5	0.05		ug/L
Copper	1.37	0.5	0.2		ug/L
Iron	252	20	5.0		ug/L
Lead	<0.3	0.3	0.02		ug/L
Magnesium	2.70	0.02	0.01		mg/L
Manganese	876	0.3	0.07		ug/L
Nickel	2.21	0.5	0.15		ug/L
Potassium	2.38	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	6.53	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	6.39	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	0.71	0.5	0.3		ug/L
Zinc	4.09	1	0.3		ug/L
Hardness	20.8	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 2:40PM				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 2

Result Reporting MDL Qual Unit

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

		Limit		
Aluminum	26600	200	20	ug/L
Iron	27000	200	10.0	ug/L
Lead	34.5	10	0.1	ug/L
Manganese	2680	10	0.2	ug/L
Dilution Factor	10			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 13 2013 11:48AM			
Prep By				
Prep Date/Time				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Antimony	<10	10	5		ug/L
Arsenic	4.39	1	0.5		ug/L
Barium	239	10	2.0		ug/L
Beryllium	1.90	0.5	0.1		ug/L
Boron	<25	25	5.0		ug/L
Cadmium	<1	1	0.3		ug/L
Calcium	6.52	0.04	0.04		mg/L
Chromium	13.7	1	0.3		ug/L
Cobalt	15.4	1	0.5		ug/L
Copper	9.86	1	0.5		ug/L
Lead	33.0	1	0.1		ug/L
Magnesium	4.13	0.1	0.1		mg/L
Nickel	15.5	2.5	0.5		ug/L
Potassium	3.35	1	0.05		mg/L
Selenium	<2	2	0.5		ug/L
Silver	<5	5	1.0		ug/L
Sodium	6.77	0.04	0.02		mg/L
Thallium	<2.5	2.5	0.05		ug/L
Vanadium	20.0	2.5	1.0		ug/L
Zinc	52.6	3	2.0		ug/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 8:51PM				
Prep By					
Prep Date/Time					

Client: Special Samples

Client Sample ID: WS-008

Lab ID: 2013-1492

Collection Date: 5/6/2013 11:00:00 AM

Matrix: Water

Analyses

Dissolved Metals by EPA 200.8

EPA 200.8

Batch: 13051308 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	<20	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	1.08	0.5	0.2		ug/L
Barium	33.8	2	0.4		ug/L
Beryllium	<0.1	0.1	0.04		ug/L
Boron	19.1	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	16.0	0.03	0.03		mg/L
Chromium	<0.5	0.5	0.05		ug/L
Cobalt	4.36	0.5	0.05		ug/L
Copper	1.01	0.5	0.2		ug/L
Iron	608	20	5.0		ug/L
Lead	<0.3	0.3	0.02		ug/L
Magnesium	6.71	0.02	0.01		mg/L
Manganese	969	0.3	0.07		ug/L
Nickel	8.34	0.5	0.15		ug/L
Potassium	2.62	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	3.82	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	12.5	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	<0.5	0.5	0.3		ug/L
Zinc	11.4	1	0.3		ug/L
Hardness	67.6	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 2:47PM				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 1

Result Reporting MDL Qual Unit

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

		Limit		
Aluminum	123	20	20	ug/L
Antimony	<10	10	5	ug/L
Arsenic	1.03	1	0.5	ug/L
Barium	35.2	10	2.0	ug/L
Beryllium	<0.5	0.5	0.1	ug/L
Boron	<25	25	5.0	ug/L
Cadmium	<1	1	0.3	ug/L
Calcium	16.9	0.04	0.04	mg/L
Chromium	<1	1	0.3	ug/L
Cobalt	4.58	1	0.5	ug/L
Copper	1.36	1	0.5	ug/L
Iron	1170	20	10.0	ug/L
Lead	<1	1	0.1	ug/L
Magnesium	7.56	0.1	0.1	mg/L
Manganese	873	1	0.2	ug/L
Nickel	8.81	2.5	0.5	ug/L
Potassium	2.75	1	0.05	mg/L
Selenium	<2	2	0.5	ug/L
Silver	<5	5	1.0	ug/L
Sodium	12.8	0.04	0.02	mg/L
Thallium	<2.5	2.5	0.05	ug/L
Vanadium	<2.5	2.5	1.0	ug/L
Zinc	11.6	3	2.0	ug/L
Dilution Factor	1			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 9 2013 8:58PM			
Prep By				
Prep Date/Time				

Client: Special Samples

Client Sample ID: WS-019

Lab ID: 2013-1493

Collection Date: 5/6/2013 9:44:00 AM

Matrix: Water

Analyses

Dissolved Metals by EPA 200.8

EPA 200.8

Batch: 13051308 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	1400	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	2.60	0.5	0.2		ug/L
Barium	29.8	2	0.4		ug/L
Beryllium	0.12	0.1	0.04		ug/L
Boron	13.4	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	3.51	0.03	0.03		mg/L
Chromium	1.30	0.5	0.05		ug/L
Cobalt	<0.5	0.5	0.05		ug/L
Copper	12.1	0.5	0.2		ug/L
Iron	956	20	5.0		ug/L
Lead	0.95	0.3	0.02		ug/L
Magnesium	2.60	0.02	0.01		mg/L
Manganese	699	0.3	0.07		ug/L
Nickel	3.07	0.5	0.15		ug/L
Potassium	2.27	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	10.9	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	6.96	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	1.83	0.5	0.3		ug/L
Zinc	8.66	1	0.3		ug/L
Hardness	19.5	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 2:53PM				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 2

Result Reporting MDL Qual Unit

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

		Limit		
Aluminum	29200	200	20	ug/L
Iron	27400	200	10.0	ug/L
Dilution Factor	10			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 13 2013 11:54AM			
Prep By				
Prep Date/Time				

Total Metals by EPA 200.8

EPA 200.8

Batch: 13051310 Run: 1

	Result	Reporting Limit	MDL	Qual	Unit
Antimony	<10	10	5		ug/L
Arsenic	4.13	1	0.5		ug/L
Barium	250	10	2.0		ug/L
Beryllium	2.04	0.5	0.1		ug/L
Boron	<25	25	5.0		ug/L
Cadmium	<1	1	0.3		ug/L
Calcium	6.50	0.04	0.04		mg/L
Chromium	15.2	1	0.3		ug/L
Cobalt	15.9	1	0.5		ug/L
Copper	10.2	1	0.5		ug/L
Lead	34.4	1	0.1		ug/L
Magnesium	4.28	0.1	0.1		mg/L
Manganese	979	1	0.2		ug/L
Nickel	16.8	2.5	0.5		ug/L
Potassium	3.38	1	0.05		mg/L
Selenium	<2	2	0.5		ug/L
Silver	<5	5	1.0		ug/L
Sodium	7.22	0.04	0.02		mg/L
Thallium	<2.5	2.5	0.05		ug/L
Vanadium	20.3	2.5	1.0		ug/L
Zinc	55.1	3	2.0		ug/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 9:04PM				
Prep By					
Prep Date/Time					

Client: Special Samples	Client Sample ID: Metals Field Blank
Lab ID: 2013-1494	Collection Date: 5/6/2013 9:00:00 AM
Matrix: Water	

Analyses

<i>Dissolved Metals by EPA 200.8</i>	<i>EPA 200.8</i>	<i>Batch: 13051308 Run: 1</i>			
	Result	Reporting Limit	MDL	Qual	Unit
Aluminum	<20	20	20		ug/L
Antimony	<5	5	1.0		ug/L
Arsenic	<0.5	0.5	0.2		ug/L
Barium	<2	2	0.4		ug/L
Beryllium	<0.1	0.1	0.04		ug/L
Boron	<5	5	2.0		ug/L
Cadmium	<0.1	0.1	0.05		ug/L
Calcium	<0.03	0.03	0.03		mg/L
Chromium	<0.5	0.5	0.05		ug/L
Cobalt	<0.5	0.5	0.05		ug/L
Copper	0.93	0.5	0.2		ug/L
Iron	<20	20	5.0		ug/L
Lead	<0.3	0.3	0.02		ug/L
Magnesium	<0.02	0.02	0.01		mg/L
Manganese	0.50	0.3	0.07		ug/L
Nickel	<0.5	0.5	0.15		ug/L
Potassium	<0.02	0.02	0.01		mg/L
Selenium	<1	1	0.2		ug/L
Silicon Dioxide	<0.05	0.05	0.01		mg/L
Silver	<0.5	0.5	0.02		ug/L
Sodium	<0.02	0.02	0.01		mg/L
Thallium	<0.5	0.5	0.005		ug/L
Vanadium	<0.5	0.5	0.3		ug/L
Zinc	<1	1	0.3		ug/L
Hardness	<1	1	1.0		mg/L
Dilution Factor	1				
Analyzed By	Robert Graddy				
Analysis Date/Time	May 9 2013 2:59PM				

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Client: Special Samples **Client Sample ID:** WS-001
Lab ID: 2013-1486 **Collection Date:** 5/6/2013 1:24:00 PM
Matrix: Water

Analyses

<i>Turbidity</i>	<i>EPA 180.1</i>	<i>Batch: 13052006</i>	<i>Run: 1</i>		
	<u>Result</u>	<u>Reporting</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
		<u>Limit</u>			
Turbidity	128	0.02	0.02		NTU
Dilution Factor	1				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 13:55				

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Client: Special Samples

Client Sample ID: WS-002

Lab ID: 2013-1487

Collection Date: 5/6/2013 10:29:00 AM

Matrix: Water

Analyses

Turbidity

EPA 180.1

Batch: 13052006 Run: 1

	<u>Result</u>	<u>Reporting Limit</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
Turbidity	12.6	0.02	0.02		NTU
Dilution Factor	1				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 13:57				

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Client: Special Samples

Client Sample ID: WS-003

Lab ID: 2013-1488

Collection Date: 5/6/2013 8:44:00 AM

Matrix: Water

Analyses

Turbidity

EPA 180.1

Batch: 13052006 Run: 1

	<u>Result</u>	<u>Reporting Limit</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
Turbidity	17.9	0.02	0.02		NTU
Dilution Factor	1				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 13:59				

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Client: Special Samples **Client Sample ID:** WS-004
Lab ID: 2013-1489 **Collection Date:** 5/6/2013 1:54:00 PM
Matrix: Water

Analyses

<i>Turbidity</i>	<i>EPA 180.1</i>	<i>Batch: 13052006</i>	<i>Run: 1</i>		
	<u>Result</u>	<u>Reporting</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
		<u>Limit</u>			
Turbidity	1060	0.1	0.02		NTU
Dilution Factor	5				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 14:17				

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Client: Special Samples

Client Sample ID: WS-006

Lab ID: 2013-1490

Collection Date: 5/6/2013 3:00:00 PM

Matrix: Water

Analyses

Turbidity

EPA 180.1

Batch: 13052006 Run: 1

	<u>Result</u>	<u>Reporting Limit</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
Turbidity	82.7	0.02	0.02		NTU
Dilution Factor	1				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 14:19				

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Client: Special Samples

Client Sample ID: WS-007

Lab ID: 2013-1491

Collection Date: 5/6/2013 2:19:00 PM

Matrix: Water

Analyses

Turbidity

EPA 180.1

Batch: 13052006 Run: 1

	<u>Result</u>	<u>Reporting Limit</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
Turbidity	1100	0.1	0.02		NTU
Dilution Factor	5				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 14:20				

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Client: Special Samples

Client Sample ID: WS-008

Lab ID: 2013-1492

Collection Date: 5/6/2013 11:00:00 AM

Matrix: Water

Analyses

Turbidity

EPA 180.1

Batch: 13052006 Run: 1

	<u>Result</u>	<u>Reporting Limit</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
Turbidity	5.81	0.02	0.02		NTU
Dilution Factor	1				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 14:21				

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Client: Special Samples **Client Sample ID:** WS-019
Lab ID: 2013-1493 **Collection Date:** 5/6/2013 9:44:00 AM
Matrix: Water

Analyses

<i>Turbidity</i>	<i>EPA 180.1</i>	<i>Batch: 13052006 Run: 1</i>			
	<u>Result</u>	<u>Reporting Limit</u>	<u>MDL</u>	<u>Qual</u>	<u>Unit</u>
Turbidity	244	0.02	0.02		NTU
Dilution Factor	1				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 14:23				

Analytical Quality Control Results Report

Batch: 13051001	VOA - water
WS-003	LIMS ID: 2013-1488

Volatiles - water DUP

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Dibromofluoromethane (% Recovery)	101 %			70 - 130	
1,2-Dichloroethane-d4 (% Recovery)	94.2 %			70 - 130	
Toluene-d8 (% Recovery)	95.0 %			70 - 130	
4-Bromofluorobenzene (% Recovery)	101 %			70 - 130	
Dichlorodifluoromethane	<1.12 ug/L	1.12	1.12		
Dichlorodifluoromethane (RPD)	0 %				0 - 20
Chloromethane (RPD)	0 %				0 - 20
Chloromethane	<0.58 ug/L	0.58	0.58		
Vinyl chloride	<0.82 ug/L	0.82	0.82		
Vinyl chloride (RPD)	0 %				0 - 20
Bromomethane (RPD)	0 %				0 - 20
Bromomethane	<3.9 ug/L	3.9	3.9		
Chloroethane	<2.68 ug/L	2.68	2.68		
Chloroethane (RPD)	0 %				0 - 20
Trichlorofluoromethane (RPD)	0 %				0 - 20
Trichlorofluoromethane	<0.51 ug/L	0.51	0.51		
1,1-Dichloroethene (RPD)	0 %				0 - 20
1,1-Dichloroethene	<0.43 ug/L	0.43	0.43		
Acetone	<10.5 ug/L	10.5	10.5		
Acetone (RPD)	0 %				0 - 20
Methylene chloride (RPD)	1.9 %				0 - 20
Methylene chloride	<2.5 ug/L	2.5	2.5		
Methyl tert-butyl ether	<0.83 ug/L	0.83	0.83		
Methyl tert-butyl ether (RPD)	0 %				0 - 20
trans-1,2-Dichloroethene (RPD)	0 %				0 - 20
trans-1,2-Dichloroethene	<0.59 ug/L	0.59	0.59		
1,1-Dichloroethane	<0.42 ug/L	0.42	0.42		
1,1-Dichloroethane (RPD)	0 %				0 - 20
Methyl ethyl ketone (RPD)	0 %				0 - 20
Methyl ethyl ketone	<12.8 ug/L	12.8	12.8		
cis-1,2-Dichloroethene	<1.15 ug/L	1.15	1.15		

cis-1,2-Dichloroethene (RPD)	0 %			0 - 20
2,2-Dichloropropane (RPD)	0 %			0 - 20
2,2-Dichloropropane	<0.81 ug/L	0.81	0.81	
Bromochloromethane	<0.66 ug/L	0.66	0.66	
Bromochloromethane (RPD)	0 %			0 - 20
Chloroform (RPD)	0 %			0 - 20
Chloroform	<0.27 ug/L	0.27	0.27	
1,1,1-Trichloroethane	<0.46 ug/L	0.46	0.46	
1,1,1-Trichloroethane (RPD)	0 %			0 - 20
1,1-Dichloropropene (RPD)	0 %			0 - 20
1,1-Dichloropropene	<0.59 ug/L	0.59	0.59	
Carbon tetrachloride	<0.6 ug/L	0.6	0.6	
Carbon tetrachloride (RPD)	0 %			0 - 20
Benzene (RPD)	0 %			0 - 20
Benzene	<0.66 ug/L	0.66	0.66	
1,2-Dichloroethane	<1.15 ug/L	1.15	1.15	
1,2-Dichloroethane (RPD)	0 %			0 - 20
Trichloroethene (RPD)	0 %			0 - 20
Trichloroethene	<0.6 ug/L	0.6	0.6	
1,2-Dichloropropane	<0.98 ug/L	0.98	0.98	
1,2-Dichloropropane (RPD)	0 %			0 - 20
Dibromomethane (RPD)	0 %			0 - 20
Dibromomethane	<1.78 ug/L	1.78	1.78	
Bromodichloromethane	<0.65 ug/L	0.65	0.65	
Bromodichloromethane (RPD)	0 %			0 - 20
cis-1,3-Dichloropropene (RPD)	0 %			0 - 20
cis-1,3-Dichloropropene	<0.86 ug/L	0.86	0.86	
Methyl isobutyl ketone	<8.1 ug/L	8.1	8.1	
Methyl isobutyl ketone (RPD)	0 %			0 - 20
Toluene (RPD)	0 %			0 - 20
Toluene	<0.57 ug/L	0.57	0.57	
trans-1,3-Dichloropropene	<0.84 ug/L	0.84	0.84	
trans-1,3-Dichloropropene (RPD)	0 %			0 - 20
1,1,2-Trichloroethane (RPD)	0 %			0 - 20
1,1,2-Trichloroethane	<0.78 ug/L	0.78	0.78	
2-Hexanone	<9.5 ug/L	9.5	9.5	
2-Hexanone (RPD)	0 %			0 - 20
Tetrachloroethene (RPD)	0 %			0 - 20
Tetrachloroethene	<0.96 ug/L	0.96	0.96	
1,3-Dichloropropane	<0.94 ug/L	0.94	0.94	

1,3-Dichloropropane (RPD)	0 %			0 - 20
Dibromochloromethane (RPD)	0 %			0 - 20
Dibromochloromethane	<1.25 ug/L	1.25	1.25	
1,2-Dibromoethane (EDB)	<0.68 ug/L	0.68	0.68	
1,2-Dibromoethane (EDB) (RPD)	0 %			0 - 20
Chlorobenzene (RPD)	0 %			0 - 20
Chlorobenzene	<0.62 ug/L	0.62	0.62	
Ethylbenzene	<0.51 ug/L	0.51	0.51	
Ethylbenzene (RPD)	0 %			0 - 20
1,1,1,2-Tetrachloroethane (RPD)	0 %			0 - 20
1,1,1,2-Tetrachloroethane	<0.57 ug/L	0.57	0.57	
m,p-Xylene	<1.2 ug/L	1.2	1.2	
m,p-Xylene (RPD)	0 %			0 - 20
o-Xylene (RPD)	0 %			0 - 20
o-Xylene	<0.5 ug/L	0.5	0.5	
Styrene	<0.53 ug/L	0.53	0.53	
Styrene (RPD)	0 %			0 - 20
Bromoform (RPD)	0 %			0 - 20
Bromoform	<1.56 ug/L	1.56	1.56	
Isopropylbenzene	<0.59 ug/L	0.59	0.59	
Isopropylbenzene (RPD)	0 %			0 - 20
1,1,1,2-Tetrachloroethane (RPD)	0 %			0 - 20
1,1,1,2-Tetrachloroethane	<0.39 ug/L	0.39	0.39	
1,2,3-Trichloropropane	<1.83 ug/L	1.83	1.83	
1,2,3-Trichloropropane (RPD)	0 %			0 - 20
n-Propylbenzene (RPD)	0 %			0 - 20
n-Propylbenzene	<0.49 ug/L	0.49	0.49	
Bromobenzene	<0.5 ug/L	0.5	0.5	
Bromobenzene (RPD)	0 %			0 - 20
1,3,5-Trimethylbenzene (RPD)	0 %			0 - 20
1,3,5-Trimethylbenzene	<0.3 ug/L	0.3	0.3	
2-Chlorotoluene	<0.66 ug/L	0.66	0.66	
2-Chlorotoluene (RPD)	0 %			0 - 20
4-Chlorotoluene (RPD)	0 %			0 - 20
4-Chlorotoluene	<0.8 ug/L	0.8	0.8	
tert-Butylbenzene	<0.85 ug/L	0.85	0.85	
tert-Butylbenzene (RPD)	0 %			0 - 20
1,2,4-Trimethylbenzene (RPD)	0 %			0 - 20
1,2,4-Trimethylbenzene	<0.46 ug/L	0.46	0.46	
sec-Butylbenzene	<0.63 ug/L	0.63	0.63	

sec-Butylbenzene (RPD)	0 %			0 - 20
p-Isopropyltoluene (RPD)	0 %			0 - 20
p-Isopropyltoluene	<0.59 ug/L	0.59	0.59	
1,3-Dichlorobenzene	<0.7 ug/L	0.7	0.7	
1,3-Dichlorobenzene (RPD)	0 %			0 - 20
1,4-Dichlorobenzene (RPD)	0 %			0 - 20
1,4-Dichlorobenzene	<0.53 ug/L	0.53	0.53	
n-Butylbenzene	<0.72 ug/L	0.72	0.72	
n-Butylbenzene (RPD)	0 %			0 - 20
1,2-Dichlorobenzene (RPD)	0 %			0 - 20
1,2-Dichlorobenzene	<0.7 ug/L	0.7	0.7	
1,2-Dibromo-3-chloropropane	<0.86 ug/L	0.86	0.86	
1,2-Dibromo-3-chloropropane (RPD)	0 %			0 - 20
1,2,4-Trichlorobenzene (RPD)	0 %			0 - 20
1,2,4-Trichlorobenzene	<1.14 ug/L	1.14	1.14	
Naphthalene	<1.53 ug/L	1.53	1.53	
Naphthalene (RPD)	0 %			0 - 20
1,2,3-Trichlorobenzene (RPD)	0 %			0 - 20
1,2,3-Trichlorobenzene	<1.3 ug/L	1.3	1.3	
Dilution Factor	1			
Analyzed By	Jeff Ruehr			
Analysis Date/Time	5/7/2013 8:58 PM			

WS-003	LIMS ID: 2013-1488
---------------	---------------------------

Volatiles - water MS

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Dibromofluoromethane (% Recovery)	102 %			70 - 130	
1,2-Dichloroethane-d4 (% Recovery)	96.4 %			70 - 130	
Toluene-d8 (% Recovery)	93.5 %			70 - 130	
4-Bromofluorobenzene (% Recovery)	104 %			70 - 130	
1,1-Dichloroethene (% Recovery)	88.1 %			70 - 130	
Benzene (% Recovery)	88.8 %			70 - 130	
Trichloroethene (% Recovery)	85.4 %			70 - 130	
Toluene (% Recovery)	82.6 %			70 - 130	
Chlorobenzene (% Recovery)	84.2 %			70 - 130	
Dilution Factor	1				
Analyzed By	Jeff Ruehr				
Analysis Date/Time	5/7/2013 9:24 PM				

WS-003	LIMS ID: 2013-1488
---------------	---------------------------

Volatiles - water MSD

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Dibromofluoromethane (% Recovery)	102 %			70 - 130	
1,2-Dichloroethane-d4 (% Recovery)	96.2 %			70 - 130	
Toluene-d8 (% Recovery)	95.4 %			70 - 130	
4-Bromofluorobenzene (% Recovery)	102 %			70 - 130	
1,1-Dichloroethene (% Recovery)	99.0 %			70 - 130	
1,1-Dichloroethene (RPD)	11.7 %				0 - 20
Benzene (RPD)	9.7 %				0 - 20
Benzene (% Recovery)	97.9 %			70 - 130	
Trichloroethene (RPD)	11.6 %				0 - 20
Trichloroethene (% Recovery)	95.9 %			70 - 130	
Toluene (% Recovery)	92.7 %			70 - 130	
Toluene (RPD)	11.5 %				0 - 20
Chlorobenzene (RPD)	11.0 %				0 - 20
Chlorobenzene (% Recovery)	94.1 %			70 - 130	
Dilution Factor	1				
Analyzed By	Jeff Ruehr				
Analysis Date/Time	5/7/2013 9:49 PM				

LCS	LIMS ID: 13051001-LCS-01
------------	---------------------------------

Volatiles - water LCS

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Dibromofluoromethane (% Recovery)	95.8 %			70 - 130	
1,2-Dichloroethane-d4 (% Recovery)	93.3 %			70 - 130	
Toluene-d8 (% Recovery)	94.0 %			70 - 130	
4-Bromofluorobenzene (% Recovery)	98.7 %			70 - 130	
Dichlorodifluoromethane (% Recovery)	75.3 %			60 - 130	
Chloromethane (% Recovery)	74.1 %			60 - 130	
Vinyl chloride (% Recovery)	83.4 %			60 - 130	
Bromomethane (% Recovery)	57.5 %			60 - 130	
Chloroethane (% Recovery)	72.9 %			60 - 130	
Trichlorofluoromethane (% Recovery)	86.6 %			60 - 130	
1,1-Dichloroethene (% Recovery)	93.0 %			60 - 130	
Acetone (% Recovery)	110 %			60 - 130	
Methylene chloride (% Recovery)	97.3 %			60 - 130	
Methyl tert-butyl ether (% Recovery)	94.3 %			60 - 130	

trans-1,2-Dichloroethene (% Recovery)	92.3 %	60 - 130
1,1-Dichloroethane (% Recovery)	94.9 %	60 - 130
Methyl ethyl ketone (% Recovery)	108 %	60 - 130
cis-1,2-Dichloroethene (% Recovery)	96.2 %	60 - 130
2,2-Dichloropropane (% Recovery)	92.5 %	60 - 130
Bromochloromethane (% Recovery)	95.1 %	60 - 130
Chloroform (% Recovery)	95.0 %	60 - 130
1,1,1-Trichloroethane (% Recovery)	91.8 %	60 - 130
1,1-Dichloropropene (% Recovery)	92.8 %	60 - 130
Carbon tetrachloride (% Recovery)	94.3 %	60 - 130
Benzene (% Recovery)	93.6 %	60 - 130
1,2-Dichloroethane (% Recovery)	93.5 %	60 - 130
Trichloroethene (% Recovery)	93.0 %	60 - 130
1,2-Dichloropropane (% Recovery)	90.8 %	60 - 130
Dibromomethane (% Recovery)	90.1 %	60 - 130
Bromodichloromethane (% Recovery)	94.7 %	60 - 130
cis-1,3-Dichloropropene (% Recovery)	92.3 %	60 - 130
Methyl isobutyl ketone (% Recovery)	98.4 %	60 - 130
Toluene (% Recovery)	92.9 %	60 - 130
trans-1,3-Dichloropropene (% Recovery)	91.7 %	60 - 130
1,1,2-Trichloroethane (% Recovery)	93.1 %	60 - 130
2-Hexanone (% Recovery)	99.5 %	60 - 130
Tetrachloroethene (% Recovery)	87.7 %	60 - 130
1,3-Dichloropropane (% Recovery)	93.2 %	60 - 130
Dibromochloromethane (% Recovery)	94.0 %	60 - 130
1,2-Dibromoethane (EDB) (% Recovery)	99.8 %	60 - 130
Chlorobenzene (% Recovery)	91.4 %	60 - 130
Ethylbenzene (% Recovery)	87.1 %	60 - 130
1,1,1,2-Tetrachloroethane (% Recovery)	92.6 %	60 - 130
m,p-Xylene (% Recovery)	92.3 %	60 - 130
o-Xylene (% Recovery)	92.2 %	60 - 130
Styrene (% Recovery)	88.3 %	60 - 130
Bromoform (% Recovery)	88.1 %	60 - 130
Isopropylbenzene (% Recovery)	89.5 %	60 - 130
1,1,2,2-Tetrachloroethane (% Recovery)	94.3 %	60 - 130
1,2,3-Trichloropropane (% Recovery)	96.2 %	60 - 130
n-Propylbenzene (% Recovery)	87.1 %	60 - 130
Bromobenzene (% Recovery)	93.2 %	60 - 130
1,3,5-Trimethylbenzene (% Recovery)	93.0 %	60 - 130
2-Chlorotoluene (% Recovery)	95.9 %	60 - 130

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

4-Chlorotoluene (% Recovery)	92.9 %	60 - 130
tert-Butylbenzene (% Recovery)	92.6 %	60 - 130
1,2,4-Trimethylbenzene (% Recovery)	94.8 %	60 - 130
sec-Butylbenzene (% Recovery)	94.4 %	60 - 130
p-Isopropyltoluene (% Recovery)	90.4 %	60 - 130
1,3-Dichlorobenzene (% Recovery)	89.3 %	60 - 130
1,4-Dichlorobenzene (% Recovery)	89.6 %	60 - 130
n-Butylbenzene (% Recovery)	86.3 %	60 - 130
1,2-Dichlorobenzene (% Recovery)	92.0 %	60 - 130
1,2-Dibromo-3-chloropropane (% Recovery)	97.4 %	60 - 130
1,2,4-Trichlorobenzene (% Recovery)	90.8 %	60 - 130
Naphthalene (% Recovery)	96.2 %	60 - 130
1,2,3-Trichlorobenzene (% Recovery)	93.0 %	60 - 130
Dilution Factor	1	
Analyzed By	Jeff Ruehr	
Analysis Date/Time	5/7/2013 15:29	

Analytical Quality Control Results Report

Batch: 13050901	Oil and Grease - water
WS-003	LIMS ID: 2013-1488

Oil and Grease - water DUP

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Oil and Grease	<2.5 mg/L	2.5	2.5		
Oil and Grease (RPD)	0 %				0 - 20
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

WS-003	LIMS ID: 2013-1488
---------------	---------------------------

Oil and Grease - water MS

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Oil and Grease (% Recovery)	82.5 %			70 - 130	
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

WS-003	LIMS ID: 2013-1488
---------------	---------------------------

Oil and Grease - water MSD

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Oil and Grease (% Recovery)	92.8 %			70 - 130	
Oil and Grease (RPD)	11.5 %				0 - 20
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

MB	LIMS ID: 13050901-MB-01
-----------	--------------------------------

Oil and Grease - water MB

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Oil and Grease	<2.5 mg/L	2.5	2.5		
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

LCS	LIMS ID: 13050901-LCS-01
------------	---------------------------------

Oil and Grease - water LCS

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Oil and Grease (% Recovery)	99.0 %			70 - 130	
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

MB	LIMS ID: 13050901-MB-02
-----------	--------------------------------

Oil and Grease - water MB

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Oil and Grease	<2.5 mg/L	2.5	2.5		
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

LCS	LIMS ID: 13050901-LCS-02
------------	---------------------------------

Oil and Grease - water LCS

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Oil and Grease (% Recovery)	100 %			70 - 130	
Dilution Factor	1				
Analyzed By	Chad Carrington				
Analysis Date/Time	5/7/2013 07:00				

Analytical Quality Control Results Report

Batch: 13050907	Semi-VOA water (Prep)
WS-003	LIMS ID: 2013-1488

Semi Volatiles - water DUP

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Initial Volume	500 mL				
Final Volume	1 mL				
Prep By	Ed Harris				
Prep Date/Time	5/7/2013 13:00				
2-Fluorophenol (% Recovery)	30.5 %			40 - 110	
Nitrobenzene-d5 (% Recovery)	59.2 %			40 - 125	
2-Fluorobiphenyl (% Recovery)	61.9 %			40 - 110	
2,4,6-Tribromophenol (% Recovery)	79.9 %			40 - 110	
Terphenyl-d14 (% Recovery)	92.3 %			40 - 125	
Methyl Methanesulfonate	<0.2 ug/L	0.2	0.2		
Methyl Methanesulfonate (RPD)	0 %				0 - 40
Ethyl methanesulfonate (RPD)	0 %				0 - 40
Ethyl methanesulfonate	<0.2 ug/L	0.2	0.2		
Phenol	<0.2 ug/L	0.2	0.2		
Phenol (RPD)	0 %				0 - 40
Aniline	<0.2 ug/L	0.2	0.2		
Aniline (RPD)	0 %				0 - 40
Bis(2-chloroethyl)ether	<0.24 ug/L	0.2	0.24		
Bis(2-chloroethyl)ether (RPD)	0 %				0 - 40
2-Chlorophenol (RPD)	0 %				0 - 40
2-Chlorophenol	<0.2 ug/L	0.2	0.2		
1,3-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
1,3-Dichlorobenzene (RPD)	0 %				0 - 40
1,4-Dichlorobenzene (RPD)	0 %				0 - 40
1,4-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
Benzyl alcohol	<0.16 ug/L	0.16	0.16		
Benzyl alcohol (RPD)	26.5 %				0 - 40
1,2-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
1,2-Dichlorobenzene (RPD)	0 %				0 - 40
2-Methylphenol (RPD)	0 %				0 - 40
2-Methylphenol	<0.1 ug/L	0.1	0.1		
Acetophenone	<0.1 ug/L	0.1	0.1		
Acetophenone (RPD)	0 %				0 - 40

4-Methylphenol	<0.1 ug/L	0.1	0.1	
4-Methylphenol (RPD)	0 %			0 - 40
N-Nitrosodi-n-propylamine	<0.2 ug/L	0.2	0.2	
N-Nitrosodi-n-propylamine (RPD)	0 %			0 - 40
Hexachloroethane (RPD)	0 %			0 - 40
Hexachloroethane	<0.2 ug/L	0.2	0.2	
Nitrobenzene	<0.2 ug/L	0.2	0.2	
Nitrobenzene (RPD)	0 %			0 - 40
N-Nitrosopiperidine	<0.2 ug/L	0.2	0.2	
N-Nitrosopiperidine (RPD)	0 %			0 - 40
Isophorone (RPD)	0 %			0 - 40
Isophorone	<0.1 ug/L	0.1	0.1	
2-Nitrophenol	<0.3 ug/L	0.3	0.3	
2-Nitrophenol (RPD)	0 %			0 - 40
2,4-Dimethylphenol (RPD)	0 %			0 - 40
2,4-Dimethylphenol	<0.1 ug/L	0.1	0.1	
Bis(2-chloroethoxy)methane	<0.2 ug/L	0.2	0.2	
Bis(2-chloroethoxy)methane (RPD)	0 %			0 - 40
2,4-Dichlorophenol (RPD)	0 %			0 - 40
2,4-Dichlorophenol	<0.2 ug/L	0.2	0.2	
1,2,4-Trichlorobenzene (RPD)	0 %			0 - 40
1,2,4-Trichlorobenzene	<0.12 ug/L	0.12	0.12	
Naphthalene (RPD)	0 %			0 - 40
Naphthalene	<0.08 ug/L	0.08	0.08	
4-Chloroaniline	<0.1 ug/L	0.1	0.1	
4-Chloroaniline (RPD)	0 %			0 - 40
2,6-Dichlorophenol	<0.2 ug/L	0.2	0.2	
2,6-Dichlorophenol (RPD)	0 %			0 - 40
Hexachlorobutadiene	<0.2 ug/L	0.2	0.2	
Hexachlorobutadiene (RPD)	0 %			0 - 40
N-Nitrosodibutylamine	<0.24 ug/L	0.2	0.24	
N-Nitrosodibutylamine (RPD)	0 %			0 - 40
4-Chloro-3-methylphenol (RPD)	0 %			0 - 40
4-Chloro-3-methylphenol	<0.16 ug/L	0.16	0.16	
2-Methylnaphthalene	<0.1 ug/L	0.1	0.1	
2-Methylnaphthalene (RPD)	0 %			0 - 40
1,2,4,5-Tetrachlorobenzene	<0.1 ug/L	0.1	0.1	
1,2,4,5-Tetrachlorobenzene (RPD)	0 %			0 - 40
Hexachlorocyclopentadiene (RPD)	0 %			0 - 40
Hexachlorocyclopentadiene	<0.16 ug/L	0.16	0.16	

2,4,6-Trichlorophenol	<0.4 ug/L	0.2	0.4	
2,4,6-Trichlorophenol (RPD)	0 %			0 - 40
2,4,5-Trichlorophenol (RPD)	0 %			0 - 40
2,4,5-Trichlorophenol	<0.2 ug/L	0.2	0.2	
2-Chloronaphthalene	<0.1 ug/L	0.1	0.1	
2-Chloronaphthalene (RPD)	0 %			0 - 40
1-Chloronaphthalene	<0.1 ug/L	0.1	0.1	
1-Chloronaphthalene (RPD)	0 %			0 - 40
2-Nitroaniline	<0.2 ug/L	0.2	0.2	
2-Nitroaniline (RPD)	0 %			0 - 40
Dimethyl phthalate (RPD)	0 %			0 - 40
Dimethyl phthalate	<0.2 ug/L	0.2	0.2	
2,6-Dinitrotoluene	<0.2 ug/L	0.2	0.2	
2,6-Dinitrotoluene (RPD)	0 %			0 - 40
Acenaphthylene (RPD)	0 %			0 - 40
Acenaphthylene	<0.08 ug/L	0.08	0.08	
3-Nitroaniline	<0.2 ug/L	0.2	0.2	
3-Nitroaniline (RPD)	0 %			0 - 40
Acenaphthene (RPD)	0 %			0 - 40
Acenaphthene	<0.1 ug/L	0.1	0.1	
2,4-Dinitrophenol	<4 ug/L	4	4	
2,4-Dinitrophenol (RPD)	0 %			0 - 40
Pentachlorobenzene	<0.12 ug/L	0.12	0.12	
Pentachlorobenzene (RPD)	0 %			0 - 40
4-Nitrophenol (RPD)	0 %			0 - 40
4-Nitrophenol	<2 ug/L	2	2	
Dibenzofuran	<0.1 ug/L	0.1	0.1	
Dibenzofuran (RPD)	0 %			0 - 40
2,4-Dinitrotoluene (RPD)	0 %			0 - 40
2,4-Dinitrotoluene	<0.2 ug/L	0.2	0.2	
2,3,4,6-Tetrachlorophenol	<0.6 ug/L	0.6	0.6	
2,3,4,6-Tetrachlorophenol (RPD)	0 %			0 - 40
Diethyl phthalate	<0.4 ug/L	0.2	0.4	
Diethyl phthalate (RPD)	0 %			0 - 40
Fluorene (RPD)	0 %			0 - 40
Fluorene	<0.1 ug/L	0.1	0.1	
4-Chlorophenyl phenyl ether	<0.1 ug/L	0.1	0.1	
4-Chlorophenyl phenyl ether (RPD)	0 %			0 - 40
4-Nitroaniline (RPD)	0 %			0 - 40
4-Nitroaniline	<0.3 ug/L	0.2	0.3	

4,6-Dinitro-2-methylphenol	<6 ug/L	6	6	
4,6-Dinitro-2-methylphenol (RPD)	0 %			0 - 40
Diphenylamine (RPD)	0 %			0 - 40
Diphenylamine	<0.1 ug/L	0.1	0.1	
Azobenzene	<0.08 ug/L	0.08	0.08	
Azobenzene (RPD)	0 %			0 - 40
4-Bromophenyl phenyl ether	<0.2 ug/L	0.2	0.2	
4-Bromophenyl phenyl ether (RPD)	0 %			0 - 40
Hexachlorobenzene (RPD)	0 %			0 - 40
Hexachlorobenzene	<0.16 ug/L	0.16	0.16	
Pentachlorophenol	<1 ug/L	1	1	
Pentachlorophenol (RPD)	0 %			0 - 40
Pentachloronitrobenzene (RPD)	0 %			0 - 40
Pentachloronitrobenzene	<0.2 ug/L	0.2	0.2	
Pronamide	<0.2 ug/L	0.2	0.2	
Pronamide (RPD)	0 %			0 - 40
Phenanthrene	<0.08 ug/L	0.08	0.08	
Phenanthrene (RPD)	0 %			0 - 40
Anthracene (RPD)	0 %			0 - 40
Anthracene	<0.08 ug/L	0.08	0.08	
Carbazole	<0.1 ug/L	0.1	0.1	
Carbazole (RPD)	0 %			0 - 40
Di-n-butyl phthalate (RPD)	159 %			0 - 40
Di-n-butyl phthalate	<0.2 ug/L	0.2	0.2	
Fluoranthene	<0.08 ug/L	0.08	0.08	
Fluoranthene (RPD)	0 %			0 - 40
Pyrene (RPD)	0 %			0 - 40
Pyrene	<0.08 ug/L	0.08	0.08	
Dimethylaminoazobenzene	<0.2 ug/L	0.2	0.2	
Dimethylaminoazobenzene (RPD)	0 %			0 - 40
Butyl benzyl phthalate	<0.4 ug/L	0.4	0.4	
Butyl benzyl phthalate (RPD)	0 %			0 - 40
Benzo (a) anthracene (RPD)	0 %			0 - 40
Benzo (a) anthracene	<0.1 ug/L	0.1	0.1	
Chrysene	<0.1 ug/L	0.1	0.1	
Chrysene (RPD)	0 %			0 - 40
Bis(2-ethylhexyl)phthalate (RPD)	74.6 %			0 - 40
Bis(2-ethylhexyl)phthalate	<0.3 ug/L	0.3	0.3	
Di-n-octyl phthalate	<0.3 ug/L	0.3	0.3	
Di-n-octyl phthalate (RPD)	200 %			0 - 40

Benzo (b) fluoranthene (RPD)	0 %			0 - 40
Benzo (b) fluoranthene	<0.16 ug/L	0.16	0.16	
7,12-Dimethylbenz (a) anthracene	<0.2 ug/L	0.2	0.2	
7,12-Dimethylbenz (a) anthracene (RPD)	0 %			0 - 40
Benzo (k) fluoranthene	<0.16 ug/L	0.16	0.16	
Benzo (k) fluoranthene (RPD)	0 %			0 - 40
Benzo (a) pyrene (RPD)	0 %			0 - 40
Benzo (a) pyrene	<0.16 ug/L	0.16	0.16	
3-Methylcholanthrene	<0.2 ug/L	0.2	0.2	
3-Methylcholanthrene (RPD)	0 %			0 - 40
Indeno (1,2,3-cd) pyrene (RPD)	0 %			0 - 40
Indeno (1,2,3-cd) pyrene	<0.2 ug/L	0.2	0.2	
Dibenzo (a,h) anthracene	<0.16 ug/L	0.16	0.16	
Dibenzo (a,h) anthracene (RPD)	0 %			0 - 40
Benzo (g,h,i) perylene (RPD)	0 %			0 - 40
Benzo (g,h,i) perylene	<0.16 ug/L	0.16	0.16	
Dilution Factor	1			
Analyzed By	Ed Harris			
Analysis Date/Time	5/9/2013 11:26 AM			

WS-003	LIMS ID: 2013-1488
---------------	---------------------------

Semi Volatiles - water MS

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Initial Volume	500 mL				
Final Volume	1 mL				
Prep By	Ed Harris				
Prep Date/Time	5/7/2013 13:00				
2-Fluorophenol (% Recovery)	27.5 %			40 - 110	
Nitrobenzene-d5 (% Recovery)	63.3 %			40 - 125	
2-Fluorobiphenyl (% Recovery)	63.1 %			40 - 125	
2,4,6-Tribromophenol (% Recovery)	73.2 %			40 - 125	
Terphenyl-d14 (% Recovery)	86.7 %			40 - 125	
Phenol (% Recovery)	13.0 %			25 - 125	
2-Chlorophenol (% Recovery)	36.1 %			25 - 125	
1,4-Dichlorobenzene (% Recovery)	54.5 %			25 - 125	
N-Nitrosodi-n-propylamine (% Recovery)	72.1 %			25 - 125	
1,2,4-Trichlorobenzene (% Recovery)	66.0 %			25 - 125	
4-Chloro-3-methylphenol (% Recovery)	41.2 %			25 - 125	
Acenaphthene (% Recovery)	71.8 %			25 - 125	

4-Nitrophenol (% Recovery)	22.8 %	25 - 125
2,4-Dinitrotoluene (% Recovery)	81.8 %	25 - 125
Pentachlorophenol (% Recovery)	61.7 %	25 - 125
Pyrene (% Recovery)	96.7 %	25 - 125
Dilution Factor	1	
Analyzed By	Ed Harris	
Analysis Date/Time	5/9/2013 11:55 AM	

WS-003 **LIMS ID: 2013-1488**

Semi Volatiles - water MSD

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Initial Volume	500 mL				
Final Volume	1 mL				
Prep By	Ed Harris				
Prep Date/Time	5/7/2013 13:00				
2-Fluorophenol (% Recovery)	28.7 %			40 - 110	
Nitrobenzene-d5 (% Recovery)	55.8 %			40 - 125	
2-Fluorobiphenyl (% Recovery)	57.2 %			40 - 125	
2,4,6-Tribromophenol (% Recovery)	86.5 %			40 - 125	
Terphenyl-d14 (% Recovery)	92.3 %			40 - 125	
Phenol (% Recovery)	13.7 %			25 - 125	
Phenol (RPD)	5.2 %				0 - 40
2-Chlorophenol (% Recovery)	37.6 %			25 - 125	
2-Chlorophenol (RPD)	4.2 %				0 - 40
1,4-Dichlorobenzene (RPD)	1.7 %				0 - 40
1,4-Dichlorobenzene (% Recovery)	55.4 %			25 - 125	
N-Nitrosodi-n-propylamine (% Recovery)	65.9 %			25 - 125	
N-Nitrosodi-n-propylamine (RPD)	8.9 %				0 - 40
1,2,4-Trichlorobenzene (RPD)	19.3 %				0 - 40
1,2,4-Trichlorobenzene (% Recovery)	54.4 %			25 - 125	
4-Chloro-3-methylphenol (% Recovery)	48.8 %			25 - 125	
4-Chloro-3-methylphenol (RPD)	17.1 %				0 - 40
Acenaphthene (% Recovery)	68.9 %			25 - 125	
Acenaphthene (RPD)	4.1 %				0 - 40
4-Nitrophenol (% Recovery)	24.7 %			25 - 125	
4-Nitrophenol (RPD)	8.0 %				0 - 40
2,4-Dinitrotoluene (% Recovery)	89.0 %			25 - 125	
2,4-Dinitrotoluene (RPD)	8.5 %				0 - 40
Pentachlorophenol (% Recovery)	67.4 %			25 - 125	

Pentachlorophenol (RPD)	8.8 %	0 - 40
Pyrene (% Recovery)	97.6 %	25 - 125
Pyrene (RPD)	1.0 %	0 - 40
Dilution Factor	1	
Analyzed By	Ed Harris	
Analysis Date/Time	5/9/2013 12:24 PM	

MB	LIMS ID: 13050907-MB-01
-----------	--------------------------------

Semi Volatiles - water MB

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Initial Volume	500 mL				
Final Volume	1 mL				
Prep By	Ed Harris				
Prep Date/Time	5/7/2013 08:00				
2-Fluorophenol (% Recovery)	43.8 %			40 - 110	
Nitrobenzene-d5 (% Recovery)	84.6 %			40 - 125	
2-Fluorobiphenyl (% Recovery)	69.6 %			40 - 125	
2,4,6-Tribromophenol (% Recovery)	81.9 %			40 - 125	
Terphenyl-d14 (% Recovery)	92.7 %			40 - 125	
Methyl Methanesulfonate	<0.2 ug/L	0.2	0.2		
Ethyl methanesulfonate	<0.2 ug/L	0.2	0.2		
Phenol	<0.2 ug/L	0.2	0.2		
Aniline	<0.2 ug/L	0.2	0.2		
Bis(2-chloroethyl)ether	<0.2 ug/L	0.2	0.2		
2-Chlorophenol	<0.2 ug/L	0.2	0.2		
1,3-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
1,4-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
Benzyl alcohol	0.544 ug/L	0.16	0.16		
1,2-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
2-Methylphenol	<0.1 ug/L	0.1	0.1		
Acetophenone	<0.1 ug/L	0.1	0.1		
4-Methylphenol	<0.1 ug/L	0.1	0.1		
N-Nitrosodi-n-propylamine	<0.2 ug/L	0.2	0.2		
Hexachloroethane	<0.2 ug/L	0.2	0.2		
Nitrobenzene	<0.2 ug/L	0.2	0.2		
N-Nitrosopiperidine	<0.2 ug/L	0.2	0.2		
Isophorone	<0.1 ug/L	0.1	0.1		
2-Nitrophenol	<0.3 ug/L	0.3	0.3		
2,4-Dimethylphenol	<0.1 ug/L	0.1	0.1		

Bis(2-chloroethoxy)methane	<0.2 ug/L	0.2	0.2
2,4-Dichlorophenol	<0.2 ug/L	0.2	0.2
1,2,4-Trichlorobenzene	<0.12 ug/L	0.12	0.12
Naphthalene	<0.08 ug/L	0.08	0.08
4-Chloroaniline	<0.1 ug/L	0.1	0.1
2,6-Dichlorophenol	<0.2 ug/L	0.2	0.2
Hexachlorobutadiene	<0.2 ug/L	0.2	0.2
N-Nitrosodibutylamine	<0.2 ug/L	0.2	0.2
4-Chloro-3-methylphenol	<0.16 ug/L	0.16	0.16
2-Methylnaphthalene	<0.12 ug/L	0.12	0.12
1,2,4,5-Tetrachlorobenzene	<0.1 ug/L	0.1	0.1
Hexachlorocyclopentadiene	<0.16 ug/L	0.16	0.16
2,4,6-Trichlorophenol	<0.2 ug/L	0.2	0.2
2,4,5-Trichlorophenol	<0.2 ug/L	0.2	0.2
2-Chloronaphthalene	<0.1 ug/L	0.1	0.1
1-Chloronaphthalene	<0.1 ug/L	0.1	0.1
2-Nitroaniline	<0.2 ug/L	0.2	0.2
Dimethyl phthalate	<0.2 ug/L	0.2	0.2
2,6-Dinitrotoluene	<0.2 ug/L	0.2	0.2
Acenaphthylene	<0.08 ug/L	0.08	0.08
3-Nitroaniline	<0.2 ug/L	0.2	0.2
Acenaphthene	<0.1 ug/L	0.1	0.1
2,4-Dinitrophenol	<4 ug/L	4	4
Pentachlorobenzene	<0.12 ug/L	0.12	0.12
4-Nitrophenol	<2 ug/L	2	2
Dibenzofuran	<0.1 ug/L	0.1	0.1
2,4-Dinitrotoluene	<0.2 ug/L	0.2	0.2
2,3,4,6-Tetrachlorophenol	<0.6 ug/L	0.6	0.6
Diethyl phthalate	<0.2 ug/L	0.2	0.2
Fluorene	<0.1 ug/L	0.1	0.1
4-Chlorophenyl phenyl ether	<0.1 ug/L	0.1	0.1
4-Nitroaniline	<0.2 ug/L	0.2	0.2
4,6-Dinitro-2-methylphenol	<6 ug/L	6	6
Diphenylamine	<0.1 ug/L	0.1	0.1
Azobenzene	<0.08 ug/L	0.08	0.08
4-Bromophenyl phenyl ether	<0.2 ug/L	0.2	0.2
Hexachlorobenzene	<0.16 ug/L	0.16	0.16
Pentachlorophenol	<1 ug/L	1	1
Pentachloronitrobenzene	<0.2 ug/L	0.2	0.2
Pronamide	<0.2 ug/L	0.2	0.2

Phenanthrene	<0.08 ug/L	0.08	0.08
Anthracene	<0.08 ug/L	0.08	0.08
Carbazole	<0.1 ug/L	0.1	0.1
Di-n-butyl phthalate	0.537 ug/L	0.2	0.2
Fluoranthene	<0.08 ug/L	0.08	0.08
Pyrene	<0.08 ug/L	0.08	0.08
Dimethylaminoazobenzene	<0.2 ug/L	0.2	0.2
Butyl benzyl phthalate	<0.3 ug/L	0.3	0.3
Benzo (a) anthracene	<0.2 ug/L	0.2	0.2
Chrysene	<0.1 ug/L	0.1	0.1
Bis(2-ethylhexyl)phthalate	<0.3 ug/L	0.3	0.3
Di-n-octyl phthalate	<0.3 ug/L	0.3	0.3
Benzo (b) fluoranthene	<0.16 ug/L	0.16	0.16
7,12-Dimethylbenz (a) anthracene	<0.2 ug/L	0.2	0.2
Benzo (k) fluoranthene	<0.16 ug/L	0.16	0.16
Benzo (a) pyrene	<0.16 ug/L	0.16	0.16
3-Methylcholanthrene	<0.2 ug/L	0.2	0.2
Indeno (1,2,3-cd) pyrene	<0.2 ug/L	0.2	0.2
Dibenzo (a,h) anthracene	<0.16 ug/L	0.16	0.16
Benzo (g,h,i) perylene	<0.16 ug/L	0.16	0.16
Dilution Factor	1		
Analyzed By	Ed Harris		
Analysis Date/Time	5/8/2013 17:56		

LCS	LIMS ID: 13050907-LCS-01
------------	---------------------------------

Semi Volatiles - water LCS

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Initial Volume	500 mL				
Final Volume	1 mL				
Prep By	Ed Harris				
Prep Date/Time	5/7/2013 08:00				
2-Fluorophenol (% Recovery)	50.0 %			40 - 110	
Nitrobenzene-d5 (% Recovery)	85.2 %			50 - 125	
2-Fluorobiphenyl (% Recovery)	70.2 %			50 - 125	
2,4,6-Tribromophenol (% Recovery)	80.7 %			40 - 125	
Terphenyl-d14 (% Recovery)	93.5 %			50 - 125	
Methyl Methanesulfonate (% Recovery)	66.9 %			50 - 150	
Ethyl methanesulfonate (% Recovery)	77.0 %			50 - 150	
Phenol (% Recovery)	35.8 %			50 - 150	

Aniline (% Recovery)	49.2 %	50 - 150
Bis(2-chloroethyl)ether (% Recovery)	82.1 %	50 - 150
2-Chlorophenol (% Recovery)	80.7 %	50 - 150
1,3-Dichlorobenzene (% Recovery)	68.5 %	50 - 150
1,4-Dichlorobenzene (% Recovery)	63.3 %	50 - 150
Benzyl alcohol (% Recovery)	147 %	50 - 150
1,2-Dichlorobenzene (% Recovery)	65.3 %	50 - 150
2-Methylphenol (% Recovery)	70.5 %	50 - 150
Acetophenone (% Recovery)	86.5 %	50 - 150
4-Methylphenol (% Recovery)	60.8 %	50 - 150
N-Nitrosodi-n-propylamine (% Recovery)	81.5 %	50 - 150
Hexachloroethane (% Recovery)	59.0 %	50 - 150
Nitrobenzene (% Recovery)	82.1 %	50 - 150
N-Nitrosopiperidine (% Recovery)	85.4 %	50 - 150
Isophorone (% Recovery)	83.4 %	50 - 150
2-Nitrophenol (% Recovery)	84.7 %	50 - 150
2,4-Dimethylphenol (% Recovery)	5.6 %	50 - 150
Bis(2-chloroethoxy)methane (% Recovery)	78.3 %	50 - 150
2,4-Dichlorophenol (% Recovery)	85.8 %	50 - 150
1,2,4-Trichlorobenzene (% Recovery)	64.7 %	50 - 150
Naphthalene (% Recovery)	73.5 %	50 - 150
4-Chloroaniline (% Recovery)	64.4 %	50 - 150
2,6-Dichlorophenol (% Recovery)	82.9 %	50 - 150
Hexachlorobutadiene (% Recovery)	56.8 %	50 - 150
N-Nitrosodibutylamine (% Recovery)	96.6 %	50 - 150
4-Chloro-3-methylphenol (% Recovery)	80.6 %	50 - 150
2-Methylnaphthalene (% Recovery)	75.3 %	50 - 150
1,2,4,5-Tetrachlorobenzene (% Recovery)	67.2 %	50 - 150
Hexachlorocyclopentadiene (% Recovery)	67.6 %	50 - 150
2,4,6-Trichlorophenol (% Recovery)	83.4 %	50 - 150
2,4,5-Trichlorophenol (% Recovery)	86.3 %	50 - 150
2-Chloronaphthalene (% Recovery)	62.1 %	50 - 150
1-Chloronaphthalene (% Recovery)	61.8 %	50 - 150
2-Nitroaniline (% Recovery)	79.5 %	50 - 150
Dimethyl phthalate (% Recovery)	61.0 %	50 - 150
2,6-Dinitrotoluene (% Recovery)	85.5 %	50 - 150
Acenaphthylene (% Recovery)	74.3 %	50 - 150
3-Nitroaniline (% Recovery)	71.8 %	50 - 150
Acenaphthene (% Recovery)	73.3 %	50 - 150
2,4-Dinitrophenol (% Recovery)	70.8 %	50 - 150

Arkansas Department of Environmental Quality
 5301 Northshore Drive
 North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
 Ruehr@adeq.state.ar.us
 501-682-0955

Pentachlorobenzene (% Recovery)	73.3 %	50 - 150
4-Nitrophenol (% Recovery)	33.9 %	50 - 150
Dibenzofuran (% Recovery)	70.6 %	50 - 150
2,4-Dinitrotoluene (% Recovery)	86.8 %	50 - 150
2,3,4,6-Tetrachlorophenol (% Recovery)	85.4 %	50 - 150
Diethyl phthalate (% Recovery)	74.5 %	50 - 150
Fluorene (% Recovery)	74.8 %	50 - 150
4-Chlorophenyl phenyl ether (% Recovery)	68.7 %	50 - 150
4-Nitroaniline (% Recovery)	63.6 %	50 - 150
4,6-Dinitro-2-methylphenol (% Recovery)	74.0 %	50 - 150
Diphenylamine (% Recovery)	82.1 %	50 - 150
Azobenzene (% Recovery)	72.1 %	50 - 150
4-Bromophenyl phenyl ether (% Recovery)	79.5 %	50 - 150
Hexachlorobenzene (% Recovery)	75.4 %	50 - 150
Pentachlorophenol (% Recovery)	72.4 %	50 - 150
Pentachloronitrobenzene (% Recovery)	77.6 %	50 - 150
Pronamide (% Recovery)	78.0 %	50 - 150
Phenanthrene (% Recovery)	76.9 %	50 - 150
Anthracene (% Recovery)	72.9 %	50 - 150
Carbazole (% Recovery)	84.2 %	50 - 150
Di-n-butyl phthalate (% Recovery)	117 %	50 - 150
Fluoranthene (% Recovery)	80.5 %	50 - 150
Pyrene (% Recovery)	86.5 %	50 - 150
Dimethylaminoazobenzene (% Recovery)	86.7 %	50 - 150
Butyl benzyl phthalate (% Recovery)	77.3 %	50 - 150
Benzo (a) anthracene (% Recovery)	82.9 %	50 - 150
Chrysene (% Recovery)	82.4 %	50 - 150
Bis(2-ethylhexyl)phthalate (% Recovery)	93.9 %	50 - 150
Di-n-octyl phthalate (% Recovery)	85.6 %	50 - 150
Benzo (b) fluoranthene (% Recovery)	71.2 %	50 - 150
7,12-Dimethylbenz (a) anthracene (% Recovery)	74.8 %	50 - 150
Benzo (k) fluoranthene (% Recovery)	74.4 %	50 - 150
Benzo (a) pyrene (% Recovery)	78.2 %	50 - 150
3-Methylcholanthrene (% Recovery)	74.4 %	50 - 150
Indeno (1,2,3-cd) pyrene (% Recovery)	76.5 %	50 - 150
Dibenzo (a,h) anthracene (% Recovery)	78.5 %	50 - 150
Benzo (g,h,i) perylene (% Recovery)	78.8 %	50 - 150
Dilution Factor	1	
Analyzed By	Ed Harris	
Analysis Date/Time	5/8/2013 18:25	

MB **LIMS ID: 13050907-MB-02**

Semi Volatiles - water MB

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Initial Volume	500 mL				
Final Volume	1 mL				
Prep By	Ed Harris				
Prep Date/Time	5/7/2013 13:00				
2-Fluorophenol (% Recovery)	12.2 %			40 - 110	
Nitrobenzene-d5 (% Recovery)	69.4 %			40 - 125	
2-Fluorobiphenyl (% Recovery)	65.8 %			40 - 125	
2,4,6-Tribromophenol (% Recovery)	35.9 %			40 - 125	
Terphenyl-d14 (% Recovery)	98.3 %			40 - 125	
Methyl Methanesulfonate	<0.2 ug/L	0.2	0.2		
Ethyl methanesulfonate	<0.2 ug/L	0.2	0.2		
Phenol	<0.2 ug/L	0.2	0.2		
Aniline	<0.2 ug/L	0.2	0.2		
Bis(2-chloroethyl)ether	<0.2 ug/L	0.2	0.2		
2-Chlorophenol	<0.2 ug/L	0.2	0.2		
1,3-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
1,4-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
Benzyl alcohol	<0.16 ug/L	0.16	0.16		
1,2-Dichlorobenzene	<0.12 ug/L	0.12	0.12		
2-Methylphenol	<0.1 ug/L	0.1	0.1		
Acetophenone	<0.1 ug/L	0.1	0.1		
4-Methylphenol	<0.1 ug/L	0.1	0.1		
N-Nitrosodi-n-propylamine	<0.2 ug/L	0.2	0.2		
Hexachloroethane	<0.2 ug/L	0.2	0.2		
Nitrobenzene	<0.2 ug/L	0.2	0.2		
N-Nitrosopiperidine	<0.2 ug/L	0.2	0.2		
Isophorone	<0.1 ug/L	0.1	0.1		
2-Nitrophenol	<0.3 ug/L	0.3	0.3		
2,4-Dimethylphenol	<0.1 ug/L	0.1	0.1		
Bis(2-chloroethoxy)methane	<0.2 ug/L	0.2	0.2		
2,4-Dichlorophenol	<0.2 ug/L	0.2	0.2		
1,2,4-Trichlorobenzene	<0.12 ug/L	0.12	0.12		
Naphthalene	<0.08 ug/L	0.08	0.08		
4-Chloroaniline	<0.1 ug/L	0.1	0.1		
2,6-Dichlorophenol	<0.2 ug/L	0.2	0.2		

Hexachlorobutadiene	<0.2 ug/L	0.2	0.2
N-Nitrosodibutylamine	<0.2 ug/L	0.2	0.2
4-Chloro-3-methylphenol	<0.16 ug/L	0.16	0.16
2-Methylnaphthalene	<0.12 ug/L	0.12	0.12
1,2,4,5-Tetrachlorobenzene	<0.1 ug/L	0.1	0.1
Hexachlorocyclopentadiene	<0.16 ug/L	0.16	0.16
2,4,6-Trichlorophenol	<0.2 ug/L	0.2	0.2
2,4,5-Trichlorophenol	<0.2 ug/L	0.2	0.2
2-Chloronaphthalene	<0.1 ug/L	0.1	0.1
1-Chloronaphthalene	<0.1 ug/L	0.1	0.1
2-Nitroaniline	<0.2 ug/L	0.2	0.2
Dimethyl phthalate	<0.2 ug/L	0.2	0.2
2,6-Dinitrotoluene	<0.2 ug/L	0.2	0.2
Acenaphthylene	<0.08 ug/L	0.08	0.08
3-Nitroaniline	<0.2 ug/L	0.2	0.2
Acenaphthene	<0.1 ug/L	0.1	0.1
2,4-Dinitrophenol	<4 ug/L	4	4
Pentachlorobenzene	<0.12 ug/L	0.12	0.12
4-Nitrophenol	<2 ug/L	2	2
Dibenzofuran	<0.1 ug/L	0.1	0.1
2,4-Dinitrotoluene	<0.2 ug/L	0.2	0.2
2,3,4,6-Tetrachlorophenol	<0.6 ug/L	0.6	0.6
Diethyl phthalate	<0.2 ug/L	0.2	0.2
Fluorene	<0.1 ug/L	0.1	0.1
4-Chlorophenyl phenyl ether	<0.1 ug/L	0.1	0.1
4-Nitroaniline	<0.2 ug/L	0.2	0.2
4,6-Dinitro-2-methylphenol	<6 ug/L	6	6
Diphenylamine	<0.1 ug/L	0.1	0.1
Azobenzene	<0.08 ug/L	0.08	0.08
4-Bromophenyl phenyl ether	<0.2 ug/L	0.2	0.2
Hexachlorobenzene	<0.16 ug/L	0.16	0.16
Pentachlorophenol	<1 ug/L	1	1
Pentachloronitrobenzene	<0.2 ug/L	0.2	0.2
Pronamide	<0.2 ug/L	0.2	0.2
Phenanthrene	<0.08 ug/L	0.08	0.08
Anthracene	<0.08 ug/L	0.08	0.08
Carbazole	<0.1 ug/L	0.1	0.1
Di-n-butyl phthalate	0.919 ug/L	0.2	0.2
Fluoranthene	<0.08 ug/L	0.08	0.08
Pyrene	<0.08 ug/L	0.08	0.08

Dimethylaminoazobenzene	<0.2 ug/L	0.2	0.2
Butyl benzyl phthalate	<0.3 ug/L	0.3	0.3
Benzo (a) anthracene	<0.2 ug/L	0.2	0.2
Chrysene	<0.1 ug/L	0.1	0.1
Bis(2-ethylhexyl)phthalate	<0.3 ug/L	0.3	0.3
Di-n-octyl phthalate	<0.3 ug/L	0.3	0.3
Benzo (b) fluoranthene	<0.16 ug/L	0.16	0.16
7,12-Dimethylbenz (a) anthracene	<0.2 ug/L	0.2	0.2
Benzo (k) fluoranthene	<0.16 ug/L	0.16	0.16
Benzo (a) pyrene	<0.16 ug/L	0.16	0.16
3-Methylcholanthrene	<0.2 ug/L	0.2	0.2
Indeno (1,2,3-cd) pyrene	<0.2 ug/L	0.2	0.2
Dibenzo (a,h) anthracene	<0.16 ug/L	0.16	0.16
Benzo (g,h,i) perylene	<0.16 ug/L	0.16	0.16
Dilution Factor	1		
Analyzed By	Ed Harris		
Analysis Date/Time	5/9/2013 9:58		

LCS	LIMS ID: 13050907-LCS-02
------------	---------------------------------

Semi Volatiles - water LCS

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Initial Volume	500 mL				
Final Volume	1 mL				
Prep By	Ed Harris				
Prep Date/Time	5/7/2013 13:00				
2-Fluorophenol (% Recovery)	32.4 %			40 - 110	
Nitrobenzene-d5 (% Recovery)	57.7 %			50 - 125	
2-Fluorobiphenyl (% Recovery)	52.0 %			50 - 125	
2,4,6-Tribromophenol (% Recovery)	73.8 %			40 - 125	
Terphenyl-d14 (% Recovery)	89.2 %			50 - 125	
Methyl Methanesulfonate (% Recovery)	49.4 %			50 - 150	
Ethyl methanesulfonate (% Recovery)	57.1 %			50 - 150	
Phenol (% Recovery)	26.2 %			50 - 150	
Aniline (% Recovery)	38.6 %			50 - 150	
Bis(2-chloroethyl)ether (% Recovery)	60.7 %			50 - 150	
2-Chlorophenol (% Recovery)	62.1 %			50 - 150	
1,3-Dichlorobenzene (% Recovery)	48.2 %			50 - 150	
1,4-Dichlorobenzene (% Recovery)	47.6 %			50 - 150	
Benzyl alcohol (% Recovery)	68.6 %			50 - 150	

1,2-Dichlorobenzene (% Recovery)	46.9 %	50 - 150
2-Methylphenol (% Recovery)	39.0 %	50 - 150
Acetophenone (% Recovery)	63.4 %	50 - 150
4-Methylphenol (% Recovery)	37.9 %	50 - 150
N-Nitrosodi-n-propylamine (% Recovery)	65.2 %	50 - 150
Hexachloroethane (% Recovery)	44.9 %	50 - 150
Nitrobenzene (% Recovery)	63.5 %	50 - 150
N-Nitrosopiperidine (% Recovery)	68.8 %	50 - 150
Isophorone (% Recovery)	66.8 %	50 - 150
2-Nitrophenol (% Recovery)	68.1 %	50 - 150
2,4-Dimethylphenol (% Recovery)	1.0 %	50 - 150
Bis(2-chloroethoxy)methane (% Recovery)	59.4 %	50 - 150
2,4-Dichlorophenol (% Recovery)	66.6 %	50 - 150
1,2,4-Trichlorobenzene (% Recovery)	51.2 %	50 - 150
Naphthalene (% Recovery)	57.4 %	50 - 150
4-Chloroaniline (% Recovery)	61.3 %	50 - 150
2,6-Dichlorophenol (% Recovery)	66.3 %	50 - 150
Hexachlorobutadiene (% Recovery)	46.8 %	50 - 150
N-Nitrosodibutylamine (% Recovery)	73.5 %	50 - 150
4-Chloro-3-methylphenol (% Recovery)	66.2 %	50 - 150
2-Methylnaphthalene (% Recovery)	62.8 %	50 - 150
1,2,4,5-Tetrachlorobenzene (% Recovery)	50.9 %	50 - 150
Hexachlorocyclopentadiene (% Recovery)	51.1 %	50 - 150
2,4,6-Trichlorophenol (% Recovery)	69.8 %	50 - 150
2,4,5-Trichlorophenol (% Recovery)	73.6 %	50 - 150
2-Chloronaphthalene (% Recovery)	55.1 %	50 - 150
1-Chloronaphthalene (% Recovery)	51.9 %	50 - 150
2-Nitroaniline (% Recovery)	68.5 %	50 - 150
Dimethyl phthalate (% Recovery)	69.2 %	50 - 150
2,6-Dinitrotoluene (% Recovery)	74.6 %	50 - 150
Acenaphthylene (% Recovery)	62.6 %	50 - 150
3-Nitroaniline (% Recovery)	68.4 %	50 - 150
Acenaphthene (% Recovery)	61.8 %	50 - 150
2,4-Dinitrophenol (% Recovery)	66.8 %	50 - 150
Pentachlorobenzene (% Recovery)	63.5 %	50 - 150
4-Nitrophenol (% Recovery)	37.6 %	50 - 150
Dibenzofuran (% Recovery)	63.4 %	50 - 150
2,4-Dinitrotoluene (% Recovery)	83.4 %	50 - 150
2,3,4,6-Tetrachlorophenol (% Recovery)	76.1 %	50 - 150
Diethyl phthalate (% Recovery)	72.9 %	50 - 150

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Fluorene (% Recovery)	64.1 %	50 - 150
4-Chlorophenyl phenyl ether (% Recovery)	65.8 %	50 - 150
4-Nitroaniline (% Recovery)	76.8 %	50 - 150
4,6-Dinitro-2-methylphenol (% Recovery)	74.9 %	50 - 150
Diphenylamine (% Recovery)	73.6 %	50 - 150
Azobenzene (% Recovery)	69.4 %	50 - 150
4-Bromophenyl phenyl ether (% Recovery)	68.7 %	50 - 150
Hexachlorobenzene (% Recovery)	66.0 %	50 - 150
Pentachlorophenol (% Recovery)	77.8 %	50 - 150
Pentachloronitrobenzene (% Recovery)	74.7 %	50 - 150
Pronamide (% Recovery)	91.6 %	50 - 150
Phenanthrene (% Recovery)	79.1 %	50 - 150
Anthracene (% Recovery)	69.9 %	50 - 150
Carbazole (% Recovery)	92.9 %	50 - 150
Di-n-butyl phthalate (% Recovery)	137 %	50 - 150
Fluoranthene (% Recovery)	86.5 %	50 - 150
Pyrene (% Recovery)	90.6 %	50 - 150
Dimethylaminoazobenzene (% Recovery)	88.5 %	50 - 150
Butyl benzyl phthalate (% Recovery)	93.5 %	50 - 150
Benzo (a) anthracene (% Recovery)	95.3 %	50 - 150
Chrysene (% Recovery)	98.8 %	50 - 150
Bis(2-ethylhexyl)phthalate (% Recovery)	140 %	50 - 150
Di-n-octyl phthalate (% Recovery)	96.7 %	50 - 150
Benzo (b) fluoranthene (% Recovery)	78.6 %	50 - 150
7,12-Dimethylbenz (a) anthracene (% Recovery)	80.9 %	50 - 150
Benzo (k) fluoranthene (% Recovery)	89.0 %	50 - 150
Benzo (a) pyrene (% Recovery)	89.4 %	50 - 150
3-Methylcholanthrene (% Recovery)	83.5 %	50 - 150
Indeno (1,2,3-cd) pyrene (% Recovery)	84.4 %	50 - 150
Dibenzo (a,h) anthracene (% Recovery)	87.3 %	50 - 150
Benzo (g,h,i) perylene (% Recovery)	83.3 %	50 - 150
Dilution Factor	1	
Analyzed By	Ed Harris	
Analysis Date/Time	5/9/2013 10:27	

Analytical Quality Control Results Report

Batch: 13052006	Turbidity - water
WS-003	LIMS ID: 2013-1488

Turbidity - water DUP

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Turbidity	17.8 NTU	0.02	0.02		
Turbidity (RPD)	1.0 %				0 - 20
Dilution Factor	1				
Analyzed By	Angela Hankins Rice				
Analysis Date/Time	5/7/2013 14:00				

Analytical Quality Control Results Report

Batch: 13051308	ICP Metals - water (Diss.)
WS-003	LIMS ID: 2013-1488

ICP Metals - water (Dissolved) DUP

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Aluminum	92.0 ug/L	20	20		
Aluminum (RPD)	51.1 %				0 - 20
Antimony (RPD)	0 %				0 - 20
Antimony	<5 ug/L	1	5		
Arsenic	0.58 ug/L	0.2	0.5		
Arsenic (RPD)	4.2 %				0 - 20
Barium (RPD)	0.6 %				0 - 20
Barium	11.6 ug/L	0.4	2		
Beryllium	<0.1 ug/L	0.04	0.1		
Beryllium (RPD)	28.6 %				0 - 20
Boron (RPD)	1.5 %				0 - 20
Boron	15.2 ug/L	2	5		
Cadmium	<0.1 ug/L	0.05	0.1		
Cadmium (RPD)	600 %				0 - 20
Calcium (RPD)	0.5 %				0 - 20
Calcium	3.23 mg/L	0.03	0.03		
Chromium	<0.5 ug/L	0.05	0.5		
Chromium (RPD)	1.7 %				0 - 20
Cobalt (RPD)	6.3 %				0 - 20
Cobalt	<0.5 ug/L	0.05	0.5		
Copper	5.03 ug/L	0.2	0.5		
Copper (RPD)	98.9 %				0 - 20
Iron (RPD)	0.3 %				0 - 20
Iron	204 ug/L	5	20		
Lead	<0.3 ug/L	0.02	0.3		
Lead (RPD)	10.6 %				0 - 20
Magnesium (RPD)	1.1 %				0 - 20
Magnesium	2.51 mg/L	0.01	0.02		
Manganese	29 ug/L	0.07	0.3		
Manganese (RPD)	3.1 %				0 - 20
Nickel (RPD)	2.9 %				0 - 20
Nickel	0.94 ug/L	0.15	0.5		
Potassium	1.84 mg/L	0.01	0.02		

Potassium (RPD)	0.4 %			0 - 20
Selenium (RPD)	16.7 %			0 - 20
Selenium	<1 ug/L	0.2	1	
Silicon Dioxide	2.03 mg/L	0.01	0.05	
Silicon Dioxide (RPD)	0.8 %			0 - 20
Silver	<0.5 ug/L	0.02	0.5	
Silver (RPD)	0 %			0 - 20
Sodium	7.64 mg/L	0.01	0.02	
Sodium (RPD)	1.1 %			0 - 20
Thallium	<0.5 ug/L	0	0.5	
Thallium (RPD)	0 %			0 - 20
Vanadium (RPD)	3.6 %			0 - 20
Vanadium	<0.5 ug/L	0.3	0.5	
Zinc	1.44 ug/L	0.3	1	
Zinc (RPD)	1.2 %			0 - 20
Hardness	18 mg/L	1	1	
Hardness (RPD)	0 %			0 - 20
Dilution Factor	1			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 9 2013 1:56PM			

WS-003	LIMS ID: 2013-1488
---------------	---------------------------

ICP Metals - water (Dissolved) MS

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Aluminum (% Recovery)	74.2 %			70 - 130	
Antimony (% Recovery)	94.0 %			70 - 130	
Arsenic (% Recovery)	99.0 %			70 - 130	
Barium (% Recovery)	92.4 %			70 - 130	
Beryllium (% Recovery)	96.2 %			70 - 130	
Boron (% Recovery)	97.9 %			70 - 130	
Cadmium (% Recovery)	97.0 %			70 - 130	
Calcium (% Recovery)	92.1 %			70 - 130	
Chromium (% Recovery)	92.1 %			70 - 130	
Cobalt (% Recovery)	91.7 %			70 - 130	
Copper (% Recovery)	92.6 %			70 - 130	
Iron (% Recovery)	87.7 %			70 - 130	
Lead (% Recovery)	91.5 %			70 - 130	
Magnesium (% Recovery)	123 %			70 - 130	
Manganese (% Recovery)	89 %			70 - 130	

Nickel (% Recovery)	92 %	70 - 130
Potassium (% Recovery)	91.6 %	70 - 130
Selenium (% Recovery)	105 %	70 - 130
Silver (% Recovery)	82.9 %	70 - 130
Sodium (% Recovery)	60.9 %	70 - 130
Thallium (% Recovery)	91.2 %	70 - 130
Vanadium (% Recovery)	91.7 %	70 - 130
Zinc (% Recovery)	100 %	70 - 130
Dilution Factor	1	
Analyzed By	Robert Graddy	
Analysis Date/Time	May 9 2013 2:02PM	

WS-003 **LIMS ID: 2013-1488**

ICP Metals - water (Dissolved) MSD

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Aluminum (% Recovery)	73.5 %			70 - 130	
Aluminum (RPD)	0.7 %				0 - 20
Antimony (% Recovery)	94.8 %			70 - 130	
Antimony (RPD)	0.8 %				0 - 20
Arsenic (% Recovery)	98.2 %			70 - 130	
Arsenic (RPD)	0.8 %				0 - 20
Barium (% Recovery)	92.2 %			70 - 130	
Barium (RPD)	0.3 %				0 - 20
Beryllium (% Recovery)	95.6 %			70 - 130	
Beryllium (RPD)	0.6 %				0 - 20
Boron (% Recovery)	97.5 %			70 - 130	
Boron (RPD)	0.4 %				0 - 20
Cadmium (% Recovery)	96.5 %			70 - 130	
Cadmium (RPD)	0.5 %				0 - 20
Calcium (% Recovery)	89.8 %			70 - 130	
Calcium (RPD)	1.9 %				0 - 20
Chromium (% Recovery)	92.1 %			70 - 130	
Chromium (RPD)	0.1 %				0 - 20
Cobalt (% Recovery)	92.2 %			70 - 130	
Cobalt (RPD)	0.5 %				0 - 20
Copper (% Recovery)	93.9 %			70 - 130	
Copper (RPD)	1.3 %				0 - 20
Iron (% Recovery)	88.0 %			70 - 130	
Iron (RPD)	0.2 %				0 - 20

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Lead (% Recovery)	91.5 %	70 - 130	
Lead (RPD)	0 %		0 - 20
Magnesium (% Recovery)	146 %	70 - 130	
Magnesium (RPD)	14.3 %		0 - 20
Manganese (% Recovery)	90 %	70 - 130	
Manganese (RPD)	0.8 %		0 - 20
Nickel (% Recovery)	92 %	70 - 130	
Nickel (RPD)	0.1 %		0 - 20
Potassium (% Recovery)	90.0 %	70 - 130	
Potassium (RPD)	1.5 %		0 - 20
Selenium (% Recovery)	105 %	70 - 130	
Selenium (RPD)	0.1 %		0 - 20
Silver (% Recovery)	82.5 %	70 - 130	
Silver (RPD)	0.4 %		0 - 20
Sodium (% Recovery)	60.3 %	70 - 130	
Sodium (RPD)	0.4 %		0 - 20
Thallium (% Recovery)	91.3 %	70 - 130	
Thallium (RPD)	0.1 %		0 - 20
Vanadium (% Recovery)	92.3 %	70 - 130	
Vanadium (RPD)	0.6 %		0 - 20
Zinc (% Recovery)	101 %	70 - 130	
Zinc (RPD)	0.7 %		0 - 20
Dilution Factor	1		
Analyzed By	Robert Graddy		
Analysis Date/Time	May 9 2013 2:08PM		

Analytical Quality Control Results Report

Batch: 13051310	ICP Metals - water (total)
WS-003	LIMS ID: 2013-1488

ICP Metals - water (Total) DUP

Run: 1

<i>Parameter</i>	<i>Result</i>	<i>DL</i>	<i>RL</i>	<i>Accuracy Control</i>	<i>Precision Control</i>
Aluminum	251 ug/L	20	20		
Aluminum (RPD)	9.6 %				0 - 20
Antimony (RPD)	0 %				0 - 20
Antimony	<10 ug/L	5	10		
Arsenic	<1 ug/L	0.5	1		
Arsenic (RPD)	11.5 %				0 - 20
Barium (RPD)	1.6 %				0 - 20
Barium	20.6 ug/L	2	10		
Beryllium	<0.5 ug/L	0.1	0.5		
Beryllium (RPD)	0 %				0 - 20
Boron (RPD)	1.2 %				0 - 20
Boron	<25 ug/L	5	25		
Cadmium	<1 ug/L	0.3	1		
Cadmium (RPD)	%				0 - 20
Calcium (RPD)	2.1 %				0 - 20
Calcium	3.4 mg/L	0.04	0.04		
Chromium	<1 ug/L	0.3	1		
Chromium (RPD)	14.7 %				0 - 20
Cobalt (RPD)	7.9 %				0 - 20
Cobalt	<1 ug/L	0.5	1		
Copper	<1 ug/L	0.5	1		
Copper (RPD)	7.6 %				0 - 20
Iron (RPD)	5.5 %				0 - 20
Iron	777 ug/L	10	20		
Lead	<1 ug/L	0.1	1		
Lead (RPD)	15.1 %				0 - 20
Magnesium (RPD)	1.0 %				0 - 20
Magnesium	1.70 mg/L	0.1	0.1		
Manganese	310 ug/L	0.2	1		
Manganese (RPD)	2.8 %				0 - 20
Nickel (RPD)	4.4 %				0 - 20
Nickel	<2.5 ug/L	0.5	2.5		
Potassium	1.94 mg/L	0.05	1		

Potassium (RPD)	1.5 %			0 - 20
Selenium (RPD)	5.4 %			0 - 20
Selenium	<2 ug/L	0.5	2	
Silver	<5 ug/L	1	5	
Silver (RPD)	0 %			0 - 20
Sodium	8.81 mg/L	0.02	0.04	
Sodium (RPD)	0.8 %			0 - 20
Thallium	<2.5 ug/L	0.05	2.5	
Thallium (RPD)	0 %			0 - 20
Vanadium (RPD)	6.3 %			0 - 20
Vanadium	<2.5 ug/L	1	2.5	
Zinc	3.37 ug/L	2	3	
Zinc (RPD)	16.0 %			0 - 20
Dilution Factor	1			
Analyzed By	Robert Graddy			
Analysis Date/Time	May 9 2013 8:07PM			

WS-003	LIMS ID: 2013-1488
---------------	---------------------------

ICP Metals - water (Total) MS

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Aluminum (% Recovery)	160 %			70 - 130	
Antimony (% Recovery)	92.7 %			70 - 130	
Arsenic (% Recovery)	96.0 %			70 - 130	
Barium (% Recovery)	99.2 %			70 - 130	
Beryllium (% Recovery)	100 %			70 - 130	
Boron (% Recovery)	98.7 %			70 - 130	
Cadmium (% Recovery)	97.4 %			70 - 130	
Calcium (% Recovery)	101 %			70 - 130	
Chromium (% Recovery)	97.2 %			70 - 130	
Cobalt (% Recovery)	96.9 %			70 - 130	
Copper (% Recovery)	97.5 %			70 - 130	
Iron (% Recovery)	107 %			70 - 130	
Lead (% Recovery)	101 %			70 - 130	
Magnesium (% Recovery)	100 %			70 - 130	
Manganese (% Recovery)	39 %			70 - 130	
Nickel (% Recovery)	96 %			70 - 130	
Potassium (% Recovery)	100 %			70 - 130	
Selenium (% Recovery)	93.5 %			70 - 130	
Silver (% Recovery)	92.8 %			70 - 130	

Sodium (% Recovery)	56.7 %	70 - 130
Thallium (% Recovery)	101 %	70 - 130
Vanadium (% Recovery)	96.4 %	70 - 130
Zinc (% Recovery)	95.9 %	70 - 130
Dilution Factor	1	
Analyzed By	Robert Graddy	
Analysis Date/Time	May 9 2013 8:13PM	

WS-003 **LIMS ID: 2013-1488**

ICP Metals - water (Total) MSD

Run: 1

Parameter	Result	DL	RL	Accuracy Control	Precision Control
Aluminum (% Recovery)	154 %			70 - 130	
Aluminum (RPD)	2.4 %				0 - 20
Antimony (% Recovery)	92.8 %			70 - 130	
Antimony (RPD)	0.1 %				0 - 20
Arsenic (% Recovery)	97.0 %			70 - 130	
Arsenic (RPD)	1.0 %				0 - 20
Barium (% Recovery)	98.8 %			70 - 130	
Barium (RPD)	0.4 %				0 - 20
Beryllium (% Recovery)	96.6 %			70 - 130	
Beryllium (RPD)	3.8 %				0 - 20
Boron (% Recovery)	98.2 %			70 - 130	
Boron (RPD)	0.5 %				0 - 20
Cadmium (% Recovery)	96.9 %			70 - 130	
Cadmium (RPD)	0.5 %				0 - 20
Calcium (% Recovery)	97.3 %			70 - 130	
Calcium (RPD)	2.6 %				0 - 20
Chromium (% Recovery)	100 %			70 - 130	
Chromium (RPD)	3.0 %				0 - 20
Cobalt (% Recovery)	100 %			70 - 130	
Cobalt (RPD)	3.3 %				0 - 20
Copper (% Recovery)	100 %			70 - 130	
Copper (RPD)	2.7 %				0 - 20
Iron (% Recovery)	126 %			70 - 130	
Iron (RPD)	3.6 %				0 - 20
Lead (% Recovery)	100 %			70 - 130	
Lead (RPD)	0.4 %				0 - 20
Magnesium (% Recovery)	101 %			70 - 130	
Magnesium (RPD)	0.8 %				0 - 20

Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

Laboratory Contact: Jeff Ruehr
Ruehr@adeq.state.ar.us
501-682-0955

Manganese (% Recovery)	81 %	70 - 130	
Manganese (RPD)	3.7 %		0 - 20
Nickel (% Recovery)	99 %	70 - 130	
Nickel (RPD)	2.8 %		0 - 20
Potassium (% Recovery)	96.8 %	70 - 130	
Potassium (RPD)	3.0 %		0 - 20
Selenium (% Recovery)	97.1 %	70 - 130	
Selenium (RPD)	3.8 %		0 - 20
Silver (% Recovery)	93.0 %	70 - 130	
Silver (RPD)	0.2 %		0 - 20
Sodium (% Recovery)	58.5 %	70 - 130	
Sodium (RPD)	1.2 %		0 - 20
Thallium (% Recovery)	101 %	70 - 130	
Thallium (RPD)	0 %		0 - 20
Vanadium (% Recovery)	99.9 %	70 - 130	
Vanadium (RPD)	3.5 %		0 - 20
Zinc (% Recovery)	97.9 %	70 - 130	
Zinc (RPD)	1.9 %		0 - 20
Dilution Factor	1		
Analysis Date/Time	May 9 2013 8:19PM		
Analyzed By	Robert Graddy		