

ellis-collins-20171204.txt

From: Ellis Collins [mailto:ellis.collins@saatchix.com]

Sent: Monday, December 04, 2017 4:03 PM

To: Reg-Comment

Subject: Public comments on Huntsville WWTP Third-Party Rulemaking to Reg. 2

Dear Mr. Szenher,

Writing to express my written disagreement on the proposed rule change found in APEC Docket No. 13-006-R. My comments are based on three concerns:

1. The drinking water designated use of these stream portions cannot be removed as the receiving streams meet the water quality criteria for drinking water and their ecoregion found in APCEC Reg. 2.511.
2. The receiving streams flow into Beaver Lake used for domestic water supply. The drinking water designated use is existing and should not be removed.
3. Designated uses can only be removed when one of six specific conditions are present per 40 C.F.R. 131.10(g)(1)-(6) and the documents submitted by the city of Huntsville do not demonstrate that one of those conditions is met.

Town Branch, Holman Creek and War Eagle Creek tributaries flow into Beaver Lake, the second largest drinking water utility in Arkansas. I understand the importance and economics of Butterball's production growth to Huntsville but opposed to the negative downstream impact on Arkansas streams, rivers and lakes due to the discharge water of poultry and/or hogs farms. If you will not consider for me, please consider on behalf of your grandchildren and their generations that follow. They will be those that never experience what "The Natural State" once meant.

Thanks,
Ellis Collins
1201 East Walnut
Rogers, AR 72756