

Arkansas Analytical, Inc.

Toxicity Test Results

MAGCOBAR MINE SITE
NPDES PERMIT NUMBER: AR0049794
February, 2012
AFIN# 00-00348

Fathead Minnow, *Pimephales promelas*, Larval Survival and Growth Test
Test 1000.0

Ceriodaphnia dubia, Survival and Reproduction Test
Test 1002.0

Prepared for: **Mr. David Friedman**
EEMA O&M Services Group
P.O. Box 232
Kulpsville, PA 19443

Prepared by: Arkansas Analytical, Inc.
11701 I-30, Bldg 1, Suite 115
Little Rock, Arkansas 72209
Lab Number K1202003

Thursday, February 23, 2012

Introduction

This report contains test results for toxicity testing for the Magcobar Mine Site. The NPDES permit number is AR0049794. The facility is located one mile northeast of Magnet Cove in Sections 10, 11, 14, & 15, Township 3 South, Range 17 West in Hot Springs County, Arkansas. The facility discharges into Chamberlain Creek, thence to Cove Creek, thence to Ouachita River in Segment 2F of the Ouachita River Basin.

The permit requires chronic biomonitoring testing bi-monthly for both *Ceriodaphnia dubia* and *Pimephales promelas*. The test results in this report represent the testing for February of 2012.

Plant Operations

To be provided by permittee.

Source of Effluent and Dilution Water

Effluent samples were collected as follows:

Sample Collection:	Date, Time Started	Date, Time Ended
Sample #1:	2-8-12, 0815	2-9-12, 0815
Sample #2:	2-9-12, 0905	2-10-12, 0905
Sample #3:	2-13-12, 0821	2-14-12, 0821

The samples were composites collected at the final discharge from the Magcobar mine site.

The following information was collected upon immediate receipt of the samples at the laboratory:

Sample Receiving Information:	Date, Time Sample(s) Received	Temperature Upon Receipt (°C)
*Sample #1:	2-9-12, 1358	4
*Sample #2:	2-10-12, 1353	4
Sample #3:	2-14-12, 1335	4

Chain of custody documentation is located in Appendix A.

The permit designates the receiving water to be used as dilution water for the toxicity tests. Synthetic dilution water was substituted either because zero flow conditions existed or due to an earlier characterization of the receiving water as being toxic.

Each sample was analyzed for pH, hardness, total alkalinity, and conductivity. Results are provided in Appendix B.

Dilution Series

Five dilutions in addition to a control (0% effluent) were used in the toxicity tests. The dilutions, which were made with synthetic water, were 32%, 42%, 56%, 75%, and 100%. The low-flow effluent concentration (**critical dilution**) was defined as **100% effluent**.

Test Methods

EPA Method 1000.0, Fathead Minnow, *Pimephales promelas*, Larval Survival and Growth Test, was used in this bioassay. Larvae are exposed in a static renewal system for seven days and the results are based on the survival and growth (increase in weight) of the larvae. The alternate method suggested in the method (11.3.4.5) for combating pathogen interference, was run in place of the original fathead minnow test. The test chambers were 30 ml plastic cups with 20 ml of test solution. Each chamber contained 2 organisms. The total number of fish was 40 per test solution. The fish were then combined to perform growth analysis. The test temperature was 25 degrees Centigrade. Raw data and statistics are provided in Appendix C.

EPA Method 1002.0, Cladoceran, *Ceriodaphnia dubia*, Survival and Reproduction Test, was also used. Neonates are exposed in a static renewal system until at least 60% of the control organisms have produced a third brood. Results are based on the survival and reproduction of the organisms. One neonate was placed in each of ten replicate chambers using a randomizing template. Test chambers were 30 ml plastic cups filled with 15 ml of test solution. The test temperature was 25 degrees Centigrade. Raw data and statistics are provided in Appendix D.

Test Organisms

The organisms used in Test 1000.0 were < 24 hour old Fathead Minnows, *Pimephales promelas*, which were purchased from Aquatox; a copy of the organism history is provided in Appendix E.

The organisms used in Test 1002.0 were < 24 hour old *Ceriodaphnia dubia* neonates, (all born within the same eight hours), obtained from an in-house culture. An organism history is provided in Appendix E.

Quality Assurance

Test Acceptability

TEST ACCEPTANCE CRITERIA for *Ceriodaphnia dubia*

Control Criteria	Results	Pass	Fail
Greater than or equal to 80% survival	100%	X	
Average of 15 or more young per surviving female	16.1	X	
At least 60% of surviving females should have produced 3 broods	100%	X	
The percent coefficient of variation between replicates must be 40% or less for the young of surviving females	23.3%	X	

TEST ACCEPTANCE CRITERIA for *Pimephales promelas*

Control Criteria	Results	Pass	Fail
Greater than or equal to 80% survival	100%	X	
The percent coefficient of variation between replicates must be 40% or less for survival	0.00%	X	
Minimum of 0.25 mg average dry weight of surviving controls	0.444	X	
The percent coefficient of variation between replicates must be 40% or less for growth	6.83%	X	

Reference Toxicant

The reference toxicant used was Potassium Chloride prepared in-house. The tests were performed using moderately hard synthetic as dilution water. The results of the reference toxicant were:

REFERENCE TOXICANT

<i>Ceriodaphnia dubia</i> 1/12-19/12		<i>Pimephales promelas</i> 1/12-19/12	
NOEC Survival:	500 ppm KCl	NOEC Survival:	500 ppm KCl
LOEC Survival:	1000 ppm KCl	LOEC Survival:	1000 ppm KCl
NOEC Reproduction:	250 ppm KCl	NOEC Growth:	500 ppm KCl
LOEC Reproduction:	500 ppm KCl	LOEC Growth:	1000 ppm KCl

Quality Assurance charts are provided in Appendix F.

Summary of Results

Magcobar Mine Site

<i>Ceriodaphnia dubia</i>		<i>Pimephales promelas</i>	
NOEC / LOEC Survival	100% / NA	NOEC / LOEC survival	100% / NA
NOEC / LOEC Reproduction	100% / NA	NOEC / LOEC growth	100% / NA
Mean number of neonates (critical dilution)	14.4	%CV survival (critical dilution)	7.21%
%CV Reproduction (critical dilution)	20.8%	Mean dry weight (critical dilution) in milligrams	0.764
		%CV growth (critical dilution)	8.11%
PMSD Reproduction	24.7	PMSD Growth	17.6

Conclusion

Chronic static renewal larval survival and growth test using fathead minnow, *Pimephales promelas*, (Method 1000.0).

The permit issued to the Magcobar Mine Site, AR0049794, specifies that the **critical dilution is 100% effluent**. The effluent samples did not exhibit lethal effects or sublethal effects at the critical dilution, and, as such, **passed** both portions of the test.

Chronic static renewal survival and reproduction test using *Ceriodaphnia dubia*, (Method 1002.0).

The permit issued to the Magcobar Mine Site, AR0049794, specifies that the **critical dilution is 100% effluent**. The effluent samples did not exhibit lethal or sublethal effects at the critical dilution, and, as such, **passed** both the portions of the test.

Biomonitoring Analysts:


 Ken Pigue


 Allen Parker

SUMMARY REPORTING FORMS FOR CHRONIC BIOMONITORING
FATHEAD MINNOW LARVAE GROWTH AND SURVIVAL
PIMEPHALES PROMELAS

PERMITTEE: Magcobar Mine Site

NPDES #: AR0049794

Sample Collection:	Date, Time Started	Date, Time Ended
Sample #1:	2-8-12, 0815	2-9-12, 0815
Sample #2:	2-9-12, 0905	2-10-12, 0905
Sample #3:	2-13-12, 0821	2-14-12, 0821

Test initiated (date, time): 2-9-12, 1550 Test terminated (date, time): 2-16-12, 0910

Dilution water used: Soft Synthetic

DATA TABLE FOR FATHEAD MINNOW SURVIVAL

Percent Survival in Replicate Chambers

Mean Percent Survival

DATA TABLE FOR GROWTH OF FATHEAD MINNOWS

Effluent Conc %	A	B	C	D	E		24 hours	48 hours	7 days	CV %
0%	100	100	100	100	100		100	100	100	0.00
32%	100	100	100	100	100		100	100	100	
42%	100	100	100	100	100		100	100	100	
56%	100	100	100	100	87.5		100	97.5	97.5	
75%	100	100	100	100	100		100	100	100	
100%	87.5	100	87.5	100	100		100	100	95	7.21

SUMMARY

Effluent Conc %	A	B	C	D	E		Mean Dry Weight	CV%
0%	0.439	0.477	0.400	0.438	0.467		0.444	6.83
32%	0.635	0.729	0.721	0.630	0.660		0.675	
42%	0.655	0.775	0.748	0.651	0.680		0.702	
56%	0.815	0.731	0.761	0.758	0.749		0.763	
75%	0.606	0.664	0.701	0.581	0.660		0.642	
100%	0.702	0.859	0.779	0.715	0.766		0.764	8.11

Coefficient of Variation = standard deviation / mean * 100

REPORTING FORMS FOR CHRONIC BIOMONITORING FATHEAD
MINNOW LARVAE GROWTH AND SURVIVAL
Pimephales promelas

1. Dunnett's procedure or Steel's Many-One Rank Test as appropriate:

Is the mean survival at 7 days significantly different ($p=0.05$) than the control survival for:

a) LOW FLOW OR CRITICAL DILUTION, (100%) YES _____ NO X _____

2. Dunnett's Procedure

Is the mean dry weight (growth) at 7 days significantly different ($p=0.05$) than the control's dry weight (growth) for:

a) LOW FLOW OR CRITICAL DILUTION, (100%) YES _____ NO X _____

3. If NO was answered to 1.a) enter [0] otherwise enter [1] (parameter TLP6C): _____ 0 _____

4. If NO was answered to 2.a) enter [0] otherwise enter [1] (parameter TGP6C): _____ 0 _____

5. Enter percentage corresponding to each parameter below:

a) NOEC survival (parameter TOP6C)= _____ 100 _____ % effluent

b) NOEC growth (parameter TPP6C)= _____ 100 _____ % effluent

c) Coefficient of variation (parameter TQP6C)= _____ 8.11 _____ %

SUMMARY REPORTING FORMS FOR CHRONIC BIOMONITORING

Ceriodaphnia dubia SURVIVAL AND REPRODUCTION

Permittee: Magcobar Mine Site

NPDES #: AR0049794

Sample Collection:	Date, Time Started	Date, Time Ended
Sample #1:	2-8-12, 0815	2-9-12, 0815
Sample #2:	2-9-12, 0905	2-10-12, 0905
Sample #3:	2-13-12, 0821	2-14-12, 0821

Test initiated (date, time): 2-9-12, 1540 Test terminated (date, time): 2-16-12, 1030

Dilution water used: Soft Synthetic

Ceriodaphnia dubia SURVIVAL AND REPRODUCTION NUMBER OF YOUNG PRODUCED PER FEMALE @ TEST TERMINATION PERCENT EFFLUENT

Replicate	0%	32%	42%	56%	75%	100%
A	17	13	17	12	17	12
B	21	11	12	17	18	13
C	9	15	15	17	15	14
D	15	24	16	20	14	17
E	18	10	11	16	11	15
F	12	16	17	8	6	21
G	15	12	19	20	13	16
H	15	20	19	23	18	13
I	18	14	14	11	16	12
J	21	x8	12	16	13	11
Mean	16.1	14.3	15.2	16.0	14.1	14.4
Mean/surviving female	16.1	15.0	15.2	16.0	14.1	14.4
CV%*	23.3					20.8

X= Dead Adult; M= Male (Not considered in statistics)

*Coefficient of Variation = standard deviation/ mean * 100; CV% calculation based on young per surviving female

SUMMARY REPORTING FORMS FOR CHRONIC BIOMONITORING *Ceriodaphnia dubia* SURVIVAL AND REPRODUCTION

Permittee: Magcobar Mine Site

NPDES #: AR0049794

PERCENT SURVIVAL

PERCENT EFFLUENT	0%	32%	42%	56%	75%	100%
Time of Reading: 24 HOURS	100	100	100	100	100	100
48 HOURS	100	100	100	100	100	100
Test termination	100	90	100	100	100	100

1. Fisher's Exact Test:

Is the mean survival at test termination significantly different ($p=0.05$) than the control survival for:

a) LOW FLOW OR CRITICAL DILUTION, (100%): YES _____ NO X _____

2. Dunnett's Procedure or Steel's Many One Rank Test:

Is the mean number of young produced per female significantly different ($p=0.05$) than the controls number of young per female for:

a) LOW FLOW OR CRITICAL DILUTION, (100%): YES _____ NO X _____

3. If NO was answered to 1.a) enter [0] otherwise enter [1] (parameter TLP3B): 0 _____

4. If NO was answered to 2.a) enter [0] otherwise enter [1] (parameter TGP3B): 0 _____

5. Enter percentage corresponding to each parameter below:

a) NOEC survival (parameter TOP3B)= 100 % effluent

b) NOEC reproduction (parameter TPP3B)= 100 % effluent

c) Coefficient of variation (parameter TQP3B)= 23.3 %

APPENDIX A

Chain of Custody Forms

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION						Project Description		Turnaround Time		Preservation Codes:									
EEMA O & M Services Group	EEMA O & M Services Group					Magcobar Mine Site		24 Hour		1. Cool, 4 Degrees Centigrade				4. Thiosulfate for Dechlorination					
Magcobar Mine Site	P.O. Box 732					Biomonitoring Sample		48 Hour		2. Sulfuric Acid (H ₂ SO ₄), pH < 2				5. Hydrochloric Acid(HCl)					
P.O. Box 699	Kulpsville, PA 19443					Reporting Information		72 Hour		3. Nitric Acid (HNO ₃), pH < 2				6. Sodium Hydroxide (NaOH), pH > 12					
Malvern, AR 72104						Telephone: 501-467-8355		Routine (5 Day)		TEST PARAMETERS								Bottle Type Code	
Attn: Bill McAlister	Attn: Amber Rich					Fax: 501-467-8687		Preservative Code		1								G = Glass, P = Plastic	
						Email: dave.friedman@eema-inc.com; bmcralister@eema-inc.com; bhorton@eema-inc.com		Bottle Type		P							V = Septum, A = Amber		
Bill McAlister						Bill McAlister						Chronic Biomonitoring						Arkansas Analytical Work Order Number: K1202-003A	
Sampler(s) Signature						Sampler(s) Printed													
Field Number	SAMPLE COLLECTION Date/s Time/s		Grab	Comp	Number of Bottles	Sample Matrix	SAMPLE IDENTIFICATION/ DESCRIPTION												
FD-1 Comp.	2/9/2012 8:15 AM			X	5	W	Facility Discharge		X										
1. Relinquished by: (Signature) Bill McAlister			Date/Time 2-9-12 1358			2. Received by: (Signature) 			SAMPLE CONDITION UPON RECEIPT IN LAB				REMARKS / SAMPLE COMMENTS						
									1. CUSTODY SEALS: Yes No										
									2. CONTAINERS CORRECT: Yes No										
									3. COC/LABELS AGREE: Yes No										
3. Relinquished by: (Signature)			Date/Time			4. Received by lab: (Signature) Sydney James			4. PRESERVATION CONFIRMED: Yes No										
									5. RECEIVED ON ICE: Yes No										
									6. TEMPERATURE ON RECEIPT: 4°C										
												FOR COMPLETION BY LAB ONLY							

CHAIN OF CUSTODY RECORD

[illegible]

[illegible]

APPENDIX B

Effluent and Dilution Water Data

CHEMICAL DATA SHEET FOR CHRONIC TOXICITY TESTING									
Lab # / Sample ID <u>K1202003</u>					Test Start (Date/Time) <u>2/9/12</u>				
Client: <u>Western</u>					Test End (Date/Time) <u>2/16/12</u>				
					Day of Test				
		1	2	3	4	5	6	7	notes/remarks
Control	MHS551	7/9/12	7/10/12	7/11/12	7/12/12	7/13	7/14	7/15	
D.O. (mg/L)	INITIAL	6.9	8.3	8.2	8.4	8.5	8.4	8.4	
	FINAL	8.3	8.4	8.3	8.2	8.2	8.1	8.2	
pH (s.u.)	INITIAL	7.9	7.8	8.1	7.9	7.8	7.6	7.9	
	FINAL	7.6	7.5	7.5	7.7	7.6	7.7	7.4	
temp (C)	INITIAL	22.0	22.1	22.0	22.0	22.6	22.5	22.4	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
ALKALINITY (mg/L)		30							
HARDNESS (mg/L)		40							
CONDUCTIVITY (umhos/cm)		160							
CHLORINE (mg/L)		0.05							
CONC:									
D.O. (mg/L)	INITIAL	7.2	8.4	8.6	8.4	8.6	8.7	8.6	
	FINAL	8.2	8.4	8.0	8.1	8.1	8.1	8.1	
pH (s.u.)	INITIAL	7.5	7.6	7.7	7.4	7.5	7.2	7.6	
	FINAL	7.3	7.4	7.4	7.3	7.3	7.3	7.2	
temp (C)	INITIAL	22.3	22.0	22.0	22.7	22.6	22.9	22.4	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC:									
D.O. (mg/L)	INITIAL	7.5	8.5	8.7	8.6	8.6	8.7	8.6	
	FINAL	8.2	8.4	8.1	8.1	8.0	8.1	8.1	
pH (mg/L)	INITIAL	7.5	7.6	7.7	7.6	7.5	7.3	7.7	
	FINAL	7.3	7.5	7.5	7.4	7.8	7.4	7.2	
temp (C)	INITIAL	23.0	22.0	22.0	23.3	24.2	23.0	22.3	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC:									
D.O. (mg/L)	INITIAL	8.0	8.6	8.9	8.7	8.6	8.2	8.7	
	FINAL	8.2	8.4	8.1	8.2	8.0	8.0	8.1	
pH (s.u.)	INITIAL	7.5	7.6	7.6	7.6	7.5	7.5	7.6	
	FINAL	7.3	7.5	7.4	7.4	7.3	7.3	7.2	
temp (C)	INITIAL	23.6	22.5	22.1	23.7	24.3	23.4	22.4	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC:									
D.O. (mg/L)	INITIAL	8.8	8.8	9.2	8.8	8.6	9.4	8.8	
	FINAL	8.1	8.4	8.1	8.1	8.0	8.0	8.1	
pH (s.u.)	INITIAL	7.4	7.5	7.6	7.5	7.4	7.7	7.6	
	FINAL	7.2	7.4	7.4	7.3	7.3	7.3	7.1	
temp (C)	INITIAL	24.2	22.6	22.1	23.8	24.3	23.9	22.6	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC:									
D.O. (mg/L)	INITIAL	8.8	9.1	9.6	9.1	8.6	8.4	8.9	
	FINAL	8.1	8.3	7.9	8.2	8.0	8.0	8.0	
pH (s.u.)	INITIAL	7.4	7.5	7.5	7.3	7.4	7.8	7.6	
	FINAL	7.2	7.4	7.3	7.3	7.3	7.3	7.1	
temp (C)	INITIAL	24.9	22.8	22.2	24.8	24.5	24.4	22.6	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC: 100%									
ALKALINITY (mg/L)		18			20		18		
HARDNESS (mg/L)		2600			2600		2600		
CONDUCTIVITY (umhos/cm)		2060			2060		2070		
CHLORINE (mg/L)		0.05			0.05		0.05		

CHEMICAL DATA SHEET FOR CHRONIC TOXICITY TESTING							Cerodaphnia Dubia		
Lab # / Sample ID <u>K1202003</u>				Test Start (Date/Time) <u>2/9/12</u>					
Client: <u>Western</u>				Test End (Date/Time) <u>2/16/12</u>					
				Day of Test					
		1	2	3	4	5	6	7	notes/remarks
Control	MHS551	2/9	2/16	2/11	2/12	2/13	2/14	2/15	
D.O. (mg/L)	INITIAL	6.9	8.3	8.2	8.4	8.5	8.4	8.4	
	FINAL	8.2	8.7	8.7	8.3	8.3	8.1	8.3	
pH (s.u.)	INITIAL	7.9	7.8	8.1	7.8	7.8	7.0	7.9	
	FINAL	7.5	7.6	7.6	7.8	7.9	7.3	7.5	
temp (C)	INITIAL	22.0	22.1	22.0	22.0	21.6	22.5	22.4	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
ALKALINITY (mg/L)		30							
HARDNESS (mg/L)		40							
CONDUCTIVITY (umhos/cm)		160							
CHLORINE (mg/L)		0.05							
CONC:									
D.O. (mg/L)	INITIAL	7.2	8.4	8.6	8.4	8.6	8.7	8.6	
	FINAL	8.2	8.7	8.1	8.3	8.3	8.1	8.3	
pH (s.u.)	INITIAL	7.5	7.6	7.7	7.4	7.5	7.2	7.6	
	FINAL	7.4	7.4	7.3	7.4	7.5	7.3	7.3	
temp (C)	INITIAL	22.3	22.0	22.0	22.7	21.5	22.9	22.4	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC:									
D.O. (mg/L)	INITIAL	7.5	8.5	8.7	8.6	8.6	8.9	8.6	
	FINAL	8.2	8.7	8.1	8.3	8.2	8.1	8.2	
pH (mg/L)	INITIAL	7.5	7.6	7.7	7.6	7.5	7.3	7.7	
	FINAL	7.4	7.4	7.5	7.5	7.5	7.4	7.3	
temp (C)	INITIAL	23.0	22.0	22.0	23.3	21.2	23.0	22.3	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC:									
D.O. (mg/L)	INITIAL	8.0	8.6	8.9	8.7	8.6	9.2	8.7	
	FINAL	8.2	8.7	8.1	8.3	8.3	8.1	8.1	
pH (s.u.)	INITIAL	7.5	7.6	7.6	7.6	7.5	7.5	7.6	
	FINAL	7.4	7.5	7.5	7.5	7.5	7.5	7.3	
temp (C)	INITIAL	23.6	22.5	22.1	23.7	21.3	23.4	22.4	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC:									
D.O. (mg/L)	INITIAL	8.8	8.8	9.2	8.8	8.6	9.4	8.8	
	FINAL	8.2	8.7	8.1	8.3	8.2	8.1	8.1	
pH (s.u.)	INITIAL	7.4	7.5	7.6	7.5	7.4	7.7	7.6	
	FINAL	7.2	7.5	7.5	7.5	7.4	7.5	7.3	
temp (C)	INITIAL	24.2	22.6	22.1	23.8	21.3	23.9	22.6	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC:									
D.O. (mg/L)	INITIAL	8.8	9.1	9.6	9.1	8.6	8.4	8.9	
	FINAL	8.2	8.7	8.1	8.2	8.2	8.1	8.6	
pH (s.u.)	INITIAL	7.4	7.5	7.5	7.3	7.4	7.8	7.6	
	FINAL	7.3	7.4	7.5	7.5	7.4	7.5	7.3	
temp (C)	INITIAL	24.9	22.8	22.2	24.8	21.5	24.4	22.6	
	FINAL	25.0	25.0	25.0	25.0	25.0	25.0	25.0	
CONC: 100%									
ALKALINITY (mg/L)		18			20		18		
HARDNESS (mg/L)		2600			2600		2600		
CONDUCTIVITY (umhos/cm)		2060			2060		2070		
CHLORINE (mg/L)		0.05			0.05		0.05		

APPENDIX C

Fathead minnow raw data and statistics

SURVIVAL DATA FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

LAB # / SAMPLE ID		TEST START DATE 2/7/12 TIME 1550	
CLIENT Weston		TEST END DATE 2/16/12 TIME 1910	
Summary Page AGE AND SOURCE OF MINNOWS			
DAY (NUMBER SURVIVING)			
	REP #	start	1 2 3 4 5 6 7 % MEAN % CV
CONC: 0	A	8	8 8 8 8 8 8 8 100
	B	1	1 1 1 1 1 1 1 100
	C	1	1 1 1 1 1 1 1 100
	D	1	1 1 1 1 1 1 1 100
	E	1	1 1 1 1 1 1 1 100
CONC: 32	A	8	8 8 8 8 8 8 8 100
	B	1	1 1 1 1 1 1 1 100
	C	1	1 1 1 1 1 1 1 100
	D	1	1 1 1 1 1 1 1 100
	E	1	1 1 1 1 1 1 1 100
CONC: 40	A	8	8 8 8 8 8 8 8 100
	B	1	1 1 1 1 1 1 1 100
	C	1	1 1 1 1 1 1 1 100
	D	1	1 1 1 1 1 1 1 100
	E	1	1 1 1 1 1 1 1 100
CONC: 50	A	8	8 8 8 8 8 8 8 100
	B	1	1 1 1 1 1 1 1 100
	C	1	1 1 1 1 1 1 1 100
	D	1	1 1 1 1 1 1 1 100
	E	1	1 1 1 1 1 1 1 100
CONC: 75	A	8	8 8 8 8 8 8 8 100
	B	1	1 1 1 1 1 1 1 100
	C	1	1 1 1 1 1 1 1 100
	D	1	1 1 1 1 1 1 1 100
	E	1	1 1 1 1 1 1 1 100
CONC: 100	A	8	8 8 8 8 8 8 8 100
	B	1	1 1 1 1 1 1 1 100
	C	1	1 1 1 1 1 1 1 100
	D	1	1 1 1 1 1 1 1 100
	E	1	1 1 1 1 1 1 1 100
ANALYST	REP #	start	1 2 3 4 5 6 7 % MEAN % CV
	A	8	8 8 8 8 8 8 8 87.5
	B	1	1 1 1 1 1 1 1 100
	C	1	1 1 1 1 1 1 1 87.5
	D	1	1 1 1 1 1 1 1 100
DATE:	E	1	1 1 1 1 1 1 1 100
TIME:			

CV = PERCENT COEFFICIENT OF VARIATION: STANDARD DEVIATION/MEAN * 100

SURVIVAL DATA FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

LAB # / SAMPLE ID		TEST START DATE		2/9/12		TIME		1538			
CLIENT		TEST END DATE		2/16/12		TIME		0910			
AGE AND SOURCE OF MINNOWS											
DAY (NUMBER SURVIVING)											
	REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 0	A	2	2	2	2	2	2	2			
	B	2	2	2	2	2	2	2			
	C	2	2	2	2	2	2	2			
	D	2	2	2	2	2	2	2			
	E	2	2	2	2	2	2	2			
CONC: 32	A	2	2	2	2	2	2	2			
	B	2	2	2	2	2	2	2			
	C	2	2	2	2	2	2	2			
	D	2	2	2	2	2	2	2			
	E	2	2	2	2	2	2	2			
CONC: 47	A	2	2	2	2	2	2	2			
	B	2	2	2	2	2	2	2			
	C	2	2	2	2	2	2	2			
	D	2	2	2	2	2	2	2			
	E	2	2	2	2	2	2	2			
CONC: 56	A	2	2	2	2	2	2	2			
	B	2	2	2	2	2	2	2			
	C	2	2	2	2	2	2	2			
	D	2	2	2	2	2	2	2			
	E	2	2	2	2	2	2	2			
CONC: 75	A	2	2	2	2	2	2	2			
	B	2	2	2	2	2	2	2			
	C	2	2	2	2	2	2	2			
	D	2	2	2	2	2	2	2			
	E	2	2	2	2	2	2	2			
CONC: 100	A	2	2	2	2	2	2	2			
	B	2	2	2	2	2	2	2			
	C	2	2	2	2	2	2	2			
	D	2	2	2	2	2	2	2			
	E	2	2	2	2	2	2	2			
ANALYST	KP	KP	AP	AP	AP	KP	KP	KP			
DATE:	2/9/12	2/10/12	2/11/12	2/12/12	2/13/12	2/14/12	2/15/12	2/16/12			
TIME:	1550	1045	1118	1300	1330	1450	0900	0910			

CV = PERCENT COEFFICIENT OF VARIATION: STANDARD DEVIATION/MEAN * 100

SURVIVAL DATA FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

LAB # / SAMPLE ID		TEST START		DATE 2/9/12		TIME						
CLIENT Weston B		TEST END		DATE		TIME						
AGE AND SOURCE OF MINNOWS												
DAY (NUMBER SURVIVING)												
		REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 0	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 32	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 47	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 56	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 75	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 100	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
ANALYST	KP											
DATE:	2/9/12											
TIME:												

CV = PERCENT COEFFICIENT OF VARIATION: STANDARD DEVIATION/MEAN * 100

SURVIVAL DATA FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

LAB # / SAMPLE ID		TEST START		DATE 2/9/12		TIME					
CLIENT Weston C		TEST END		DATE		TIME					
AGE AND SOURCE OF MINNOWS											
DAY (NUMBER SURVIVING)											
	REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 0	A	2	2	2	2	2	2	2			
	B	1	1	1	1	1	1	1			
	C	1	1	1	1	1	1	1			
	D	1	1	1	1	1	1	1			
	E	1	1	1	1	1	1	1			
	REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 32	A	2	2	2	2	2	2	2			
	B	1	1	1	1	1	1	1			
	C	1	1	1	1	1	1	1			
	D	1	1	1	1	1	1	1			
	E	1	1	1	1	1	1	1			
	REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 127	A	2	2	2	2	2	2	2			
	B	1	1	1	1	1	1	1			
	C	1	1	1	1	1	1	1			
	D	1	1	1	1	1	1	1			
	E	1	1	1	1	1	1	1			
	REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 56	A	2	2	2	2	2	2	2			
	B	1	1	1	1	1	1	1			
	C	1	1	1	1	1	1	1			
	D	1	1	1	1	1	1	1			
	E	1	1	1	1	1	1	1			
	REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 75	A	2	2	2	2	2	2	2			
	B	1	1	1	1	1	1	1			
	C	1	1	1	1	1	1	1			
	D	1	1	1	1	1	1	1			
	E	1	1	1	1	1	1	1			
	REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 100	A	2	2	2	2	2	2	2			
	B	1	1	1	1	1	1	1			
	C	1	1	1	1	1	1	1			
	D	1	1	1	1	1	1	1			
	E	1	1	1	1	1	1	1			
ANALYST	RP		AP		AP		AP				
DATE:	2/9/12	2/10/12	2/11/12	2/12/12	2/13/12						
TIME:											

CV = PERCENT COEFFICIENT OF VARIATION: STANDARD DEVIATION/MEAN * 100

SURVIVAL DATA FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

LAB # / SAMPLE ID		TEST START		DATE 2/9/12		TIME							
CLIENT Weston D		TEST END		DATE		TIME							
AGE AND SOURCE OF MINNOWS													
DAY (NUMBER SURVIVING)													
		REP #	start	1	2	3	4	5	6	7	%	MEAN %	CV
CONC: 0	A		2	3	3	3	3	2	2	2			
	B		1	1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1	1			
CONC: 32	A		2	3	3	3	3	3	3	3			
	B		1	1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1	1			
CONC: 47	A		2	3	3	3	3	3	3	3			
	B		1	1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1	1			
CONC: 56	A		2	3	3	3	3	3	3	3			
	B		1	1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1	1			
CONC: 75	A		2	3	3	3	3	3	3	3			
	B		1	1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1	1			
CONC: 100	A		2	3	3	3	3	3	3	3			
	B		1	1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1	1			
ANALYST	RP												
DATE:	2/9/12												
TIME:													

CV = PERCENT COEFFICIENT OF VARIATION: STANDARD DEVIATION/MEAN * 100

SURVIVAL DATA FOR FATHEAD MINNOW LARVAL SURVIVAL AND GROWTH TEST

LAB # / SAMPLE ID		TEST START		DATE 2/9/12		TIME						
CLIENT Weston		TEST END		DATE		TIME						
AGE AND SOURCE OF MINNOWS												
DAY (NUMBER SURVIVING)												
		REP #	start	1	2	3	4	5	6	7 %	MEAN %	CV
CONC: 0	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 32	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 47	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 56	A		2	2	2	2	2	2	2			
	B		2	2	2	2	2	2	2			
	C		2	2	2	2	2	2	2			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 75	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
CONC: 100	A		2	2	2	2	2	2	2			
	B		1	1	1	1	1	1	1			
	C		1	1	1	1	1	1	1			
	D		1	1	1	1	1	1	1			
	E		1	1	1	1	1	1	1			
ANALYST	RP											
DATE:	2/9/12											
TIME:												

CV = PERCENT COEFFICIENT OF VARIATION: STANDARD DEVIATION/MEAN * 100

WEIGHT DATA FOR LARVAL SURVIVAL AND GROWTH TEST

LAB # / #s:		K1202003		TEST DATES (BEGIN / END):		2/9-16/12	
CLIENT:		EEMA		WEIGHING DATE / TIME:		2/21/12, 1230	
ANALYSTS:		KP		DRYING TEMP (DEGREES C):		60	
SAMPLE ID:		SEE COC		DRYING TIME (HOURS):		24	
	REP #	FINAL DRY WEIGHT TIN+LARVAE (g)	INITIAL WEIGHT TIN (g)	TOTAL DRY WEIGHT OF LARVAE (g)	NUMBER OF LARVAE	DRY WEIGHT OF LARVAE (mg)	
CONTROL	A	1.02423	1.02072	0.00351	8	0.439	AVG DRY
	B	0.98718	0.98336	0.00382	8	0.477	WEIGHT (mg)
	C	0.97210	0.96890	0.00320	8	0.400	0.444
	D	0.97572	0.97222	0.00350	8	0.438	CV
	E	0.96856	0.96482	0.00374	8	0.467	6.8
CONC:	A	1.00215	0.99707	0.00508	8	0.635	AVG DRY
	B	0.97921	0.97338	0.00583	8	0.729	WEIGHT (mg)
	C	0.99444	0.98867	0.00577	8	0.721	0.675
	D	1.00111	0.99607	0.00504	8	0.630	CV
	E	0.99189	0.98661	0.00528	8	0.660	
CONC:	A	0.98913	0.98389	0.00524	8	0.655	AVG DRY
	B	0.98627	0.98007	0.00620	8	0.775	WEIGHT (mg)
	C	0.96652	0.96054	0.00598	8	0.748	0.702
	D	0.97571	0.97050	0.00521	8	0.651	CV
	E	0.99846	0.99302	0.00544	8	0.680	
CONC:	A	0.99993	0.99341	0.00652	8	0.815	AVG DRY
	B	0.98583	0.97998	0.00585	8	0.731	WEIGHT (mg)
	C	0.97510	0.96901	0.00609	8	0.761	0.763
	D	0.99555	0.98949	0.00606	8	0.758	CV
	E	1.02814	1.02215	0.00599	8	0.749	
CONC:	A	0.99487	0.99002	0.00485	8	0.606	AVG DRY
	B	1.00447	0.99916	0.00531	8	0.664	WEIGHT (mg)
	C	0.99595	0.99034	0.00561	8	0.701	0.642
	D	1.00666	1.00201	0.00465	8	0.581	CV
	E	0.98712	0.98184	0.00528	8	0.660	
CONC:	A	1.00542	0.99980	0.00562	8	0.702	AVG DRY
	B	1.02861	1.02174	0.00687	8	0.859	WEIGHT (mg)
	C	1.00746	1.00123	0.00623	8	0.779	0.764
	D	0.97497	0.96925	0.00572	8	0.715	CV
	E	0.99432	0.98819	0.00613	8	0.766	8.11

CV = (STANDARD DEVIATION/MEAN)*100

REMARKS:

AA# K1202003, FATHEAD MINNOW, CHRONIC, 2-9-12
File: Z:\TOXSTAT\MONTE\FHSURV. Transform: ARC SINE(SQUARE ROOT(Y))

Shapiro - Wilk's test for normality

D = 0.067

W = 0.714

Critical W (P = 0.05) (n = 30) = 0.927

Critical W (P = 0.01) (n = 30) = 0.900

Data FAIL normality test. Try another transformation.

Warning - The first three homogeneity tests are sensitive to non-normal data and should not be performed.

AA# K1202003, FATHEAD MINNOW, CHRONIC, 2-9-12
File: Z:\TOXSTAT\MONTE\FHSURV. Transform: ARC SINE(SQUARE ROOT(Y))

Hartley's test for homogeneity of variance
Bartlett's test for homogeneity of variance

These two tests can not be performed because at least one group has zero variance.

Data FAIL to meet homogeneity of variance assumption.
Additional transformations are useless.

TITLE: AA# K1202003, FATHEAD MINNOW, CHRONIC, 2-9-12
FILE: Z:\TOXSTAT\MONTE\FHSURV.
TRANSFORM: ARC SINE(SQUARE ROOT(Y)) NUMBER OF GROUPS: 6

GRP	IDENTIFICATION	REP	VALUE	TRANS VALUE
1	CONTROL	1	1.0000	1.3931
1	CONTROL	2	1.0000	1.3931
1	CONTROL	3	1.0000	1.3931
1	CONTROL	4	1.0000	1.3931
1	CONTROL	5	1.0000	1.3931
2	32 % EFFLUENT	1	1.0000	1.3931
2	32 % EFFLUENT	2	1.0000	1.3931
2	32 % EFFLUENT	3	1.0000	1.3931
2	32 % EFFLUENT	4	1.0000	1.3931
2	32 % EFFLUENT	5	1.0000	1.3931

3	42 %	EFFLUENT	1	1.0000	1.3931
3	42 %	EFFLUENT	2	1.0000	1.3931
3	42 %	EFFLUENT	3	1.0000	1.3931
3	42 %	EFFLUENT	4	1.0000	1.3931
3	42 %	EFFLUENT	5	1.0000	1.3931
4	56 %	EFFLUENT	1	1.0000	1.3931
4	56 %	EFFLUENT	2	1.0000	1.3931
4	56 %	EFFLUENT	3	1.0000	1.3931
4	56 %	EFFLUENT	4	1.0000	1.3931
4	56 %	EFFLUENT	5	0.8750	1.2094
5	75 %	EFFLUENT	1	1.0000	1.3931
5	75 %	EFFLUENT	2	1.0000	1.3931
5	75 %	EFFLUENT	3	1.0000	1.3931
5	75 %	EFFLUENT	4	1.0000	1.3931
5	75 %	EFFLUENT	5	1.0000	1.3931
6	100 %	EFFLUENT	1	0.8750	1.2094
6	100 %	EFFLUENT	2	1.0000	1.3931
6	100 %	EFFLUENT	3	0.8750	1.2094
6	100 %	EFFLUENT	4	1.0000	1.3931
6	100 %	EFFLUENT	5	1.0000	1.3931

AA# K1202003, FATHEAD MINNOW, CHRONIC, 2-9-12

File: Z:\TOXSTAT\MONTE\FHSURV.

Transform: ARC SINE(SQUARE ROOT(Y))

STEEL'S MANY-ONE RANK TEST

- Ho:Control<Treatment

GROUP	IDENTIFICATION	TRANSFORMED MEAN	RANK SUM	CRIT. VALUE	df	SIG
1	CONTROL	1.393				
2	32 % EFFLUENT	1.393	27.50	16.00	5.00	
3	42 % EFFLUENT	1.393	27.50	16.00	5.00	
4	56 % EFFLUENT	1.356	25.00	16.00	5.00	
5	75 % EFFLUENT	1.393	27.50	16.00	5.00	
6	100 % EFFLUENT	1.320	22.50	16.00	5.00	

Critical values use k = 5, are 1 tailed, and alpha = 0.05

AA# K1202003, FATHEAD MINNOW GROWTH CHRONIC, 2-9-12
File: Z:\TOXSTAT\MONTE\FHGR. Transform: ARC SINE(SQUARE ROOT(Y))

Shapiro - Wilk's test for normality

D = 0.069
W = 0.957
Critical W (P = 0.05) (n = 30) = 0.927
Critical W (P = 0.01) (n = 30) = 0.900

Data PASS normality test at P=0.01 level. Continue analysis.

AA# K1202003, FATHEAD MINNOW GROWTH CHRONIC, 2-9-12
File: Z:\TOXSTAT\MONTE\FHGR. Transform: ARC SINE(SQUARE ROOT(Y))

Bartlett's test for homogeneity of variance
Calculated B1 statistic = 3.79

Table Chi-square value = 15.09 (alpha = 0.01, df = 5)
Table Chi-square value = 11.07 (alpha = 0.05, df = 5)

Data PASS B1 homogeneity test at 0.01 level. Continue analysis.

TITLE: AA# K1202003, FATHEAD MINNOW GROWTH CHRONIC, 2-9-12
FILE: Z:\TOXSTAT\MONTE\FHGR.
TRANSFORM: ARC SINE(SQUARE ROOT(Y)) NUMBER OF GROUPS: 6

GRP	IDENTIFICATION	REP	VALUE	TRANS VALUE
1	CONTROL	1	0.4390	0.7242
1	CONTROL	2	0.4770	0.7624
1	CONTROL	3	0.4000	0.6847
1	CONTROL	4	0.4380	0.7232
1	CONTROL	5	0.4670	0.7524
2	32 % EFFLUENT	1	0.6350	0.9221
2	32 % EFFLUENT	2	0.7290	1.0233
2	32 % EFFLUENT	3	0.7210	1.0143
2	32 % EFFLUENT	4	0.6300	0.9169
2	32 % EFFLUENT	5	0.6600	0.9483
3	42 % EFFLUENT	1	0.6550	0.9430
3	42 % EFFLUENT	2	0.7750	1.0766
3	42 % EFFLUENT	3	0.7480	1.0449
3	42 % EFFLUENT	4	0.6510	0.9388
3	42 % EFFLUENT	5	0.6800	0.9695
4	56 % EFFLUENT	1	0.8150	1.1262

4	56 %	EFFLUENT	2	0.7310	1.0255
4	56 %	EFFLUENT	3	0.7610	1.0600
4	56 %	EFFLUENT	4	0.7580	1.0565
4	56 %	EFFLUENT	5	0.7490	1.0460
5	75 %	EFFLUENT	1	0.6060	0.8922
5	75 %	EFFLUENT	2	0.6640	0.9525
5	75 %	EFFLUENT	3	0.7010	0.9922
5	75 %	EFFLUENT	4	0.5810	0.8668
5	75 %	EFFLUENT	5	0.6600	0.9483
6	100 %	EFFLUENT	1	0.7020	0.9933
6	100 %	EFFLUENT	2	0.8590	1.1859
6	100 %	EFFLUENT	3	0.7790	1.0814
6	100 %	EFFLUENT	4	0.7150	1.0076
6	100 %	EFFLUENT	5	0.7660	1.0659

AA# K1202003, FATHEAD MINNOW GROWTH CHRONIC, 2-9-12

File: Z:\TOXSTAT\MONTE\FHGR.

Transform: ARC SINE(SQUARE ROOT(Y))

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	0.386	0.077	26.963
Within (Error)	24	0.069	0.003	
Total	29	0.455		

Critical F value = 2.62 (0.05,5,24)

Since F > Critical F REJECT Ho: All equal

AA# K1202003, FATHEAD MINNOW GROWTH CHRONIC, 2-9-12

File: Z:\TOXSTAT\MONTE\FHGR.

Transform: ARC SINE(SQUARE ROOT(Y))

DUNNETT'S TEST

TABLE 1 OF 2

Ho:Control<Treatment

GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	SIG
1	CONTROL	0.729	0.444		
2	32 % EFFLUENT	0.965	0.675	-6.959	
3	42 % EFFLUENT	0.995	0.702	-7.833	
4	56 % EFFLUENT	1.063	0.763	-9.850	
5	75 % EFFLUENT	0.930	0.642	-5.938	
6	100 % EFFLUENT	1.067	0.764	-9.968	

Dunnett table value = 2.36 (1 Tailed Value, P=0.05, df=24,5)

AA# K1202003, FATHEAD MINNOW GROWTH CHRONIC, 2-9-12

File: Z:\TOXSTAT\MONTE\FHGR.

Transform: ARC SINE(SQUARE ROOT(Y))

DUNNETT'S TEST

TABLE 2 OF 2

Ho:Control<Treatment

GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of CONTROL	DIFFERENCE FROM CONTROL
1	CONTROL	5			
2	32 % EFFLUENT	5	0.078	17.6	-0.231
3	42 % EFFLUENT	5	0.078	17.6	-0.258
4	56 % EFFLUENT	5	0.078	17.6	-0.319
5	75 % EFFLUENT	5	0.078	17.6	-0.198
6	100 % EFFLUENT	5	0.078	17.6	-0.320

APPENDIX D

Ceriodaphnia dubia Raw Data and Statistics

Ceriodaphnia dubia

SURVIVAL AND REPRODUCTION TEST

Discharger: Winston Lab Number/s: _____
 Location: _____
 Date Sample Collected: _____

Analyst: KPTest Start - Date/Time: 2/9/12, 1540Test Stop - Date/Time: 2/11/12, 1030

Conc 1		Replicate										No. of Young	No. of Adult	Young/Adult	Analyst
%	Day	A	B	C	D	E	F	G	H	I	J				
0	1	0	0	0	0	0	0	0	0	0	0	0	10	0	KP
	2	0	0	0	0	0	0	0	0	0	0	0	10	0	KP
	3	2	0	0	0	0	0	1	0	0	0	3	10	0.1	KP
	4	0	2	0	0	1	0	2	1	0	1	7	10	0.7	KP
	5	5	5	2	0	2	1	3	0	3	1	22	10	2.2	KP
	6	0	4	0	8	7	5	0	4	6	7	41	10	4.1	KP
	7	10	10	7	7	8	6	9	10	9	12	87	10	8.7	KP
	8														
Total		17	21	9	15	18	12	15	15	18	21	161		$\bar{x}=16.1$	23.3

Conc 2		Replicate										No. of Young	No. of Adult	Young/Adult	Analyst
%	Day	A	B	C	D	E	F	G	H	I	J				
32	1	0	0	0	0	0	0	0	0	0	0	0	10	0	
	2	0	0	0	0	0	0	0	0	0	0	0	10	0	
	3	0	0	0	0	0	0	0	0	1	0	2	10	0.2	
	4	3	1	1	0	0	1	0	2	2	1	11	10	1.1	
	5	0	0	3	2	3	3	6	2	3	3	25	10	2.5	
	6	6	7	2	10	2	5	0	7	7	4	41	10	4.1	
	7	4	3	9	11	5	7	6	9	1	0	55	9	6.1	
	8														
Total		13	11	15	24	10	16	12	20	14	28	143			

Conc 3		Replicate										No. of Young	No. of Adult	Young/Adult	Analyst
%	Day	A	B	C	D	E	F	G	H	I	J				
44	1	0	0	0	0	0	0	0	0	0	0	0	10	0	
	2	0	0	0	0	0	0	0	0	0	0	0	10	0	
	3	0	0	0	0	0	0	0	0	2	0	2	10	0.2	
	4	1	0	0	0	0	0	3	1	1	5	11	10	1.1	
	5	7	2	1	5	1	3	4	1	1	3	28	10	2.8	
	6	1	1	2	2	3	4	0	7	5	0	30	10	3.0	
	7	8	9	7	9	7	10	12	8	7	4	81	10	8.1	
	8														
Total		17	12	15	16	11	17	19	19	14	12	152			

X= DEAD; Y= MALE

Conc 4		Replicate										No. of Young	No. of Adult	Young/Adult	Analyst
%	Day	A	B	C	D	E	F	G	H	I	J				
56	1	0	0	0	0	0	0	0	0	0	0	0	10	0	
	2	0	0	0	0	0	0	0	0	0	0	0	10	0	
	3	0	0	0	1	7	0	0	0	1	0	4	10	0.4	
	4	2	2	0	0	0	1	2	2	0	1	10	10	1.0	
	5	2	4	4	5	1	0	4	3	1	2	26	10	2.6	
	6	0	2	8	5	3	1	3	7	2	5	36	10	3.6	
	7	8	9	5	9	10	6	11	11	7	8	84	10	8.4	
	8														
Total		12	17	17	20	16	8	20	23	11	16	160			

Conc 5		Replicate										No. of Young	No. of Adult	Young/Adult	Analyst
%	Day	A	B	C	D	E	F	G	H	I	J				
75	1	0	0	0	0	0	0	0	0	0	0	0	10	0	
	2	0	0	0	0	0	0	0	0	0	0	0	10	0	
	3	7	1	0	0	0	0	0	0	0	0	3	10	0.3	
	4	0	1	1	0	0	0	0	5	1	2	10	10	1.0	
	5	6	4	3	6	1	3	1	1	5	0	30	10	3.0	
	6	5	5	8	7	6	3	7	8	5	2	60	10	6.0	
	7	0	7	3	1	4	0	5	4	5	9	38	10	3.8	
	8														
Total		17	18	15	14	11	6	13	18	16	13	141			

Conc 6		Replicate										No. of Young	No. of Adult	Young/Adult	Analyst
%	Day	A	B	C	D	E	F	G	H	I	J				
100	1	0	0	0	0	0	0	0	0	0	0	0	10	0	
	2	0	0	0	0	0	0	0	0	0	0	0	10	0	
	3	0	0	0	1	0	1	0	0	0	0	2	10	0.2	
	4	1	1	0	3	0	1	1	0	1	0	8	10	0.8	
	5	3	7	0	6	3	4	1	3	1	4	32	10	3.2	
	6	2	0	7	1	6	5	5	1	3	0	30	10	3.0	
	7	6	5	7	6	6	10	9	9	7	7	72	10	7.2	
	8														
Total		12	18	14	17	15	21	16	13	12	11	145			

 $\bar{x}=14.4$

CV=20.8

AA # K1202002, C. DUBIA CHRONIC, REPRODUCTION, 2-9-12
File: Z:/toxstat/monte\CD. Transform: NO TRANSFORMATION

Shapiro - Wilk's test for normality

***** Shapiro - Wilk's Test is aborted *****

This test can not be performed because total number of replicates
is greater than 50.

Total number of replicates = 60

AA # K1202002, C. DUBIA CHRONIC, REPRODUCTION, 2-9-12
File: Z:/toxstat/monte\CD. Transform: NO TRANSFORMATION

Bartlett's test for homogeneity of variance
Calculated B1 statistic = 3.67

Table Chi-square value = 15.09 (alpha = 0.01, df = 5)
Table Chi-square value = 11.07 (alpha = 0.05, df = 5)

Data PASS B1 homogeneity test at 0.01 level. Continue analysis.

FISHER'S EXACT TEST

=====			
NUMBER OF			

IDENTIFICATION	ALIVE	DEAD	TOTAL ANIMALS
-----	-----	-----	-----
CONTROL	10	0	10
32%	9	1	10
-----	-----	-----	-----
TOTAL	19	1	20
=====			

CRITICAL FISHER'S VALUE (10,10,10) ($p=0.05$) IS 6. b VALUE IS 9.

Since b is greater than 6 there is no significant difference between CONTROL and TREATMENT at the 0.05 level.

FISHER'S EXACT TEST

=====			
NUMBER OF			

IDENTIFICATION	ALIVE	DEAD	TOTAL ANIMALS
-----	-----	-----	-----
CONTROL	10	0	10
42%	10	0	10
-----	-----	-----	-----
TOTAL	20	0	20
=====			

CRITICAL FISHER'S VALUE (10,10,10) ($p=0.05$) IS 6. b VALUE IS 10.

Since b is greater than 6 there is no significant difference between CONTROL and TREATMENT at the 0.05 level.

FISHER'S EXACT TEST

=====			
NUMBER OF			

IDENTIFICATION	ALIVE	DEAD	TOTAL ANIMALS
-----	-----	-----	-----
CONTROL	10	0	10
56%	10	0	10
-----	-----	-----	-----

TOTAL	20	0	20
-------	----	---	----

CRITICAL FISHER'S VALUE (10,10,10) (p=0.05) IS 6. b VALUE IS 10.

Since b is greater than 6 there is no significant difference between CONTROL and TREATMENT at the 0.05 level.

FISHER'S EXACT TEST

NUMBER OF

IDENTIFICATION

ALIVE

DEAD

TOTAL ANIMALS

CONTROL

10

0

10

75%

10

0

10

TOTAL

20

0

20

CRITICAL FISHER'S VALUE (10,10,10) (p=0.05) IS 6. b VALUE IS 10.

Since b is greater than 6 there is no significant difference between CONTROL and TREATMENT at the 0.05 level.

FISHER'S EXACT TEST

NUMBER OF

IDENTIFICATION

ALIVE

DEAD

TOTAL ANIMALS

CONTROL

10

0

10

100%

10

0

10

TOTAL

20

0

20

CRITICAL FISHER'S VALUE (10,10,10) (p=0.05) IS 6. b VALUE IS 10.

Since b is greater than 6 there is no significant difference between CONTROL and TREATMENT at the 0.05 level.

SUMMARY OF FISHER'S EXACT TESTS

NUMBER

NUMBER

SIG

GROUP	IDENTIFICATION	EXPOSED	DEAD	(P=.05)
	CONTROL	10	0	
1	32%	10	1	
2	42%	10	0	
3	56%	10	0	
4	75%	10	0	
5	100%	10	0	

TITLE: AA # K1202002, C. DUBIA CHRONIC, REPRODUCTION, 2-9-12
 FILE: Z:/toxstat/monte\CD.
 TRANSFORM: NO TRANSFORMATION

NUMBER OF GROUPS: 6

GRP	IDENTIFICATION	REP	VALUE	TRANS VALUE
1	CONTROL	1	17.0000	17.0000
1	CONTROL	2	21.0000	21.0000
1	CONTROL	3	9.0000	9.0000
1	CONTROL	4	15.0000	15.0000
1	CONTROL	5	18.0000	18.0000
1	CONTROL	6	12.0000	12.0000
1	CONTROL	7	15.0000	15.0000
1	CONTROL	8	15.0000	15.0000
1	CONTROL	9	18.0000	18.0000
1	CONTROL	10	21.0000	21.0000
2	32 % EFFLUENT	1	13.0000	13.0000
2	32 % EFFLUENT	2	11.0000	11.0000
2	32 % EFFLUENT	3	15.0000	15.0000
2	32 % EFFLUENT	4	24.0000	24.0000
2	32 % EFFLUENT	5	10.0000	10.0000
2	32 % EFFLUENT	6	16.0000	16.0000
2	32 % EFFLUENT	7	12.0000	12.0000
2	32 % EFFLUENT	8	20.0000	20.0000
2	32 % EFFLUENT	9	14.0000	14.0000
2	32 % EFFLUENT	10	8.0000	8.0000
3	42 % EFFLUENT	1	17.0000	17.0000
3	42 % EFFLUENT	2	12.0000	12.0000
3	42 % EFFLUENT	3	15.0000	15.0000
3	42 % EFFLUENT	4	16.0000	16.0000
3	42 % EFFLUENT	5	11.0000	11.0000
3	42 % EFFLUENT	6	17.0000	17.0000
3	42 % EFFLUENT	7	19.0000	19.0000
3	42 % EFFLUENT	8	19.0000	19.0000
3	42 % EFFLUENT	9	14.0000	14.0000
3	42 % EFFLUENT	10	12.0000	12.0000
4	56 % EFFLUENT	1	12.0000	12.0000
4	56 % EFFLUENT	2	17.0000	17.0000
4	56 % EFFLUENT	3	17.0000	17.0000
4	56 % EFFLUENT	4	20.0000	20.0000
4	56 % EFFLUENT	5	16.0000	16.0000
4	56 % EFFLUENT	6	8.0000	8.0000
4	56 % EFFLUENT	7	20.0000	20.0000
4	56 % EFFLUENT	8	23.0000	23.0000

4	56 %	EFFLUENT	9	11.0000	11.0000
4	56 %	EFFLUENT	10	16.0000	16.0000
5	75 %	EFFLUENT	1	17.0000	17.0000
5	75 %	EFFLUENT	2	18.0000	18.0000
5	75 %	EFFLUENT	3	15.0000	15.0000
5	75 %	EFFLUENT	4	14.0000	14.0000
5	75 %	EFFLUENT	5	11.0000	11.0000
5	75 %	EFFLUENT	6	6.0000	6.0000
5	75 %	EFFLUENT	7	13.0000	13.0000
5	75 %	EFFLUENT	8	18.0000	18.0000
5	75 %	EFFLUENT	9	16.0000	16.0000
5	75 %	EFFLUENT	10	13.0000	13.0000
6	100 %	EFFLUENT	1	12.0000	12.0000
6	100 %	EFFLUENT	2	13.0000	13.0000
6	100 %	EFFLUENT	3	14.0000	14.0000
6	100 %	EFFLUENT	4	17.0000	17.0000
6	100 %	EFFLUENT	5	15.0000	15.0000
6	100 %	EFFLUENT	6	21.0000	21.0000
6	100 %	EFFLUENT	7	16.0000	16.0000
6	100 %	EFFLUENT	8	13.0000	13.0000
6	100 %	EFFLUENT	9	12.0000	12.0000
6	100 %	EFFLUENT	10	11.0000	11.0000

AA # K1202002, C. DUBIA CHRONIC, REPRODUCTION, 2-9-12
File: Z:/toxstat/monte\CD. Transform: NO TRANSFORMATION

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	39.083	7.817	0.529
Within (Error)	54	797.900	14.776	
Total	59	836.983		

Critical F value = 2.45 (0.05,5,40)
Since F < Critical F FAIL TO REJECT Ho: All equal

AA # K1202002, C. DUBIA CHRONIC, REPRODUCTION, 2-9-12
File: Z:/toxstat/monte\CD. Transform: NO TRANSFORMATION

DUNNETT'S TEST - TABLE 1 OF 2 Ho:Control<Treatment

GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	SIG
1	CONTROL	16.100	16.100		
2	32 % EFFLUENT	14.300	14.300	1.047	
3	42 % EFFLUENT	15.200	15.200	0.524	
4	56 % EFFLUENT	16.000	16.000	0.058	
5	75 % EFFLUENT	14.100	14.100	1.163	
6	100 % EFFLUENT	14.400	14.400	0.989	

Dunnett table value = 2.31 (1 Tailed Value, P=0.05, df=40,5)

AA # K1202002, C. DUBIA CHRONIC, REPRODUCTION, 2-9-12

File: Z:/toxstat/monte\CD. Transform: NO TRANSFORMATION

DUNNETT'S TEST - TABLE 2 OF 2 Ho:Control<Treatment

GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of CONTROL	DIFFERENCE FROM CONTROL
1	CONTROL	10			
2	32 % EFFLUENT	10	3.971	24.7	1.800
3	42 % EFFLUENT	10	3.971	24.7	0.900
4	56 % EFFLUENT	10	3.971	24.7	0.100
5	75 % EFFLUENT	10	3.971	24.7	2.000
6	100 % EFFLUENT	10	3.971	24.7	1.700

AA # K1202002, C. DUBIA CHRONIC, REPRODUCTION, 2-9-12

File: Z:/toxstat/monte\CD. Transform: NO TRANSFORMATION

STEEL'S MANY-ONE RANK TEST - Ho:Control<Treatment

GROUP	IDENTIFICATION	TRANSFORMED MEAN	RANK SUM	CRIT. VALUE	df	SIG
1	CONTROL	16.100				
2	32 % EFFLUENT	14.300	89.00	75.00	10.00	
3	42 % EFFLUENT	15.200	96.50	75.00	10.00	
4	56 % EFFLUENT	16.000	104.50	75.00	10.00	
5	75 % EFFLUENT	14.100	90.00	75.00	10.00	
6	100 % EFFLUENT	14.400	88.00	75.00	10.00	

Critical values use k = 5, are 1 tailed, and alpha = 0.05

APPENDIX E

Organism History

AQUATOX, INC.

416 TWIN POINTS ROAD
HOT SPRINGS, ARKANSAS 71913
501-520-0560

TEST ORGANISM HISTORY

DATE SHIPPED 2/8/12 CLIENT AR Analytical

Purchase Order #: 1600

SPECIES: Pimephales promelas Mysidopsis bahia Cyprinodon variegatus

Quantity Shipped: 1600

Age: Hatched 2/7/12 1500 CST

Brood Stock Source: Anderson Farms

Culture Water: Groundwater Artificial Salts Artificial Salts

Hardness (Mg/l CaCO3) 160 Salinity (ppt)

Dissolved Oxygen (Mg/l): 8.8

Feeding: Artemia

Comments: 25.10C

Shipped Via: Federal Express UPS Overnight

Packaged By:

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

ORGANISM HISTORY

DATE: 6/22/09

SPECIES: Ceriodaphnia dubia

AGE: Variable

LIFE STAGE: Adult

HATCH DATE: Variable

BEGAN FEEDING: Immediately

FOOD: YTC, Selenastrum sp.

Water Chemistry Record:

	Current	Range
TEMPERATURE:	<u>25°C</u>	<u>20-25°C</u>
SALINITY/CONDUCTIVITY:	<u>--</u>	<u>--</u>
TOTAL HARDNESS (as CaCO ₃):	<u>142 mg/l</u>	<u>86-124 mg/l</u>
TOTAL ALKALINITY (as CaCO ₃):	<u>100 mg/l</u>	<u>65-130 mg/l</u>
pH:	<u>7.92</u>	<u>7.56-8.35</u>

Comments:




Facility Supervisor

APPENDIX F

Quality Assurance Charts


ARKANSAS ANALYTICAL, INC.

FATHEAD MINNOW SURVIVAL QUALITY ASSURANCE




ARKANSAS ANALYTICAL, INC.

FATHEAD MINNOW GROWTH QUALITY ASSURANCE



ARKANSAS ANALYTICAL, INC.

CERIODAPHNIA DUBIA SURVIVAL QUALITY ASSURANCE



ARKANSAS ANALYTICAL, INC.

CERIODAPHNIA DUBIA REPRODUCTION QUALITY ASSURANCE

